


RUST

MILLWORK PRICE GUIDE



RUST SASH & DOOR COMPANY

ST. LOUIS, MO.

KANSAS CITY, MO.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

**NATIONAL
BUILDING
ARTS
CENTER**

<http://web.nationalbuildingarts.org>

PRICE BULLETIN

Showing NET price advances authorized by WPB Bulletins R.M.P.R. 293, including Amendments No. 1 and 2 to same on Pine goods, and RPS 44, Amendment 2, on Fir doors.

These net price advances figured on basis mentioned in our Price Advance Notice, dated October 13th, 1943.

Amounts shown are—Our Net extra cost.

—Your Net extra cost.

—Net amount you can advance your ceiling selling prices.

Price regulations state that neither distributor nor Retailer is permitted to add any profit on net extra costs. Advances may be passed on to consumer **without profit**.

Rust Price schedules now in effect are

- (1) Rust Millwork Price Guide dated August 1, 1941 and dealers discount sheet of August 1, 1941 (Excepting Screen Doors, Combination Doors, and Fir Plywood) subject to net advances on following pages of this bulletin.
- (2) Rust Storm Goods Folder of August 18, 1942 (Except Combination Door and Dual Door prices), Subject to net advances on following pages of this bulletin.
- (3) Rust Screen Goods Folder of May 17 1943, and special discount letter of May 17, 1943.
- (4) Fir Plywood Bulletin of July 15, 1943.

RUST SASH & DOOR COMPANY

11th and Hickory Sts.

Kansas City 7, Mo.

Applying to Page No. 1 of Rust Millwork Price Guide.

Following Net amounts are to be added to your old costs on Curtis Rotovent and Basement Units:

C-1664, Rotovent, add	\$0.44
C-1666, 2-light Basement Units, add08
C-1668, 3-light Basement Units, all sizes, add09

Applying to pages 2 to 11, inclusive, also pages 72 and 76 of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on Windows and Storm Sash, glazed either SS or DS, in the following designs:

Windows:

C-2502 (U-1002) C-2563 (U-1013)
C-2504 (U-1004) C-2664 - C-2694
C-2508 (U-1008) Modern Windows.

Storm Sash:

C-2852 (U-775) C-2868
C-2854 (U-776) C-2879
U-784

Read across for width; read down for height

Glass Size	12" 14"	16" 18"	20"	22"	24"	26" 27"	28"	30"	32" 34"	36"	40"	44"	48"
12"	\$ --	\$.03	\$.03	\$ --	\$.03	\$ --	\$ --	\$.04	\$ --	\$ --	\$ --	\$ --	\$ --
14"	--	.03	.03	--	.03	.03	.04	.04	.04	.05	--	--	--
15"	--	.03	.03	--	.03	.04	.04	.04	.04	.05	--	--	--
16"	.03	.03	.03	.03	.04	.04	.04	.04	.05	.05	--	--	--
18"	.03	.03	.03	.04	.04	.04	.04	.05	.05	.05	.06	.06	.06
20"	.03	.03	.04	.04	.04	.04	.05	.05	.05	.06	.07	.07	.07
22"	.03	.03	.04	.04	.04	.05	.05	.05	.05	.06	.07	.08	.09
24"	.03	.04	.04	.04	.05	.05	.05	.05	.06	.06	.07	.08	.09
26"	.03	.04	.04	.05	.05	.05	.05	.06	.06	.07	.08	.08	.09
28"	.03	.04	.05	.05	.05	.05	.06	.06	.07	.07	.08	.09	.10
30"	.04	.04	.05	.05	.05	.06	.06	.07	.07	.07	.08	.10	.10
32"	.04	.04	.05	.05	.06	.06	.07	.07	.07	.08	.09	.10	.10
34"	--	.05	.05	.06	.06	.07	.07	.07	.07	.09	.10	.10	.11
36"	--	.05	.06	.06	.06	.07	.07	.07	.08	.09	.10	.11	.11

Intermediate sizes, same amount as next smaller listed size.

Half Windows, 50% of extra applying to full window of same glass size.

Windows, top divided rect., lights, C-2556 (U-1016) & C-2686, add additional	\$0.01
Windows, top and bottom each 6-light 3x2, C-2512 (U-1012) and C-2672, add additional02
Windows, top and bottom each 8-light 4x2, C-2516 or C-2676, add additional03
Windows and Storm Sash, Colonial design (top 24" high, bottom 36" high) use extra for 30" glass height.	

Following NET amounts are to be added to your old costs on all Cottage Windows and storm sash for same.

Glass Size	2-Lt. Top SS Bot DS	2 Lt. DS	4 Lt. SS	Glass Size	2-Lt. Top SS Bot DS	2 Lt. DS	4 Lt. SS
40x20/44 and under	\$0.08	\$0.09	\$0.08	44x16/40 and larger	\$0.11	\$0.12	\$0.11

Following NET amounts are to be added to your old costs on following sash:

Cellar Sash, 2 or 3 Light, 1 1/8" or 1 3/8" thick, all sizes listed in Rust price guide	\$0.02
4-Light Barn Sash, 1 1/8" and 1 3/8" thick, all sizes listed in Rust price guide02
6-Light Barn Sash, 1 1/8" and 1 3/8" thick, all sizes listed in Rust price guide03
6-Light chicken house sash, 1 1/8" thick, all sizes listed in Rust price guide03
8-Light Barn Sash, 1 1/8" thick, all sizes listed in Rust price guide03
9-Light Barn Sash, 1 1/8" and 1 3/8" thick, all sizes listed in Rust price guide04

Plain Rail Windows, 8 and 12 light, twice the price of 4 or 6 light barn sash of same glass size.

1-Light Sash C-2721, U-1220, all sizes listed in Rust price guide03
1 Light Transoms, C-2911, U-1222, all sizes listed in Rust price guide02
Hot-Bed Sash C-2824, 3-0x6-0, 1 1/8" thick, 3 or 4 rows, glazed SS09
Hot-Bed Sash C-2824, 4-0x6-0, 1 1/8" thick, 5 rows, glazed SS14
Casement Sash U-1104 design, all sizes listed in Rust price guide03
Casement Sash U-1116 design, all sizes listed in Rust price guide03
Casement Sash U-1108 design, all sizes listed in Rust price guide04

Odd size windows or sash not listed in Rust price guide—

Refer to standard list catalogue No. 40 dated March 1st, 1940, and add of this No. 40 list:

Glazed windows or sash	1%
Open windows or sash	1 1/2%

November 20, 1943.

Applying to pages 12 and 13 of Rust Millwork Price Guide.

Sash Balances—No price advance.
 Sash Chain—No longer available.
 Sash Cord—No longer available.

Sash Weights—No longer available.
 FIR Window and Door Frames—No price advance.

Applying to pages 14 to 19, also pages 69 to 71, inclusive of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on all W. P. Pine Window, Sash and Door Frames:
 W. P. Pine Window and Sash Frames C-1570 to C-1590, inclusive.

Read across for width; read down for height.

Glass Size	16" 18"	20" 22"	24" 26"	28" 30"	32" 36"	40" 44" 48"
12" or 14" -----	\$0.11	\$0.12	\$0.12	\$0.13	\$0.14	\$0.15
16" or 18" -----	.12	.13	.14	.14	.15	.16
20" or 22" -----	.13	.14	.14	.15	.16	.17
24" -----	.14	.15	.15	.16	.17	.18
26" or 28" -----	.14	.15	.16	.16	.17	.19
30" or 32" -----	.16	.17	.17	.18	.18	.20
36" -----	.17	.18	.18	.19	.20	.21

C-1595 Box Window Frames, all sizes, add additional to above ----- \$0.02
 Mullion, Triple or Quadruple frames—2, 3 or 4 times the extra for single frames listed above.

Door Frames:

Design

	3-0x7-0 and under	4-0x6-8 to 6-0x7-0
C-1534 to C-1548-C, inclusive) -----	\$0.18	\$0.22
C-1680 to C-1684, inclusive) -----		
C-1553 and C-1685 -----	.12	.14
C-1554 and C-1686 -----	.21	.25
C-1555 and C-1687 -----	.28	.31

Silentite Window Frames; C-1515 to C-1528, inclusive

Read across for width; read down for height

Glass Size	16" 18"	20" 22"	24" 27"	30" 32"	36" 40"
12" -----	\$0.13	\$0.13	\$0.14	\$0.15	\$0.18
15" -----	.14	.15	.15	.16	.18
18" -----	.15	.16	.16	.18	.20
20" and 22" -----	.17	.17	.18	.19	.21
24" -----	.18	.19	.19	.21	.23
26" and 28" -----	.19	.19	.20	.21	.23
30", 32", 35" and 36" -----	.21	.21	.22	.23	.25

Mullion, Triple or Quadruple frames—2, 3 or 4 times the extra for single frames listed above.

"Studio" Window Units priced on pages 16 and 73 of Rust Price Guide, all sizes, add per complete unit ----- \$0.63

Special window, sash and door frames priced on page 17 of Rust Price Guide, add extra for size required using above tables.

Gable, Sash and Louvres, Curtis Sidelight Sash, Gable Sash Units and Curtis Louvres ----- No extra

Cellar Frames priced on page 18 of Rust Price Guide, all sizes, add ----- .05

Casement sash frames priced on page 18 of Rust Price Guide—Add window frame extra above using next smaller window opening size.

Curtis Blinds and Shutters:

All designs and sizes priced on page 19 of Rust Price Guide, per pair ----- .08

Applying to pages 20 to 29, inclusive, of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on all W. P. Pine Exterior and French Doors. For Fir Doors add amounts shown on opposite page.

W. P. PINE ENTRANCE DOORS

Design	2-6 x 6-6 1%	2-6 x 6-8 1%	2-8 x 6-8 1%	2-8 x 7-0 1%	2-10 x 6-10 1%	3-0 x 6-8 1%	3-0 x 7-0 1%
C-1020	\$ --	\$ --	\$ --	\$ --	\$ --	\$ --	\$ --
1021	--	--	--	--	--	--	--
1023	--	--	--	--	--	--	--
1024	--	--	--	--	--	--	--
1025	--	--	--	--	--	--	--
1026	--	--	--	--	--	--	--
1027	--	--	--	--	--	--	--
1028	--	--	--	--	--	--	--
1030	--	--	--	--	--	--	--
1060	--	--	--	--	--	--	--
1110	--	--	--	--	--	--	--
1120	--	--	--	--	--	--	--
1130	--	--	--	--	--	--	--
1140	--	--	--	--	--	--	--
1160	--	--	--	--	--	--	--
1165	--	--	--	--	--	--	--
1200	--	--	--	--	--	--	--
1210	--	--	--	--	--	--	--
1211	--	--	--	--	--	--	--
1224	--	--	--	--	--	--	--
1230	.13	.13	.28	.13	.29	.14	.30
1233	.12	.12	.26	.12	.27	.13	.28
1239	.13	.13	.29	.14	.30	.14	.31
1244	.11	.11	.23	.11	.24	.12	.26
1245	.12	.12	.25	.12	.26	.13	.29
1246	.12	.12	.26	.12	.26	.13	.28
1250	.11	.11	.25	.12	.25	.13	.26
U-130	--	--	--	--	--	--	--
U-143	--	--	--	--	--	--	--
U-148	--	--	--	--	--	--	--
U-163	--	--	--	--	--	--	--
U-169	--	--	--	--	--	--	--
U-180	--	--	--	--	--	--	--
U-183	--	--	--	--	--	--	--
U-186	--	--	--	--	--	--	--

W. P. PINE FRENCH DOORS

Size	C-3200 1%	C-3201 1%	C-3210 1%	C-3211 1%
2-0 x 6-6	\$ --	\$ --	\$ --	\$ --
6-8	.12	.24	.11	.23
7-0	.12	.26	.12	.25
2-4 x 6-8	--	--	--	--
2-6 x 6-6	--	--	--	--
6-8	--	--	--	--
7-0	--	--	--	--
2-8 x 6-8	--	--	--	--
7-0	--	--	--	--
3-0 x 6-8	--	--	--	--
7-0	--	--	--	--

Applying to pages 30 and 31 of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on W. P. Pine garage doors:

C-1440, all sizes, per pair ----- \$0.61

C-1445, C-1446, all sizes, per pair ----- .31

Fir Garage Doors—No price advance.

Craw-Fir-Dors

Crawford sectional Garage Doors } No longer available.

Osborne "Lift-Lite" Door Hardware

November 20, 1943.

Applying to pages 32 to 35, inclusive, of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on all W. P. Pine panel doors in following designs:

1 Panel C-3070 (U-431)	4 Panel C-3090 (U-470)
2 Panel C-3040 (U-432)	5 X Panel C-3100 (U-477)
C-3170	

Read across for width; read down for height

	1-6 1-8 1 3/8	2-0 1 3/8	1 3/4	1 3/8	2-4 1 3/4	1 3/8	2-6 1 3/4	1 3/8	2-8 1 3/4	1 3/8	2-10 1 3/4	1 3/8	3-0 1 3/4
6-0	\$.09	\$.09	\$.20	\$.10	\$.22	\$.11	\$.23	\$.11	\$.24	\$.11	\$.25	\$.12	\$.26
6-6	.09	.10	.21	.10	.23	.11	.24	.12	.25	.12	.26	.13	.27
6-8	.09	.10	.21	.11	.23	.11	.24	.12	.25	.12	.26	.13	.27
6-10	.10	.10	.22	.11	.24	.12	.26	.13	.27	.13	.28	.14	.29
7-0	.10	.11	.23	.12	.25	.12	.26	.13	.27	.13	.28	.14	.29

		1 3/8"	1 3/4"
Design C-3020 W. P. Pine doors, all sizes, add additional to the above	-----	\$0.03	\$0.07
Design C-3030 or C-3025 W. P. Pine doors, all sizes, add additional to the above	-----	\$.01	.02
Design C-3050 W. P. Pine doors, all sizes, add additional to the above	-----	.02	.03

Following NET amounts are to be added to your old costs on FIR DOORS. This includes Fir panel doors, Fir Exterior doors and Fir French doors.

Read across for width; read down for height.

	2-0 1 3/8	1 3/4	2-4 1 3/8	1 3/4	2-6 1 3/8	1 3/4	2-8 1 3/8	1 3/4	2-10 1 3/8	1 3/4	3-0 1 3/8	1 3/4
6-0	\$.16	\$.21	\$.17	\$.22	\$.18	\$.23	\$.18	\$.24	\$.20	\$.27	\$.20	\$.27
6-4	.17	.22	.18	.23	.19	.24	.19	.25	.20	.28	.21	.28
6-6	.17	.22	.18	.23	.19	.24	.19	.25	.20	.28	.21	.28
6-8	.18	.22	.19	.24	.19	.25	.20	.25	.20	.28	.21	.29
6-10	.19	.24	.20	.25	.20	.27	.21	.27	.22	.29	.23	.31
7-0	.19	.24	.20	.26	.21	.27	.21	.28	.22	.30	.23	.31

Fir Doors under 2-0 wide, use 2-0 extra.

Applying to pages 36 to 39, inclusive, of Rust Millwork Price Guide.

Exterior Slab Doors—No price advance.

Nu-Mold Doors—Discontinued.

Streamliner Doors—No price advance.

Mirror Doors—Figure in usual manner, adding extra in above tables.

Summer doors, C-3300 (2 panel) add to your old costs, all sizes	-----	\$0.09
Summer doors, U-549 (4 panel) add to your old costs, all sizes	-----	.11
Store doors, add to your old costs, all sizes	-----	.30

Weatherstrips—No price advance.

The following items are no longer available:

Dennis No. 5000—Monarch No. 828—Nu-Way strip.

Dennis No. 143 —Monarch No. 850—On-Gard Bronze strip.

November 20, 1943.

Applying to pages 40 to 59, inclusive of Rust Millwork Price Guide.

Screen doors and Combination doors—Rust folder dated May 17th, 1943, and letter remains in effect—There is no price advance to this folder.

Storm Doors, C-1475, All Sizes, Add ----- \$0.11

Screen Door Grilles and Metalvents—No longer available.

Window Screens C-1496 (U-728) and C-1498.

Add following NET amounts to your old costs on screens wired 16-mesh galvanized wire only.
Read across for width; read down for height

	22" GM & under	24" to 29" GM incl.	30" GM & wider
16" GM and under -----	\$0.02	\$0.03	\$0.03
18" to 22" GM., incl. -----	.02	.03	.03
24" to 28" GM., incl. -----	.03	.03	.04
30" GM and higher -----	.03	.04	.04

Screens wired 14 mesh galvanized or 16 mesh Bronze—No longer available.

Fir exterior columns and Pine Porch work—no price advance.

Mouldings and trim sets (pages 48 to 54, inclusive.)—No price advance.

W. P. Pine inside door jambs, add following NET amount to your old cost ----- \$0.06

Yellow Pine and hardwood jambs—No price advance.

Sliding Stairways and Table Tennis Tops—No longer available.

Dennis Dowel display racks—Not available at present.

Dowel Rods and other items on page No. 57 of Rust price guide—no price advance.

All items on pages No. 58 and No. 59 of Rust price guide—Present prices remain in effect, except that stamped Metal-cane is no longer available.

All items on pages No. 60 and No. 61 of Rust Price Guide.

Present prices remain in effect except that the following items are no longer available:

Howard No. 171 Ironing boards—U-2565 breakfast Nooks—	U-3054 Medicine cabinets in 12x16 and 14x18 mirror sizes—
H-2106 Medicine cabinets—U-3051 Medicine cabinets—	L-415 Medicine cabinets.

Applying to page 63 of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on Mantels, China Closets, etc., as follows:

Mantels, W. P. Pine, all designs -----	\$0.34
China Closets, W. P. Pine, all designs -----	.51
Ironing boards, all designs -----	.12
Linen Cases, C-6815 and C-6816 -----	.61
Phone Cabinets, all designs -----	.07

Applying to pages 64 to 81 of Rust Millwork Price Guide.

Following NET amounts are to be added to your old costs on Kitchen cabinets

Read across for widths; read down for type of unit.

Unit No.	20" & under	Widths 24" to 32" Incl.	36" to 44" Incl.	Unit No.	20" & under	Widths 24" to 32" Incl.	36" to 44" Incl.
C-6701	\$ --	\$.17	\$.19	C-6718 or C-6720	.13	.30	--
C-6704	.13	.19	.23	C-6721 or C-6724)	.26	--	--
C-6707 or C-6709	.19	--	.22	C-6725 or C-6726)	--	--	--
C-6710 or C-6711	.21	.26	.32	C-6728	--	.15	.18
C-6712 or C-6714	.27	.31	.39				

Curtis & Tracy Linoleum Counter Tops priced on Page No. 65 ----- No longer available

Stair Parts—Pages 66 and 67 of Rust Price Guide ----- No price advance

Entrance Frames, Page 68—Add to your old NET costs, all designs ----- \$0.59

Door and Silentite Window Frames, Pages No. 69 to 71, Inclusive, of Rust Price Guide--- See page No. 3 of this folder

Silentite Windows, Page No. 72 of Rust Price Guide----- See page No. 2 of this folder

C-1498 Pre-Fit Window Screens (Page 73) ----- Same advance as Standard screens. See Table Above

Mitertite Window and Door Trim (Pages 74 and 75) ----- No price advance

C-2868 and C-2879 Pre-Fit Storm Sash (Page 76) ----- Use window extra shown on page No. 2 of this folder

Silentite Casements (Pages 77 to 81, inclusive) ----- No longer available

November 20, 1943.

RUST SASH & DOOR CO.

▼ Wholesale Distributors CURTIS WOODWORK • GLASS • PLYWOOD ▼ Manufacturers SPECIAL MILLWORK ▼

11TH & HICKORY • KANSAS CITY 7, MISSOURI • PHONE VICTOR 1925

March 17th, 1944

TO DEALERS ONLY

CONFIDENTIAL

Our 1944 Screen Price Schedule dated March 17th, 1944 is given you for your convenience in pricing Rust Screen Doors and Combination Doors to your retail trade it conforms with O.P.A. file MPR-381, amendment #2, dated February 28th, 1944 and effective March 4th, 1944.

Observe these simple instructions, please:

IN SELLING:--

1. Prices shown are your maximum net retail prices.
2. If you sell 6 doors of 1 size and kind in one sale, you should deduct 7% from these prices.
3. You should not add delivery charges when sold in your community unless this was done prior to March, 1942.

IN PURCHASING:—

1. SCREEN DOORS - DUAL DOORS - On these, we will allow you a discount of 20%, f.o.b., Kansas City, full freight allowed to shipping points in Missouri and Kansas on shipments weighing 150 lbs., or more. Crating charges will be added on broken bundles only.
2. COMBINATION DOORS - On these, we will allow you a discount of 19½%, f.o.b., Kansas City, full freight allowed to shipping points in Missouri and Kansas on shipments weighing 150 lbs., or more. Crating charges will be added on broken bundles only.
3. An extra 9% discount will be allowed on all orders for 6 screen doors of 1 size and kind, or 5 or more Combination or Dual doors of 1 size and kind.
4. Order screen doors and combination doors in full bundle lots whenever possible. You cannot profit on single door purchases.

Orders will be accepted subject to stock on hand and ability of carlot manufacturers to furnish future cars. If accepted for delivery from future cars, price will be that in effect at time of shipment.

Your RUST Millwork Price Guide dated August 1st, 1941, together with discount sheet of the same date remains in effect with the exception of Screen Doors, Combination Doors, Dual Doors, Dowel Rods, and Fir Plywood. Window and sash screens may, therefore, still be priced from pages 44, 45 and 73 of this guide. Dowel Rods are now subject to 20% Discount (Authority MPR-196, Amendment #6).

All Millwork items (Screen doors, Combination and Dual doors, excepted) are subject to NET PRICE ADVANCE as defined in WPB bulletins RMPR-293 and RPS-44 as explained in RUST PRICE BULLETIN dated November 20th, 1943.

Yours very truly,

RUST SASH & DOOR COMPANY

JL B/es

THE UNITED STATES OF AMERICA
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WYOMING
NORTH PLATTE
COUNTY

SECTION 36
TOWNSHIP 14N
RANGE 10E

WYOMING
NORTH PLATTE
COUNTY

SECTION 36
TOWNSHIP 14N
RANGE 10E

WYOMING
NORTH PLATTE
COUNTY

SECTION 36
TOWNSHIP 14N
RANGE 10E

WYOMING
NORTH PLATTE
COUNTY

SECTION 36
TOWNSHIP 14N
RANGE 10E

WYOMING
NORTH PLATTE
COUNTY

SECTION 36
TOWNSHIP 14N
RANGE 10E

WYOMING
NORTH PLATTE
COUNTY

SECTION 36
TOWNSHIP 14N
RANGE 10E

SPRING 1944 PRICE LIST
on
SCREEN DOORS
COMBINATION DOORS
DUAL DOORS

Freight Allowed, to points in Missouri and Kansas, on shipments weighing 150 lbs. or more.

BUNDLING CHARGES

SCREEN DOORS, full bundles (6 of a size and kind).....	No Charge
SCREEN DOORS, broken bundles.....	62½c
COMBINATION DOORS, full bundles (3 of a size and kind).....	No Charge
COMBINATION DOORS, broken bundles.....	62½c
DUAL-DOORS, full bundles (6 of a size and kind).....	No Charge
DUAL-DOORS, broken bundles.....	62½c


RUST SASH & DOOR CO.

11th and Hickory Sts.


Kansas City 7, Mo.

March 17, 1944


SCREEN DOORS



708



701, 700,
716, 726




705, 710
1000, 1003
1004, 1006

708— $\frac{7}{8}$ " W.P.P. In the White, 12-m. Blk. Wire, Stiles 3"		701— $\frac{7}{8}$ " W.P.P. Painted Black 12-m. Blk. Wire, Stiles 3"		700— $1\frac{1}{8}$ " W.P.P. Painted Black, 12-m. Blk. Wire, Stiles 3"		716— $1\frac{1}{8}$ " W.P.P. In the White, 16-m. Galv. Wire, Stiles 3"	
2- 6x6- 6 -----	\$3.07	\$3.14		\$3.57		\$3.74	
6- 8 -----	3.21	---		3.71		3.91	
2- 8x6- 8 -----	3.21	---		3.71		3.91	
726— $1\frac{1}{8}$ " W.P.P. Painted Black 16-m. Galv. Wire, Stiles 3"		705— $1\frac{1}{8}$ " W.P.P. Painted Black, 12-m. Black Wire, Stiles 3"		710— $1\frac{1}{8}$ " W.P.P. Painted Black, 16-m. Galv. Wire, Stiles 3"			
2- 6x6- 6 -----	\$3.85	\$3.62		\$3.90			
6- 8 -----	4.03	3.76		4.05			
2- 8x6- 8 -----	4.03	3.76		4.05			
7- 0 -----	---	3.86		4.17			
2-10x6-10 -----	---	3.91		4.25			
3- 0x6- 8 -----	4.27	3.96		4.29			
7- 0 -----	4.39	4.06		4.41			
1000— $1\frac{1}{8}$ " W.P.P. In the White, 12-m. Black Wire, Stiles 3"		1003— $1\frac{1}{8}$ " W.P.P. In the White, 16-m. Galv. Wire, Stiles 3"		1004— $1\frac{1}{8}$ " W.P.P. In the White, 14-m. Galv. Wire, Stiles 4"		1006— $1\frac{1}{8}$ " W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"	
2- 6x6- 6 -----	\$3.51	\$3.78		---		\$4.07	
6- 8 -----	3.64	3.94		---		4.26	
2- 8x6- 8 -----	3.64	3.94		---		4.26	
7- 0 -----	---	---		---		---	
2-10x6-10 -----	3.80	4.13		4.30		4.47	
3- 0x6- 8 -----	3.84	4.18		4.35		4.53	
7- 0 -----	3.95	4.30		---		4.68	


All items priced are offered subject to stock and ability to furnish.

March 17, 1944


SCREEN DOORS



616



1216



1316

	616—1½" W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"	1216—1½" W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"	1316—1½" W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"
2- 0x6- 8 -----	\$ ---	\$4.88	\$ ---
2- 6x6- 6 -----	4.37	4.71	4.71
6- 8 -----	4.55	4.88	4.88
2- 8x6- 8 -----	4.55	4.88	4.88
7- 0 -----	4.67	---	5.00
2-10x6-10 -----	4.77	5.10	5.10
3- 0x6- 8 -----	4.83	5.16	5.16
7- 0 -----	4.96	5.31	5.31

SCREEN DOORS

Approx. Wt., Lbs.

1½" Doors 3" Stiles				
Width	2-6	2-8	2-10	3-0
Height				
6-6 -----	16	16½	18	18½
6-8 -----	16½	17	18½	19
6-10 -----	16½	18	19	19½
7-0 -----	17	19	19½	20
4" Stiles Add-----	1½	2	2½	3
¾" Doors -----		2-6x6-6 12 Lbs.		
		2-8x6-8 13 Lbs.		

ODD SCREEN DOORS

Made ½" wider and 1" longer than entrance door size

Footage computed from entrance door size. (Minimum 16 sq. ft.)

1½" W.P.P., in the white, intermediate or special sizes,

similar to our stock designs.

Stiles 3" overall, per sq. ft.-----

Stiles 4" overall, per sq. ft.-----

16 Mesh
Galv. Wire

\$0.32½

.37½

30%

Doors 1½" thick, figures as odd 1½" door, and then add-----

Oak screen doors, not stock, figure as odd W.P.P. of same size and thickness, and then add-----

Plain Oak (in the white)-----

75%

Qtd. White Oak (in the white)-----

100%

Segment head, add to price of door figured on odd basis-----

\$3.75

Circle head, add to price of door figured on odd basis-----

4.25

Hail wire, square mesh, over lower part of door, add per door -----

.75

All stock screen doors priced on this page No. 3 only may be reduced to shorter height, providing height adjustment is 4" or more below stock door size. For re-setting top rail in our plant, add to price of stock door 1.25

All items priced are offered subject to stock and ability to furnish.


March 17, 1944

COMBINATION STORM AND SCREEN DOORS

C-1466
U-758

Combination

1 1/8" W.P.P. In the White
Screen Panel Wired
Sash Glazed Plain.

C-1472
U-755

Combination


1 1/8" W.P.P. In the White
Screen Panel Wired
Sash Glazed Plain.

	C-1466 16 Mesh Galv.	C-1466 16 Mesh Bronze	If Sash Omitted Deduct
2- 0x6- 8	\$8.62	\$9.13	\$2.64
2- 6x6- 6	8.29	8.82	2.47
6- 8	8.36	8.87	2.47
2- 8x6- 8	8.62	9.13	2.64
7- 0	8.96	9.49	2.64
2-10x6-10	9.07	9.60	2.70
3- 0x6- 8	9.04	9.57	2.83
7- 0	9.42	9.95	2.83

	C-1472 16 Mesh Galv.	C-1472 16 Mesh Bronze	If Sash Omitted Deduct	If Screen Insert Omitted in Either Design. Deduct	16 Mesh Galv.	16 Mesh Bronze
					\$1.89	\$2.40
	\$8.71	\$9.23	\$2.90		1.86	2.39
	8.78	9.31	2.90		1.86	2.39
	9.19	9.69	3.20		1.89	2.40
	9.52	10.05	3.20		1.89	2.40
	9.60	10.12	3.23		1.95	2.48
	9.46	9.98	3.26		2.02	2.55
	9.86	10.38	3.26		2.02	2.55

C-1478. C-1479—See prices shown under "Odd Combination Doors"

Approx. Weight: 2-6x6-6, 38 lbs.; 2-8x6-8, 43 lbs.; 3-0x7-0, 47 lbs.

767
Dual-Door

1 1/8" W.P.P. In the
White. Wire fasten-
ed to Door. Sash
Glazed Plain.

	767 16 Mesh Galv.	Approx. Weight
2- 6x6- 6	\$6.70	29 lbs.
6- 8	6.82	30 lbs.
2- 8x6- 8	6.89	32 lbs.
3- 0x6- 8	7.42	36 lbs.

ODD COMBINATION DOORS

Intermediate sizes, use price of next larger stock size and add----- 60%

Doors wider than 3-0, add to list of 3-0 door of same height 60% account odd, and then add for each additional 6-inch or part thereof in width--\$1.75

Doors higher than 7-0, add to list of 7-0 door of same width 60% account odd, and then add for each additional 6-inch or part thereof in height-- 1.62

Doors 1 1/8" thick, figure as odd 1 1/8" door, and then add ----- 25%

Plain Oak doors, figure as odd White Pine of same size and thickness, and then add----- 90%

Segment head, add to price of door figured on odd basis -----10.75

Circle Head (C1479) or Tudor Head (C-1478), add to price of door figured on odd basis-----11.50

Dual doors are not manufactured in odd sizes.

Combination doors are made 1/2" wider and 1" longer than regular door size.

All items priced are offered subject to stock and ability to furnish.

Doors priced 16-m. Bronze wire are offered subject to stock and government regulations.

March 17, 1944

SPECIAL PRICE LIST

on

STORM SASH COMBINATION DOORS STORM DOORS

Freight Allowed, to points in Missouri and Kansas, on shipments weighing 150 lbs. or more.

BUNDLING CHARGES

STORM SASH, full bundles (6 of a size and kind).....	No Charge
STORM SASH, broken bundles.....	\$.75
COMBINATION DOORS, full bundles (6 of size and kind).....	No Charge
COMBINATION DOORS, broken bundles.....	\$1.35
DUAL-DOORS and STORM DOORS, full bundles (6 of a size and kind).....	No Charge
DUAL-DOORS and STORM DOORS, broken bundles.....	\$1.14

For prices on pre-fitted storm sash for Curtis Silentite and All-purpose frames only, See page 76 of our price guide dated August 1, 1941

RUST SASH & DOOR CO.

11th and Hickory Sts.

Kansas City, Mo.

GLAZED STORM SASH

1 1/8" 2 LT., W.P.P., C-2852, U-775.

These sash, for Standard 2-light check rail window openings are made 1/8" wider and 1 1/2" longer than window opening size. Stiles and top rail 2 1/16" face; Bottom rail 4 1/2" face.

Glass Size	Opening Size	S.S.	D.S.	Glass Size	Opening Size	S.S.	D.S.	Glass Size	Opening Size	S.S.	D.S.
12x16	1- 4x3- 3 1/2	\$1.86	\$2.04	24x20	2- 4x3-11 1/2	\$2.67	\$3.36	30x30	2-10x5- 7 1/2	\$4.47	\$5.85
20	3-11 1/2	2.04	2.31	22	4- 3 1/2	2.85	3.66	32	5-11 1/2	4.92	6.39
24	4- 7 1/2	2.31	2.64	24	4- 7 1/2	2.85	3.72	34	6- 3 1/2	5.49	6.99
26	4-11 1/2	2.40	2.79	26	4-11 1/2	3.00	3.90	36	3- 7 1/2	5.55	7.02
28	5- 3 1/2	2.52	2.91	28	5- 3 1/2	3.24	4.20				
14x16	1- 6x3- 3 1/2	1.98	2.19	30	5- 7 1/2	3.39	4.47	32x18	3- 0x3- 7 1/2	3.33	4.23
20	3-11 1/2	2.16	2.46	32	5-11 1/2	3.78	4.92	20	3-11 1/2	3.56	4.59
24	4- 7 1/2	2.49	2.85	34	6- 3 1/2	4.17	5.34	24	4- 7 1/2	3.78	4.92
26	4-11 1/2	2.55	2.97	36	6- 7 1/2	4.44	5.76	26	4-11 1/2	3.96	5.16
28	5- 3 1/2	2.82	3.39					28	5- 3 1/2	4.53	5.91
16x16	1- 8x3- 3 1/2	1.95	2.25	26x12	2- 6x2- 7 1/2	2.40	2.91	30	5- 7 1/2	4.74	6.18
18	3- 7 1/2	2.10	2.49	14	2-11 1/2	2.31	2.76	32	5-11 1/2	5.49	6.99
20	3-11 1/2	2.22	2.64	16	3- 3 1/2	2.61	3.24	34	6- 3 1/2	---	7.02
22	4- 3 1/2	2.52	2.94	18	3- 7 1/2	2.76	3.48	36	6- 7 1/2	---	7.80
24	4- 7 1/2	2.43	2.94	20	3-11 1/2	2.76	3.54				
26	4-11 1/2	2.91	3.48	22	4- 3 1/2	3.12	3.99	34x20	3- 2x3-11 1/2	3.87	4.80
28	5- 3 1/2	2.97	3.63	24	4- 7 1/2	3.00	3.90	24	4- 7 1/2	4.11	5.34
30	5- 7 1/2	3.12	3.78	26	4-11 1/2	3.24	4.20	26	4-11 1/2	4.77	6.00
18x16	1-10x3- 3 1/2	2.10	2.48	28	5- 3 1/2	3.48	4.53	28	5- 3 1/2	5.10	6.39
18	3- 7 1/2	2.25	2.70	30	5- 7 1/2	3.72	4.86	30	5- 7 1/2	5.49	6.99
20	3-11 1/2	2.34	2.82	32	5-11 1/2	4.17	5.34	32	5-11 1/2	---	7.02
22	4- 3 1/2	2.79	3.33	34	6- 3 1/2	4.86	6.36	34	6- 3 1/2	---	7.80
24	4- 7 1/2	2.61	3.24	36	6- 7 1/2	5.10	6.39	36	6- 7 1/2	---	8.43
26	4-11 1/2	3.09	3.75	27x20	2- 7x3-11 1/2	3.36	4.11	36x20	3- 4x3-11 1/2	3.87	4.98
28	5- 3 1/2	3.09	3.93	22	4- 3 1/2	3.48	4.35	24	4- 7 1/2	4.11	5.37
30	5- 7 1/2	3.36	4.11	24	4- 7 1/2	3.51	4.53	26	4-11 1/2	4.56	5.97
20x12	2- 0x2- 7 1/2	1.89	2.22	26	4-11 1/2	3.93	4.98	28	5- 3 1/2	4.92	6.51
14	2-11 1/2	1.92	2.28	28	5- 3 1/2	4.08	5.10	30	5- 7 1/2	5.16	6.78
16	3- 3 1/2	2.13	2.55	30	5- 7 1/2	4.35	5.46	32	5-11 1/2	---	7.80
18	3- 7 1/2	2.25	2.73	32	5-11 1/2	4.95	6.24	34	6- 3 1/2	---	8.43
20	3-11 1/2	2.40	3.00					36	6- 7 1/2	---	8.49
22	4- 3 1/2	2.73	3.48	28x14	2- 8x2-11 1/2	2.73	3.39	40x24	3- 8x4- 7 1/2	4.65	6.06
24	4- 7 1/2	2.67	3.36	16	3- 3 1/2	2.76	3.51	26	4-11 1/2	---	6.87
26	4-11 1/2	2.85	3.66	18	3- 7 1/2	2.97	3.81	28	5- 3 1/2	---	7.59
28	5- 3 1/2	3.00	3.84	20	3-11 1/2	3.00	3.84	30	5- 7 1/2	---	7.68
30	5- 7 1/2	3.12	4.05	22	4- 3 1/2	3.36	4.35	32	5-11 1/2	---	8.58
32	5-11 1/2	3.69	4.77	24	4- 7 1/2	3.24	4.20	36	6- 7 1/2	---	9.78
22x16	2- 2x3- 3 1/2	2.43	2.94	26	4-11 1/2	3.48	4.53	40	7- 3 1/2	---	9.84
18	3- 7 1/2	2.61	3.27	28	5- 3 1/2	3.72	4.86				
20	3-11 1/2	2.73	3.48	30	5- 7 1/2	3.90	5.10	44x24	4- 0x4- 7 1/2	---	6.93
22	4- 3 1/2	2.97	3.75	32	5-11 1/2	4.71	6.12	26	4-11 1/2	---	7.68
24	4- 7 1/2	2.85	3.66	34	6- 3 1/2	5.10	6.39	28	5- 3 1/2	---	8.28
26	4-11 1/2	3.00	3.84	36	6- 7 1/2	5.49	6.99	30	5- 7 1/2	---	9.39
28	5- 3 1/2	3.12	4.05					32	5-11 1/2	---	9.78
30	5- 7 1/2	3.51	4.50	30x12	2-10x2- 7 1/2	2.61	3.24	36	6- 7 1/2	---	9.84
32	5-11 1/2	3.87	5.04	14	2-11 1/2	2.52	3.15	40	7- 3 1/2	---	11.91
24x12	2- 4x2- 7 1/2	2.07	2.46	15	3- 1 1/2	2.91	3.63				
14	2-11 1/2	2.16	2.55	16	3- 3 1/2	2.70	3.39	48x24	4- 4x4- 7 1/2	---	8.58
15	3- 1 1/2	2.43	2.94	18	3- 7 1/2	2.88	3.69	26	4-11 1/2	---	8.64
16	3- 3 1/2	2.28	2.85	20	3-11 1/2	3.00	3.90	28	5- 3 1/2	---	9.78
18	3- 7 1/2	2.49	3.12	22	4- 3 1/2	3.51	4.53	30	5- 7 1/2	---	9.81
				24	4- 7 1/2	3.27	4.29	32	5-11 1/2	---	9.87
				26	4-11 1/2	3.72	4.86	36	6- 7 1/2	---	11.91
				28	5- 3 1/2	3.75	4.89	40	7- 3 1/2	---	12.75

4-light Storm Sash, for 2-light check rail windows, where glass width is 32" or more will be priced exactly same as 2-light Storm Sash of same glass size. If glass width of window is less than 32", use 2-light Storm Sash price, and add \$0.48.

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

August 18, 1942

GLAZED STORM SASH

Stiles and Top Rail 2 $\frac{1}{8}$ " Face. Bottom Rail 4 $\frac{1}{2}$ " Face.1 $\frac{1}{8}$ " W.P.P. STORM SASH FOR 4 LT. WDS. GLAZED SSC-2854
U-776

Glass Size	Opening Size	4 lt. Sash	2 lt. Sash	Glass Size	Opening Size	4 lt. Sash	2 lt. Sash
10x20	2-1x3-11 $\frac{1}{2}$	\$2.91	\$2.82	12x20	2-5x3-11 $\frac{1}{2}$	\$3.09	\$3.09
24	4- 7 $\frac{1}{2}$	2.96	3.09	24	4- 7 $\frac{1}{2}$	3.36	3.36
26	4-11 $\frac{1}{2}$	3.36	3.24	26	4-11 $\frac{1}{2}$	3.75	3.63
28	5- 3 $\frac{1}{2}$	3.36	3.39	28	5- 3 $\frac{1}{2}$	3.69	3.90
30	5- 7 $\frac{1}{2}$	3.72	3.63	30	5- 7 $\frac{1}{2}$	3.96	4.17
32	5-11 $\frac{1}{2}$	4.26	3.87	32	5-11 $\frac{1}{2}$	4.17	4.32
				36	6- 7 $\frac{1}{2}$	4.80	4.92

1 $\frac{1}{8}$ " W.P.P. STORM SASH FOR 2 LT. WDS. DIVIDED 4 LTS. (2x2) S. S. U-784

Glass Size	Opening Size	S.S.	Glass Size	Opening Size	S.S.	Glass Size	Opening Size	S.S.
32x34	3-0x6- 3 $\frac{1}{2}$	\$5.55	40x28	3-8x5- 3 $\frac{1}{2}$	\$5.94	44x36	4-0x6- 7 $\frac{1}{2}$	\$7.77
36	6- 7 $\frac{1}{2}$	6.09	30	5- 7 $\frac{1}{2}$	6.03	40	7- 3 $\frac{1}{2}$	9.36
34x32	3-2x5-11 $\frac{1}{2}$	5.55	32	5-11 $\frac{1}{2}$	6.84	48x24	4-4x4- 7 $\frac{1}{2}$	6.84
34	6- 3 $\frac{1}{2}$	6.09	36	6- 7 $\frac{1}{2}$	7.68	26	4-11 $\frac{1}{2}$	6.87
36	6- 7 $\frac{1}{2}$	6.69	40	7- 3 $\frac{1}{2}$	7.77	28	5- 3 $\frac{1}{2}$	7.20
36x32	3-4x5-11 $\frac{1}{2}$	6.09	44x24	4-0x4- 7 $\frac{1}{2}$	5.49	30	5- 7 $\frac{1}{2}$	7.41
34	6- 3 $\frac{1}{2}$	6.69	26	4-11 $\frac{1}{2}$	6.03	32	5-11 $\frac{1}{2}$	7.77
36	6- 7 $\frac{1}{2}$	6.72	28	5- 3 $\frac{1}{2}$	6.60	36	6- 7 $\frac{1}{2}$	9.36
40x24	3-8x4- 7 $\frac{1}{2}$	4.65	30	5- 7 $\frac{1}{2}$	7.32	40	7- 3 $\frac{1}{2}$	9.99
26	4-11 $\frac{1}{2}$	5.46	32	5-11 $\frac{1}{2}$	7.41			

1 $\frac{1}{8}$ " W.P.P. STORM SASH FOR "COLONIAL" WINDOWS

Cross bar lines with check rail of window.

Glass Size	Opening Size	2 light SS	2 light Top SS, Bottom DS	2 light DS	4 light SS
20x24/36	2- 0x5-7 $\frac{1}{2}$	\$3.78	\$4.33	\$4.68	\$4.26
24x24/36	2- 4x5-7 $\frac{1}{2}$	4.29	4.95	5.40	4.77
27x24/36	2- 7x5-7 $\frac{1}{2}$	4.86	5.64	6.12	5.34
30x24/36	2-10x5-7 $\frac{1}{2}$	4.95	5.73	6.30	4.95
32x24/36	3- 0x5-7 $\frac{1}{2}$	---	6.39	6.99	5.49
36x24/36	3- 4x5-7 $\frac{1}{2}$	---	6.93	7.59	6.03
40x24/36	3- 8x5-7 $\frac{1}{2}$	---	7.86	8.55	6.78

1 $\frac{1}{8}$ " W.P.P. STORM SASH FOR COTTAGE WINDOWS

Cross bar lines with check rail of window.

		U-780 2 lights		U-782 Top 1 light, Bottom 2 lts., wide		Divided 4 lts.	
Glass Size	Openings Size	Top SS, Bot., DS	DS	SS	DS	SS	DS
36x16/36	3-4x4-11 $\frac{1}{2}$	\$6.12	\$6.48	\$5.82	\$6.75	\$6.00	\$6.84
36x20/36	5- 3 $\frac{1}{2}$	6.36	6.87	6.12	7.20	6.36	7.47
40x16/36	3-8x4-11 $\frac{1}{2}$	6.99	7.41	6.39	7.47	6.45	7.59
40x16/40	5- 3 $\frac{1}{2}$	7.08	7.44	6.72	7.83	6.84	7.86
40x16/44	5- 7 $\frac{1}{2}$	8.01	8.46	7.26	8.43	7.29	8.43
40x20/40	5- 7 $\frac{1}{2}$	7.26	7.80	7.26	8.43	7.29	8.55
40x20/44	5-11 $\frac{1}{2}$	8.22	8.79	7.44	8.67	7.56	8.76
44x16/40	4-0x5- 3 $\frac{1}{2}$	8.13	8.64	7.38	8.55	7.50	8.64
44x16/44	5- 7 $\frac{1}{2}$	9.00	9.51	7.80	9.06	7.95	9.06
44x20/40	5- 7 $\frac{1}{2}$	8.52	9.15	7.77	8.94	7.86	8.94
44x20/44	5-11 $\frac{1}{2}$	9.39	9.99	8.07	9.48	8.13	9.54
48x16/40	4-4x5- 3 $\frac{1}{2}$	8.73	9.36	7.68	8.94	7.68	8.85

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

EXTRAS

Stock Storm Sash will fit standard sub-sill frames and Standard Box frames with 2x8" sill. If wanted with bottom rail wider than 4 $\frac{1}{2}$ " be sure to specify. If made with wider bottom rail figure at odd size price shown on page 11.

Storm Sash for other than standard 2-light window openings and 4-Lts., listed above must be made special. Figure at odd size price shown on page 11.

Ventilators not furnished unless order specifies that they are to be included. Ventilator cut in bottom rail, add \$0.30 each.

For swing light ventilator, add \$1.35 each, hardware not included.


When Storm Sash are wanted rabbeted to fit frames with $\frac{3}{4}$ " or $\frac{7}{8}$ " outside casing (be sure to specify on order), add per sash \$0.30.

See page 42 of our Price Guide for prices on Silent-nite storm sash adjusters and Metalvents.


August 18, 1942

STORM DOORS

COMBINATION STORM AND SCREEN DOORS



C-1466
U-758
Combination
1 1/8" W.P.P. In the White
Screen Panel Wired
Sash Glazed Plain.




C-1472
Combination
1 1/8" W.P.P. In the White
Screen Panel Wired
Sash Glazed Plain.

	C-1466 16 Mesh Galv.	C-1466 16 Mesh Bronze	If Sash Omitted Deduct	C-1472 16 Mesh Galv.	C-1472 16 Mesh Bronze	If Sash Omitted Deduct	If Screen Insert Omitted in Either Design. Deduct	
							16 Mesh	16 Mesh
							Galv.	Bronze
2- 0x6- 8	\$8.85	\$9.42	\$2.61				\$1.98	\$2.55
2- 6x6- 6	8.70	9.36	2.61	\$9.27	\$9.84	\$3.09	1.98	2.55
6- 8	8.85	9.42	2.61	9.33	9.90	3.09	1.98	2.55
2- 8x6- 8	8.79	9.36	2.70	9.36	9.93	3.27	1.92	2.49
7- 0	9.54	10.11	2.79	10.17	10.74	3.42	2.01	2.58
2-10x6-10	9.66	10.26	2.88	10.23	10.83	3.45	2.07	2.67
3- 0x6- 8	9.21	9.75	2.88	9.69	10.23	3.36	2.07	2.61
7- 0	10.08	10.65	3.03	10.53	11.10	3.48	2.16	2.73


C-1459, C-1461, C-1463, not carried in stock. Take price of C-1472, of same size and kind of wire, allowing 3 weeks for factory shipment, and add per door \$1.80

C-1478. C-1479—See prices shown under "Odd Combination Doors"



767
Dual-Door
1 1/8" W.P.P. In the
White. Wire fasten-
ed to Door. Sash
Glazed Plain.

	767 16 Mesh Galv.
2- 6x6- 6	\$6.37
6- 8	7.20
2- 8x6- 8	6.37
3- 0x6- 8	7.56
7- 0	



C-1475
Storm Door
1 1/8" W.P.P.
In the White
Glazed Plain.

	C-1475
2- 6x6- 6	\$6.45
6- 8	6.54
2- 8x6- 8	6.45
3- 0x6- 8	7.05
7- 0	7.65

ODD COMBINATION DOORS

Intermediate sizes, use price of next larger stock size and add 60%

Doors wider than 3-0, add to list of 3-0 door of same height 60% account odd, and then add for each additional 6-inch or part thereof in width \$2.10

Doors higher than 7-0, add to list of 7-0 door of same width 60% account odd, and then add for each additional 6-inch or part thereof in height 1.95

Doors 1 3/8" thick, figure as odd 1 1/8" door, and then add 25%

Plain Oak doors, figure as odd White Pine of same size and thickness, and then add 90%

Segment head, add to price of door figured on odd basis 12.90

Circle Head (C-1479) or Tudor Head (C-1478), add to price of door figured on odd basis 13.80

ODD SIZES, STORM DOORS

Intermediate sizes, use price of next larger stock size and add \$3.00

Combination doors and storm doors are both made 1/2" wider and 1" longer than regular door size.

Special 10% Discount on Orders for 6 or More Doors of 1 Size and Kind.

August 18, 1942

INDEX

	Page		Page
Astragals	29	Hardware:	
Barn Sash	6, 7	Curtis Kitchen Cabinet	64
Base Blocks	57	Garage Door	31
Basement Units, Curtis	1	Screen	73, 76
Battens	46	Sliding Cupboard Door	59
Blinds	19	Storm Sash	42, 76
Brackets (Porch)	47	Window, Finish	76
Bread Boards	58, 64	Wolff Window Locks	57
Breakfast Nooks	60	Hot Bed Sash	10
Casement Units, Curtis	77 to 80	Ironing Boards	60, 63
Cedar Closet Lining	57	Jambs, Inside Door	55
China Closets	63	Kitchen Cabinets, Curtis	64
Closet Pole	57	Linen Cabinets	63
Colonial Entrances	68	Linoleum Counter Tops	65
Columns	46, 47	Louvres	18, 19
Combination Doors	43	Lumber, Finish	51
Corner Beads	57	Mantels	63
Counter Tops	64, 65	Metalvents	42
Craw-Fir-Dors	31	Medicine Cabinets	60, 61
Crawford Sectional Garage Doors	31	Micklin Corners	42
Cupboard Doors	58	Mirrors	Discount Sheet
Doors:		Mirror Doors	38
Combination	43	Mitertite Trim	74, 75, 81
Cupboard	58	Mouldings, stock and odd	48 to 50
French	26, 28, 29	Overhead Type Garage Doors	31
Front	20 to 26	Panels	Discount Sheet
Garage	30, 31	Panel Mould Segments	50
Panel	32 to 38	Pilasters for Entrance Frames	68, 69
Mirror	38	Porch Work	46, 47
Rear	26, 27	Plywood	Discount Sheet
Screen	40 to 42	Putty	59
Slab or Flush	36, 37	Round Corner Base Shoe	54
Store	38	Rotovent Circle Window Unit	1
Storm	43	Sash and Windows	2 to 11
Summer	38	Sash Chain	12
Door Jambs, Interior	55	Sash Cord and Weights	12
Dowels	57	Sash Balances	12
Drawers	58	Sash stock, lineal	5
Entrances, Colonial	68	Screens (Window):	
Flour Bins	58, 64	Prefit for Silentite and All-Purpose	73
Frames:		Standard Window and Sash	44, 45
All-Purpose	14 to 16	Screen Doors	40 to 42
Casement	18, 77 to 80	Screen Stock, Lineal	48
Cellar	1, 18	Shelf Supports, Adjustable Metal	59
Circle	17, 18, 68	Shutters	19
Colonial Entrances	68	Sidelights	19, 26
Door	13, 16, 69	Silent-Nite Adjusters	42
Fir, Window and Door	13	Silentite Frames and Windows	70 to 73
Gable	17 to 19	Sliding Stairways	56
Louvre	18, 19	Stairwork	66, 67
Studio	16, 73, 79	Storm Sash:	
Window, Silentite	70, 71	Prefit for Silentite and All-Purpose	76
Window, Standard	13 to 15	Standard	8, 9
Frame Stock, Lineal	17	Table Tennis Tops	56
Gable Sash and Gable Frames	17 to 19	Telephone Cabinets	63
Garage Doors	30, 31	Thresholds	57
Garage Door Hardware	31	Trim Sets:	
Glass:		Circle, Window and Door	55, 75
Crystal Sheet	59	Mitertite	74, 75, 81
Obscure	59	Standard	52 to 54
Window and Plate	Discount Sheet	Wallboard	Discount Sheet
Grilles:		Wall Seats, "Tuckaway"	60
Screen Door	42	Weatherstrips	39, 69
Sink Front or Radiator	59	Windows and Sash:	
		Silentite	72
		Standard	2 to 11
		Wolff Window Locks	57

TERMS OF SALE

Unless otherwise agreed, all invoices are payable net thirty (30) days after date of invoice. On remittance made not later than ten (10) days from date of invoice, a discount of two per cent (2%) on the net amount of the invoice will be allowed after deducting actual freight and other credits, if any.

Exception: Invoices for glass are subject to one per cent (1%) cash discount.

Interest will be charged at the rate of 6% on all past due accounts.

All invoices are payable at the office of Rust Sash & Door Co., Kansas City, Mo., in cash or in funds bankable at par at Kansas City, Mo.

Purchaser expressly agrees in accepting goods represented by an invoice, that he will after due date thereof, and until paid in full, pay interest on balance due thereunder, same to be charged to his account on our books at the end of each month, and further agrees that all invoices shall become immediately due and payable in the event he becomes insolvent, commits an act of bankruptcy, disposes of all or the major portion of his business, or if an attachment is levied on any of his property.

FREIGHT ALLOWANCE

On MILLWORK ITEMS ONLY, we allow full freight at published L.C.L. rates on shipments weighing 150 lbs. or more.

No freight allowance will be made on shipments weighing less than 150 lbs. Articles not classed as millwork, such as hardware, glass, weatherstripping, lumber, sash weights, etc., are sold f.o.b. Kansas City, no freight allowance. Such items are marked in this price guide.

We ship via railroad, unless instructed to ship via truck lines.

RUST PACKING METHODS

A full bundle consists of:

8 Plain Rail Windows	8 Softwood Panel Doors.....	1 1/4"
6 Check Rail Windows	6 Softwood Panel Doors.....	1 3/8"
3 Cottage Windows or Sash	4 Softwood Panel Doors.....	1 3/4"
12 Cellar Sash or Transoms	5 Hardwood Panel Doors.....	1 3/8"
16 Barn Sash	4 Hardwood Panel Doors.....	1 3/4"
6 Storm Sash	6 Softwood Untrimmed Glass Doors.....	1 3/8"
4 to 6 Hot Bed Sash	4 Softwood Untrimmed Glass Doors.....	1 3/4"
10 Thresholds	10 Pieces Wallboard.	
2 to 4 Colonial Columns	Panels, 1/4", about 300 sq. ft.	
6 Screen Doors	Panels, 3/8", about 200 sq. ft.	
12 Window Screens	Panels, 1/2", about 150 sq. ft.	
6 Combination Doors	Panels, 3/4", about 100 sq. ft.	

No. of Front Doors in bundle depends on thickness and how trimmed.

Moulding, Casing, Base, etc., 150 to 2,000 lin. ft., depending on size.

CLAIMS FOR LOSS OR DAMAGE

We do not guarantee safe delivery of goods. Claims against transportation companies must be collected from such companies by the purchaser. We do, however, maintain a Traffic Department and shall be glad to assist in the filing of your claims for loss or damage to shipments provided you supply all documentary evidence and other information required.

RETURNED GOODS

No material should be returned to us without first advising us and obtaining from us, shipping instructions. Except in case of our error, materials shall not be returned except to our warehouse, at our option and within thirty (30) days after receipt by purchaser. Credit for stock goods will be allowed at not more than ten per cent (10%) less than purchase price with no allowance for transportation or crating charges. After material is cut and in process of manufacture, a charge will be made for any loss of material and labor due to cancellation or change in specifications.

PINE DEFINED

In our price literature, quotations and correspondence, where the term "Pine" or "W.P.Pine" is used for brevity, we mean thereby, Pinus Ponderosa.


ROTOVENT FULL CIRCLE WINDOW UNIT

C-1664

TOXIC TREATED

CARTON PACKED

Window opening size	2'0"
Stud wall rough opening	2'3"
Brick Veneer or Masonry opening	2'6"



The following prices are for the complete unit including Frame, Sash glazed SSB, Screen with 16 mesh Bronze wire. Unit is completely set up with sash and screen in place and all finish hardware applied and weatherstrips installed. Packed complete with 4 key blocks, Pine stops and choice of W-61, W-63 or W-67 inside liners.

Price complete as above, each \$31.05

Extras:

For W-77 band mould in place of key blocks (For masonry walls) add	\$1.05
If C-2848 Rotovent storm sash is wanted, add	6.15
If key blocks not wanted, deduct	.81
If screen is omitted, deduct	3.24
For inside trim, add: Any Mitertite design, WPP, per side	3.00
Any other design where stock knives may be used, Pine or Hardwood, per side	4.65


Plaster jambs are recommended for walls ordinarily requiring extension jambs.

Weight approximately 35 Lbs.


SILENTITE PRE-FIT BASEMENT UNITS

TOXIC TREATED

CARTON PACKED



The following prices are for the complete unit including Frame, Sash glazed SSB, Screen with 16 mesh Bronze wire. Unit is completely set up with sash and screen hardware applied and Meta-Lane weatherstrips installed for sash.





Design No.	Glass size	Number lights	Masonry opening	Price each	Storm Sh. add	Weight Lbs.
C-1666	10x12	2	2-2 x1- 6%	\$5.64	\$1.44	14
C-1668	9x12	3	2-9 1/4 x1- 6%	6.36	1.80	18
"	10x12	3	3-0 1/4 x1- 6%	6.57	1.83	20
"	10x14	3	3-0 1/4 x1- 8%	6.87	1.98	22
"	10x16	3	3-0 1/4 x1-10%	7.14	2.19	24
"	10x20	3	3-0 1/4 x2- 2%	7.80	2.70	27

Note: Masonry openings allow for 1/2" of cement grouting at top and sides of frame.

August 1, 1941

GLAZED WINDOWS**1½ CHECK RAIL, W.P.P.**Prefitted, Toxic treated and Back
PuttiedUnless Otherwise Specified Standard Division
of Lights Will Be As Follows:

G. M. 12" to 16" Wide-----2 Lts. Wide
 G. M. 18" to 30" Wide-----3 Lts. Wide
 G. M. 32" to 40" Wide-----4 Lts. Wide
 G. M. 44" to 48" Wide-----5 Lts. Wide

C-2502
U-1002C-2563
U-1013C-2556
U-1016Top & Bot.
Divided

Glass Size	Opening Size	Weights		SS		DS		SS		Top SS Bot. DS		SS		Top SS Bot. DS		SS	
		SS	DS	SS	DS	SS	DS	SS	DS	SS	DS	SS	DS	SS	DS	SS	DS
12x16	1- 4x3- 2	9		\$1.92				2.22		2.52		3.12					
20	3-10	11		2.10				2.40		2.70		3.30					
24	4- 6	13		2.37				2.67		2.97		3.57					
26	4-10	13		2.49				2.79		3.09		3.69					
28	5- 2	13		2.61				2.91		3.21		3.81					
14x16	1- 6x3- 2	10		2.04				2.34		2.64		3.24					
20	3-10	12		2.22				2.52		2.82		3.42					
24	4- 6	13		2.58				2.88		3.18		3.78					
26	4-10	14		2.64				2.94		3.24		3.84					
28	5- 2	16		2.91				3.21		3.51		4.11					
16x16	1- 8x3- 2	10	12	2.01	2.34			2.31	2.46	2.61	2.76	3.21					
18	3- 6	12	13	2.28	2.58			2.58	2.73	2.88	3.03	3.48					
20	3-10	12	14	2.28	2.76			2.58	2.82	2.88	3.12	3.48					
22	4- 2	13	15	2.61	3.03			2.91	3.12	3.21	3.42	3.81					
24	4- 6	14	16	2.52	3.06			2.82	3.09	3.12	3.39	3.72					
26	4-10	15	17	3.00	3.60			3.30	3.60	3.60	3.90	4.20					
28	5- 2	16	18	3.09	3.78			3.39	3.72	3.69	4.02	4.29					
30	5- 6	17	19	3.24	3.93			3.54	3.87	3.84	4.17	4.44					
18x16	1-10x3- 2	12	13	2.28	2.58			2.73	2.88	3.18	3.33	4.08					
18	3- 6	13	14	2.34	2.79			2.79	3.03	3.24	3.48	4.14					
20	3-10	13	15	2.43	2.94			2.88	3.12	3.33	3.57	4.23					
22	4- 2	14	16	2.88	3.45			3.33	3.60	3.78	4.05	4.68					
24	4- 6	16	18	2.79	3.48			3.24	3.57	3.69	4.02	4.59					
26	4-10	17	19	3.18	3.90			3.63	3.99	4.08	4.44	4.98					
28	5- 2	18	20	3.30	4.08			3.75	4.14	4.20	4.59	5.10					
30	5- 6	19	21	3.45	4.26			3.90	4.29	4.35	4.74	5.25					
20x12	2- 0x2- 6	11	12	1.83	2.31			2.28	2.52	2.73	2.97	3.63					
14	2-10	12	14	1.92	2.46			2.37	2.64	2.82	3.09	3.72					
16	3- 2	12	14	2.04	2.76			2.49	2.85	2.94	3.30	3.84					
18	3- 6	13	15	2.25	2.94			2.70	3.03	3.15	3.48	4.05					
20	3-10	15	17	2.40	3.33			2.85	3.30	3.30	3.75	4.20					
22	4- 2	16	18	2.82	3.60			3.27	3.66	3.72	4.11	4.62					
24	4- 6	17	19	2.67	3.75			3.12	3.66	3.57	4.11	4.47					
26	4-10	19	21	3.09	3.93			3.54	3.96	3.99	4.41	4.89					
28	5- 2	21	23	3.00	4.11			3.45	3.99	3.90	4.44	4.80					
30	5- 6	22	24	3.48	4.35			3.93	4.35	4.38	4.80	5.28					
32	5-10	23	25	3.96	4.92			4.41	4.89	4.86	5.34	5.76					
22x16	2- 2x3- 2	13	15	2.61	3.03			3.06	3.27	3.51	3.72	4.41					
18	3- 6	14	16	2.82	3.39			3.27	3.54	3.72	3.99	4.62					
20	3-10	16	18	2.94	3.60			3.39	3.72	3.84	4.17	4.74					
22	4- 2	18	20	3.18	3.87			3.63	3.96	4.08	4.41	4.98					
24	4- 6	19	21	3.09	3.93			3.54	3.96	3.99	4.41	4.89					
26	4-10	20	22	3.33	4.11			3.78	4.17	4.23	4.62	5.13					
28	5- 2	21	23	3.36	4.35			3.81	4.29	4.26	4.74	5.16					
30	5- 6	22	24	3.90	4.83			4.35	4.80	4.80	5.25	5.70					
32	5-10	24	26	4.14	5.22			4.59	5.13	5.04	5.58	5.94					
24x12	2- 4x2- 6	13	14	2.07	2.64			2.52	2.79	2.97	3.24	3.87					
14	2-10	13	16	2.22	2.85			2.67	2.97	3.12	3.42	4.02					
16	3- 2	14	16	2.28	3.18			2.73	3.18	3.18	3.63	4.08					
18	3- 6	16	18	2.58	3.48			3.03	3.48	3.48	3.93	4.38					
20	3-10	17	19	2.67	3.75			3.12	3.66	3.57	4.11	4.63					
22	4- 2	19	21	3.09	3.93			3.54	3.96	3.99	4.41	4.89					
24	4- 6	20	22	2.85	4.32			3.30	4.02	3.75	4.47	4.98					
26	4-10	21	23	3.00	4.35			3.45	4.11	3.90	4.56	5.04					
28	5- 2	23	25	3.24	4.68			3.69	4.41	4.14	4.86	5.34					
30	5- 6	25	27	3.54	4.98			3.99	4.71	4.44	5.16	5.64					
32	5-10	26	28	4.23	5.49			4.68	5.31	5.13	5.76	6.03					
34	6- 2	27	30	4.62	5.73			5.07	5.61	5.52	6.06	6.42					
36	6- 6	28	32	4.92	6.18			5.37	6.00	5.82	6.45	6.72					

Special 10% discount on orders for full bundles of 1 size and kind.

Sizes not shown take odd size price shown on page 11.

August 1, 1941

GLAZED WINDOWS **1% CHECK RAIL, W. P. P. (CONTINUED)** Prefitted, Toxic Treated and Back Puttied.

Glass Size	Opening Size		Weights		C-2502 U-1002		C-2563 U-1013		C-2556 U-1016		Top & Bottom Divided
			SS	DS	SS	DS	SS	Top SS Bot. DS	SS	Top SS Bot. DS	SS
26x14	2- 6x2-10	-----	14	17	\$2.46	\$2.97	\$2.91	\$3.15	\$3.36	\$3.60	\$4.26
16	3- 2	-----	15	17	2.79	3.48	3.24	3.57	3.69	4.02	4.59
18	3- 6	-----	17	19	2.97	3.75	3.42	3.81	3.87	4.26	4.77
20	3-10	-----	19	21	3.09	3.93	3.54	3.96	3.99	4.41	4.89
22	4- 2	-----	20	22	3.33	4.11	3.78	4.17	4.23	4.62	5.13
24	4- 6	-----	21	23	3.00	4.35	3.45	4.11	3.90	4.56	4.17
26	4-10	-----	23	25	3.24	4.68	3.69	4.41	4.14	4.86	5.04
28	5- 2	-----	24	27	3.90	5.04	4.35	4.92	4.80	5.37	5.70
30	5- 6	-----	26	29	4.17	5.43	4.62	5.25	5.07	5.70	5.97
32	5-10	-----	27	30	4.47	5.52	4.92	5.43	5.37	5.88	6.27
34	6- 2	-----	29	32	5.22	6.57	5.67	6.33	6.12	6.78	7.02
36	6- 6	-----	31	34	5.28	6.63	5.73	6.39	6.18	6.84	7.08
27x20	2- 7x3-10	-----	21	23	3.45	4.26	3.90	4.29	4.35	4.74	5.25
22	4- 2	-----	21	23	3.63	4.50	4.08	4.50	4.53	4.95	5.43
24	4- 6	-----	23	25	3.87	4.83	4.32	4.80	4.77	5.25	5.67
26	4-10	-----	24	27	4.08	5.16	4.53	5.07	4.98	5.52	5.88
28	5- 2	-----	25	28	4.23	5.28	4.68	5.19	5.13	5.64	6.03
30	5- 6	-----	27	30	4.50	5.64	4.95	5.52	5.40	5.97	6.30
32	5-10	-----	29	31	5.10	6.45	5.55	6.21	6.00	6.66	6.90
28x16	2- 8x3- 2	-----	16	18	3.09	3.78	3.54	3.87	3.99	4.32	4.89
18	3- 6	-----	18	20	3.18	3.93	3.63	3.99	4.08	4.44	4.98
20	3-10	-----	21	23	3.33	4.11	3.78	4.17	4.23	4.62	5.13
22	4- 2	-----	22	24	3.60	4.50	4.05	4.50	4.50	4.95	5.40
24	4- 6	-----	23	25	3.24	4.68	3.69	4.41	4.14	4.86	4.35
26	4-10	-----	24	27	3.63	5.04	4.08	4.77	4.53	5.22	5.43
28	5- 2	-----	25	28	3.87	5.43	4.32	5.10	4.77	5.55	5.67
30	5- 6	-----	27	30	4.35	5.46	4.80	5.34	5.25	5.79	6.15
32	5-10	-----	29	31	5.22	6.57	5.67	6.33	6.12	6.78	7.02
34	6- 2	-----	31	33	5.28	6.63	5.73	6.39	6.18	6.84	7.08
36	6- 6	-----	32	35	5.70	7.23	6.15	6.90	6.60	7.35	7.50
30x14	2-10x2-10	-----	17	19	2.82	3.54	3.27	3.63	3.72	4.08	4.62
16	3- 2	-----	17	19	2.79	3.78	3.24	3.72	3.69	4.17	4.59
18	3- 6	-----	19	21	3.00	4.11	3.45	3.99	3.90	4.44	4.80
20	3-10	-----	22	24	3.12	4.35	3.57	4.17	4.02	4.62	4.92
24	4- 6	-----	25	27	3.39	4.98	3.84	4.62	4.29	5.07	4.29
26	4-10	-----	26	29	3.87	5.43	4.32	5.10	4.77	5.55	5.67
28	5- 2	-----	27	30	4.20	5.46	4.65	5.28	5.10	5.73	6.00
30	5- 6	-----	29	32	4.80	6.27	5.25	5.97	5.70	6.42	6.60
32	5-10	-----	31	34	5.28	6.63	5.73	6.39	6.18	6.84	7.08
34	6- 2	-----	33	36	5.70	7.23	6.15	6.90	6.60	7.35	7.50
36	6- 6	-----	35	38	5.73	7.26	6.18	6.93	6.63	7.38	7.53
32x18	3- 0x3- 6	-----	20	22	3.57	4.38	4.17	4.56	4.77	5.16	5.97
20	3-10	-----	23	25	3.96	4.92	4.56	5.04	5.16	5.64	6.36
24	4- 6	-----	26	28	4.23	5.49	4.83	5.46	5.43	6.06	6.63
26	4-10	-----	27	30	4.56	5.73	5.16	5.73	5.76	6.33	6.96
28	5- 2	-----	29	31	5.22	6.57	5.82	6.48	6.42	7.08	7.62
30	5- 6	-----	31	34	5.28	6.63	5.88	6.54	6.48	7.14	7.68
32	5-10	-----		35	---	7.23	---	7.05	---	7.65	8.10
34	6- 2	-----		37	---	7.26	---	7.11	---	7.71	8.13
36	6- 6	-----		39	---	8.07	---	7.80	---	8.40	8.70
34x20	3- 2x3-10	-----	24	26	3.99	4.95	4.59	5.07	5.19	5.67	6.39
24	4- 6	-----	27	30	4.56	5.73	5.16	5.73	5.76	6.33	6.96
26	4-10	-----	29	32	4.92	6.18	5.52	6.15	6.12	6.75	7.32
28	5- 2	-----	31	33	5.28	6.63	5.88	6.54	6.48	7.14	7.68
30	5- 6	-----	33	36	5.70	7.23	6.30	7.05	6.90	7.65	8.10
32	5-10	-----		37	---	7.26	---	7.11	---	7.71	8.13
34	6- 2	-----		38	---	8.07	---	7.80	---	8.40	8.70
36	6- 6	-----		40	---	8.73	---	8.43	---	9.03	9.33
36x20	3- 4x3-10	-----	25	27	4.32	5.34	4.92	5.43	5.52	6.03	6.72
24	4- 6	-----	28	32	4.59	5.97	5.19	5.88	5.79	6.48	6.99
26	4-10	-----	31	34	5.28	6.63	5.88	6.54	6.48	7.14	7.68
28	5- 2	-----	32	35	5.70	7.23	6.30	7.05	6.90	7.65	8.10
30	5- 6	-----	35	38	5.73	7.26	6.33	7.08	6.93	7.68	8.13
32	5-10	-----		39	---	8.07	---	7.80	---	8.40	8.70
34	6- 2	-----		40	---	8.73	---	8.43	---	9.03	9.33
36	6- 6	-----		41	---	8.76	---	8.46	---	9.06	9.36

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

Sizes not shown take odd size price shown on page 11.

August 1, 1941

GLAZED WINDOWS

1 3/8" CHECK RAIL, W.P.P. (CONTINUED)

Prefitted, Toxic treated and back puttied.

Glass Size	Opening Size	Weights DS	C-2502 U-1002 DS	C-2563 U-1013 Top SS Bot. DS	C-2556 U-1016 Top SS Bot. DS	Top & Bot. Divided SS
40x24	3-8x4- 6	34	\$6.72	\$6.81	\$7.56	\$7.80
26	4-10	36	7.38	7.35	8.10	8.25
28	5- 2	37	8.16	8.01	8.76	8.79
30	5- 6	40	8.22	8.10	8.85	8.85
32	5-10	42	8.88	8.73	9.48	9.48
36	6- 6	46	10.11	9.78	10.53	10.35
40	7- 2	49	10.20	9.87	10.62	10.44
44x24	4-0x4- 6	36	7.41	7.38	8.13	8.88
26	4-10	39	8.22	8.10	8.85	9.45
28	5- 2	41	8.88	8.73	9.48	10.08
30	5- 6	43	10.08	9.75	10.50	10.92
32	5-10	46	10.11	9.78	10.53	10.95
36	6- 6	50	10.20	9.87	10.62	11.04
40	7- 2	53	12.30			
48x24	4-4x4- 6	40	8.88	8.73	9.48	10.08
26	4-10	42	8.91	8.76	9.51	10.11
28	5- 2	44	10.11	9.78	10.53	10.95
30	5- 6	46	10.17	9.84	10.59	11.01
32	5-10	48	10.20	9.87	10.62	11.04
36	6- 6	53	12.30			
40	7- 2	58	13.20			


Special 10% discount on orders for full bundles of 1 size and kind.

COLONIAL WINDOWS

1 3/8" CHECK RAIL W.P.P.

Prefitted, Toxic treated and back puttied.


1 3/8" 12 and 16 light "Colonial" Windows



No. of Lts.	Each Light	Opening Size	Fits 2 Lt. Frame	Weight SS	Price SS
12	8x10	2- 4x3-10	24x20	19	\$3.63
12	8x12	2- 4x4- 6	24x24	20	3.90
12	8 5/8 x12	2- 6x4- 6	26x24	22	4.17
12	9 1/8 x12	2- 8x4- 6	28x24	23	4.35
12	10x12	2-10x4- 6	30x24	23	4.29
16	9x12	3- 4x4- 6	36x24	28	6.99
16	10x12	3- 8x4- 6	40x24	31	7.80


Note: Other size 12 and 16 light windows may be priced from preceding two sheets.

1 3/8" 10 and 15 light "Colonial" Windows



No. of Lts.	Each Light	2 Light Glass Size	Opening Size	Fits 2-Lt. Frame	Weight Top Bot.	Price SS
10	9x12	18x24/36	1-10x5-6	18x30	8 11	\$4.80
10	10x12	20x24/36	2- 0x5-6	20x30	8 12	5.01
15	8x12	24x24/36	2- 4x5-6	24x30	10 13	6.24
15	9x12	27x24/36	2- 7x5-6	27x30	11 14	6.48
15	10x12	30x24/36	2-10x5-6	30x30	11 15	6.72

1 3/8" 20 Light "Colonial" Windows




Light Each	Glass Size 2 Light	Size Opening	Fits 2-Lt. Frame	Weight Top Bot.	Price SS
8x12	32x24/36	3-0x5-6	32x30	12 16	\$7.77
9x12	36x24/36	3-4x5-6	36x30	13 18	8.07
10x12	40x24/36	3-8x5-6	40x30	14 19	8.55

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

Sizes not shown take odd size price shown on page 11, except 12 and 16 light Colonial Windows may be priced from preceding two sheets where shown

August 1, 1941



MODERN WINDOWS

1 3/8" check rail W.P.P.

Prefitted, Toxic treated and back puttied.

Four Horizontal Lights (For 2-Lt. window openings).


2-Lt. Wd. Glass Size	Opening Size	Weight		SS	DS	SS	DS	2-Lt. Wd. Glass Size	Opening Size	Weight		SS	DS
		SS	DS							SS	DS		
18x24	1-10x4- 6	16	18	\$3.39	\$4.08	28x20	2- 8x3-10	21	23	\$3.93	\$4.71		
24/36	5- 6	20	22	4.26	5.04	24	4- 6	23	25	3.84	5.28		
20x14	2- 0x2-10	12	13	2.52	3.06	24/36	5- 6	28	30	5.55	7.08		
16	3- 2	12	14	2.64	3.36	30x14	2-10x2-10	17	18	3.42	4.14		
20	3-10	15	17	3.00	3.93	16	3- 2	17	19	3.39	4.38		
24	4- 6	17	19	3.27	4.35	20	3-10	22	24	3.72	4.95		
24/36	5- 6	21	23	4.50	5.37	24	4- 6	25	27	3.99	5.58		
24x14	2- 4x2-10	13	14	2.82	3.45	24/36	5- 6	30	33	5.64	6.96		
16	3- 2	14	16	2.88	3.78	32x24	3- 0x4- 6	26	28	4.83	6.09		
18	3- 6	16	18	3.18	4.08	24/36	5- 6	31	33	6.00	7.62		
20	3-10	17	19	3.27	4.35	36x24	3- 4x4- 6	27	30	5.19	6.57		
24	4- 6	20	22	3.45	4.92	24/36	5- 6	32	40	6.69	8.22		
24/36	5- 6	24	27	4.98	6.09	40x24	3- 8x4- 6	30	34	6.00	7.32		
26x20	2- 6x3-10	19	21	3.69	4.53	24/36	5- 6	36	42	7.41	9.18		
24	4- 6	21	23	3.60	4.95								
24/36	5- 6	26	29	5.19	6.30								

5'6" heights are furnished with bottom sash divided 3 Lights high.


Note: Sizes not shown but priced under 2-light windows on page 2 to 4, inclusive, may be priced from 2-light window list plus 60c list per window for "Modern" layout illustrated above.

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

DIVIDED TOP WINDOWS



U-1019

C-2563
U-1013

U-1026



U-1014



U-1036

C-2556
U-1016

Above designs are merely suggestions in divided top windows. We have a complete stock of K. D. sash stock and can make prompt shipment of any design.

It is customary to divide large windows into a greater number of lights than are used in smaller sizes. We suggest that orders specify number of lights desired in each size.

Windows shown above, also any other rectangular light design, 1 3/8" thick, take price of 2 light windows (either stock or odd) and add 15c per light

LINEAL SASH STOCK, W. P. PINE

Curtis Sticking

	1 3/8" Thick	1 3/8" Thick	1 3/8" Thick
Bars, 3/8" between glass	\$ 2.76	\$ 3.66	\$ 4.11
Bars, 1/2" between glass	2.76	3.66	5.73
Bars, 5/8" between glass	5.04	5.73	8.13
Stiles and Rails, 2" to glass	7.92	9.54	13.17
Stiles and Rails, 3" to glass	11.07	13.38	18.45
Check Rails, Rabbeted Top or Bottom, 1 " to glass, for 1 3/8" windows	---	7.65	---
Check Rails, Rabbeted Top or Bottom, 1 " to glass, for 1 3/4" windows	---	---	9.09
Check Rails, Rabbeted Top or Bottom, 1 1/4" to glass, for 1 3/4" windows	---	---	12.51

Prices are per 100 lineal ft. in random lengths.

For specified lengths. add 10%.


August 1, 1941

GLAZED WINDOWS AND SASH



WINDOWS
1 1/2" 4 lt. check rail,
W. P. P.
C-2504
U-1004
Western Opening

Glass Size	Opening Size	SS	DS
10x20	2- 1x3-10	\$2.70	
24	4- 6	2.97	
26	4-10	3.69	
28	5- 2	3.21	
12x16	2- 5x3- 2	3.03	
18	3- 6	3.24	
20	3-10	2.94	
22	4- 2	3.57	
24	4- 6	3.24	
26	4-10	3.51	
28	5- 2	3.57	
30	5- 6	3.96	
32	5-10	4.17	
34	6- 2	4.95	
36	6- 6	5.16	
13x24	2- 7x4- 6	4.08	
26	4-10	4.26	
28	5- 2	4.59	
30	5- 6	4.86	
14x20	2- 9x3-10	3.63	
22	4- 2	4.05	
24	4- 6	4.23	
26	4-10	4.35	
28	5- 2	4.80	
30	5- 6	4.95	
32	5-10	5.28	\$6.57
34	6- 2	5.46	6.90
36	6- 6	5.73	7.23
15x24	2-11x4- 6	4.35	5.19
26	4-10	4.77	5.97
28	5- 2	4.95	6.18
30	5- 6	5.16	6.45
32	5-10	5.46	6.90
34	6- 2	5.70	7.20
36	6- 6	6.15	7.77



WINDOWS
1 1/2" 8 lt. plain rail,
W. P. P.
C-2508
U-1008
Western Opening

Glass Size	Opening Size	SS
7x 9	1- 6 1/2 x3- 6	\$3.06
8x10	1- 8 1/2 x3-10	2.37
12	4- 6	2.88
9x12	1-10 1/2 x4- 6	2.70
14	5- 2	3.27
10x12	2- 0 1/2 x4- 6	2.82
14	5- 2	3.06
16	5-10	4.02
12x14	2- 4 1/2 x5- 2	3.84
16	5-10	4.35
18	6- 6	4.65




WINDOWS
1 1/2" 8 lt. check rail,
W. P. P.
C-2508
U-1008
Western Opening

Glass Size	Opening Size	SS
8x10	1- 9x3-10	\$2.76
12	4- 6	3.39
9x12	1-11x4- 6	3.06
14	5- 2	3.81
10x12	2- 1x4- 6	3.18
14	5- 2	3.45
16	5-10	4.05
12x14	2- 5x5- 2	3.99
16	5-10	4.32
18	6- 6	5.40
14x16	2- 9x5-10	5.46
18	6- 6	5.76
20	7- 2	6.18




WINDOWS
1 1/2" 12 lt. check rail,
W. P. P.
C-2512
U-1012
Western Opening

Glass Size	Opening Size	SS
7x 9	2- 1 1/2 x3- 6	\$3.63
8x10	2- 4 1/2 x3-10	3.57
12	4- 6	3.84
14	5- 2	4.62
9x12	2- 7 1/2 x4- 6	3.90
13	4-10	4.68
14	5- 2	4.86
15	5- 6	5.07
16	5-10	5.31
10x12	2-10 1/2 x4- 6	4.26
14	5- 2	4.47
15	5- 6	5.34
16	5-10	5.22
18	6- 6	6.69
12x14	3- 4 1/2 x5- 2	6.12
16	5-10	6.63
18	6- 6	7.11
20	7- 2	7.53



BARN SASH
1 1/2" 9 lt. 3x3
W. P. P.

Glass Size	Opening Size	SS
8x10	2- 4x2-11	\$2.40
9x12	2- 7x3- 5	2.82
10x12	2-10x3- 5	2.97




WINDOWS
1 1/2" 12 lt. plain rail,
W. P. P.
C-2512
U-1012
Western Opening

Glass Size	Opening Size	SS
7x 9	2- 1x3- 6	\$3.09
8x10	2- 4x3-10	3.06
12	4- 6	3.69
9x12	2- 7x4- 6	3.75
13	4-10	4.02
14	5- 2	4.20
10x12	2-10x4- 6	3.66
14	5- 2	4.29
16	5-10	5.19
12x14	3- 4x5- 2	5.25
16	5-10	5.73



COTTAGE WINDOWS
1 1/2" 2 lt. check rail
W. P. P.

Glass Size	Opening Size	DS
36x16/36	3- 4x4-10	\$6.93
20/36	5- 2	7.35
40x16/36	3- 8x4-10	7.92
16/40	5- 2	7.95
16/44	5- 6	9.03
16/48	5-10	9.45
20/40	5- 6	8.34
20/44	5-10	9.39
44x16/40	4- 0x5- 2	9.24
16/44	5- 6	10.17
20/40	5- 6	9.78
20/44	5-10	10.74
48x16/40	4- 4x5- 2	9.99
18/42	5- 6	10.86
18/46	5-10	12.66
18/50	6- 2	14.13



BARN SASH
1 1/2" 9 lt. 3x3,
W. P. P.


Glass Size	Opening Size	SS
8x10	2- 4x2-11	\$2.67
9x12	2- 7x3- 5	3.15
10x12	2-10x3- 5	3.30

Special 10% discount on orders for full bundles of 1 size and kind.

Sizes not shown take odd size price shown on page 11.


August 1, 1941

GLAZED SASH




BARN SASH
1 1/8" 4 lt.
W. P. P.
C-2804
U-1224

Glass Size	Opening Size	SS
7x 9	1- 6x1-11	\$1.23
8x10	1- 8x2- 1	1.14
12	2- 5	1.47
9x12	1-10x2- 5	1.29
14	2- 9	1.65
16	3- 1	1.80
10x10	2- 0x2- 1	1.47
12	2- 5	1.35
14	2- 9	1.65
16	3- 1	2.04
12x12	2- 4x2- 5	1.77
14	2- 9	1.98
16	3- 1	2.22




BARN SASH
1 1/8" 4 lt.
W. P. P.
C-2804
U-1224

Glass Size	Opening Size	SS
8x10	1- 8x2- 1	\$1.47
12	2- 5	1.59
9x12	1-10x2- 5	1.65
14	2- 9	1.77
16	3- 1	1.95
10x10	2- 0x2- 1	1.59
12	2- 5	1.74
14	2- 9	1.89
16	3- 1	2.19
12x12	2- 4x2- 5	1.89
14	2- 9	2.19
16	3- 1	2.37




BARN SASH
1 1/8" 6 lt.
W. P. P.
C-2806
U-1236

Glass Size	Opening Size	SS
7x 9	2- 1x1-11	\$1.62
8x10	2- 4x2- 1	1.50
12	2- 5	1.95
14	2- 9	2.07
16	3- 1	2.28
9x12	2- 7x2- 5	1.83
14	2- 9	2.19
10x12	2-10x2- 5	1.80
14	2- 9	2.10
16	3- 1	2.82
12x14	3-4x2- 9	2.91
16	3- 1	3.09




BARN SASH
1 1/8" 6 lt.
W. P. P.
C-2806
U-1236

Glass Size	Opening Size	SS
7x 9	2- 1x1-11	\$1.71
8x10	2- 4x2- 1	1.92
12	2- 5	2.07
14	2- 9	2.25
16	3- 1	2.46
9x12	2- 7x2- 5	2.16
14	2- 9	2.37
10x12	2-10x2- 5	2.28
14	2- 9	2.52
16	3- 1	3.09
12x14	3- 4x2- 9	3.15
16	3- 1	3.39




CHICKEN HOUSE SASH
1 1/8" 6 lts. 2x3,
W. P. P.
C-2807

Glass Size	Opening Size	SS
8x10	1- 8x2-11	\$1.65
9x12	1-10x3- 5	1.80
14	3-11	2.25
16	4- 5	2.46
10x12	2- 0x3- 5	1.89




CELLAR SASH
1 1/8" 2 lt. W. P. P.
C-2802
U-1232

Glass Size	Opening Size	SS
8x10	1- 9x1- 3	\$1.02
10x12	2- 1x1- 5	1.11
14	1- 7	1.17
16	1- 9	1.35
18	1-11	1.44
20	2- 1	1.50
12x12	2- 5x1- 5	1.26
14	1- 7	1.35
16	1- 9	1.44
18	1-11	1.53
20	2- 1	1.65
22	2- 3	1.71
24	2- 5	1.92
14x14	2- 9x1- 7	1.50
16	1- 9	1.56
18	1-11	1.68
20	2- 1	1.77
22	2- 3	1.98
24	2- 5	2.07
28	2- 9	2.34




CELLAR SASH
1 1/8" 3 lt. W. P. P.
C-2803
U-1233

Glass Size	Opening Size	SS
7x 9	2- 1x1- 2	\$1.14
8x10	2- 4x1- 3	1.17
12	1- 5	1.29
9x12	2- 7x1- 5	1.32
14	1- 7	1.47
16	1- 9	1.56
18	1-11	1.77
20	2- 1	1.83
10x12	2-10x1- 5	1.38
14	1- 7	1.50
16	1- 9	1.68
18	1-11	1.77
20	2- 1	1.86
12x12	3- 4x1- 5	1.68
14	1- 7	1.77
16	1- 9	1.86
18	1-11	2.01
20	2- 1	2.13



CELLAR SASH
1 1/8" 3 lt. W.P.P.
C-2803
U-1233

Glass Size	Opening Size	SS
7x 9	2- 1x1- 2	\$1.02
8x10	2- 4x1- 3	1.14
12	1- 5	1.23
14	1- 7	1.29
16	1- 9	1.38
9x12	2- 7x1- 5	1.29
13	1- 6	1.35
14	1- 7	1.38
15	1- 8	1.41
16	1- 9	1.44
18	1-11	1.62
20	2- 1	1.68
10x12	2-10x1- 5	1.32
14	1- 7	1.44
16	1- 9	1.62
18	1-11	1.74
20	2- 1	1.80
12x14	3- 4x1- 7	1.74
16	1- 9	1.83
18	1-11	1.95



BARN SASH
1 1/8" 8 lts. 4x2,
W. P. P.

Glass Size	Opening Size	SS
6x10	2- 4x2- 1	\$1.95

Special 10% discount on orders for full bundles of 1 size and kind.

Sizes not shown take odd size price shown on page 11.

August 1, 1941

GLAZED STORM SASH

1½" 2 LT., W.P.P., C-2852, U-775.

These sash, for Standard 2-light check rail window openings are made ⅛" wider and 1½" longer than window opening size. Stiles and top rail 2 1/16" face; Bottom rail 4½" face.

Glass Size	Opening Size	S.S.	D.S.	Glass Size	Opening Size	S.S.	D.S.	Glass Size	Opening Size	S.S.	D.S.
12x16	1- 4x3- 3½	\$1.86	\$2.04	24x20	2- 4x3-11½	\$2.67	\$3.36	30x30	2-10x5- 7½	\$4.47	\$5.85
20	3-11½	2.04	2.31	22	4- 3½	2.85	3.66	32	5-11½	4.92	6.39
24	4- 7½	2.31	2.64	24	4- 7½	2.85	3.72	34	6- 3½	5.49	6.99
26	4-11½	2.40	2.79	26	4-11½	3.00	3.90	36	3- 7½	5.55	7.02
28	5- 3½	2.52	2.91	28	5- 3½	3.24	4.20				
14x16	1- 6x3- 3½	1.98	2.19	30	5- 7½	3.39	4.47	32x18	3- 0x3- 7½	3.33	4.23
20	3-11½	2.16	2.46	32	5-11½	3.78	4.92	20	3-11½	3.56	4.59
24	4- 7½	2.49	2.85	34	6- 3½	4.17	5.34	24	4- 7½	3.78	4.92
26	4-11½	2.55	2.97	36	6- 7½	4.44	5.76	26	4-11½	3.96	5.16
28	5- 3½	2.82	3.39					28	5- 3½	4.53	5.91
16x16	1- 8x3- 3½	1.95	2.25	26x12	2- 6x2- 7½	2.40	2.91	30	5- 7½	4.74	6.18
18	3- 7½	2.10	2.49	14	2-11½	2.31	2.76	32	5-11½	5.49	6.99
20	3-11½	2.22	2.64	16	3- 3½	2.61	3.24	34	6- 3½	---	7.02
22	4- 3½	2.52	2.94	18	3- 7½	2.76	3.48	36	6- 7½	---	7.80
24	4- 7½	2.43	2.94	20	3-11½	2.76	3.54				
26	4-11½	2.91	3.48	22	4- 3½	3.12	3.99	34x20	3- 2x3-11½	3.87	4.80
28	5- 3½	2.97	3.63	24	4- 7½	3.00	3.90	24	4- 7½	4.11	5.34
30	5- 7½	3.12	3.78	26	4-11½	3.24	4.20	26	4-11½	4.77	6.00
18x16	1-10x3- 3½	2.10	2.48	28	5- 3½	3.48	4.53	28	5- 3½	5.10	6.39
18	3- 7½	2.25	2.70	30	5- 7½	3.72	4.86	30	5- 7½	5.49	6.99
20	3-11½	2.34	2.82	32	5-11½	4.17	5.34	32	5-11½	---	7.02
22	4- 3½	2.79	3.33	34	6- 3½	4.86	6.36	34	6- 3½	---	7.80
24	4- 7½	2.61	3.24	36	6- 7½	5.10	6.39	36	6- 7½	---	8.43
26	4-11½	3.09	3.75	27x20	2- 7x3-11½	3.36	4.11	36x20	3- 4x3-11½	3.87	4.98
28	5- 3½	3.09	3.93	22	4- 3½	3.48	4.35	24	4- 7½	4.11	5.37
30	5- 7½	3.36	4.11	24	4- 7½	3.51	4.53	26	4-11½	4.56	5.97
20x12	2- 0x2- 7½	1.89	2.22	26	4-11½	3.93	4.98	28	5- 3½	4.92	6.51
14	2-11½	1.92	2.28	28	5- 3½	4.08	5.10	30	5- 7½	5.16	6.78
16	3- 3½	2.13	2.55	30	5- 7½	4.35	5.46	32	5-11½	---	7.80
18	3- 7½	2.25	2.73	32	5-11½	4.95	6.24	34	6- 3½	---	8.43
20	3-11½	2.40	3.00					36	6- 7½	---	8.49
22	4- 3½	2.73	3.48	28x14	2- 8x2-11½	2.73	3.39	40x24	3- 8x4- 7½	4.65	6.06
24	4- 7½	2.67	3.36	16	3- 3½	2.76	3.51	26	4-11½	---	6.87
26	4-11½	2.85	3.66	18	3- 7½	2.97	3.81	28	5- 3½	---	7.59
28	5- 3½	3.00	3.84	20	3-11½	3.00	3.84	30	5- 7½	---	7.68
30	5- 7½	3.12	4.05	22	4- 3½	3.36	4.35	32	5-11½	---	8.58
32	5-11½	3.69	4.77	24	4- 7½	3.24	4.20	36	6- 7½	---	9.78
22x16	2- 2x3- 3½	2.43	2.94	26	4-11½	3.48	4.53	40	7- 3½	---	9.84
18	3- 7½	2.61	3.27	28	5- 3½	3.72	4.86				
20	3-11½	2.73	3.48	30	5- 7½	3.90	5.10	44x24	4- 0x4- 7½	---	6.93
22	4- 3½	2.97	3.75	32	5-11½	4.71	6.12	26	4-11½	---	7.68
24	4- 7½	2.85	3.66	34	6- 3½	5.10	6.39	28	5- 3½	---	8.28
26	4-11½	3.00	3.84	36	6- 7½	5.49	6.99	30	5- 7½	---	9.39
28	5- 3½	3.12	4.05	30x12	2-10x2- 7½	2.61	3.24	32	5-11½	---	9.78
30	5- 7½	3.51	4.50	14	2-11½	2.52	3.15	36	6- 7½	---	9.84
32	5-11½	3.87	5.04	15	3- 1½	2.91	3.63	40	7- 3½	---	11.91
24x12	2- 4x2- 7½	2.07	2.46	16	3- 3½	2.70	3.39				
14	2-11½	2.16	2.55	18	3- 7½	2.88	3.69	48x24	4- 4x4- 7½	---	8.58
15	3- 1½	2.43	2.94	20	3-11½	3.00	3.90	26	4-11½	---	8.64
16	3- 3½	2.28	2.85	22	4- 3½	3.51	4.53	28	5- 3½	---	9.78
18	3- 7½	2.49	3.12	24	4- 7½	3.27	4.29	30	5- 7½	---	9.81
				26	4-11½	3.72	4.86	32	5-11½	---	9.87
				28	5- 3½	3.75	4.89	36	6- 7½	---	11.91
								40	7- 3½	---	12.75

4-light Storm Sash, for 2-light check rail windows, where glass width is 32" or more will be priced exactly same as 2-light Storm Sash of same glass size. If glass width of window is less than 32", use 2-light Storm Sash price, and add \$0.48.

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

August 1, 1941

GLAZED STORM SASHStiles and Top Rail $2\frac{1}{8}$ " Face. Bottom Rail $4\frac{1}{2}$ " Face.**C-2854
U-776** **$1\frac{1}{8}$ " 4 Lt., W.P.P., C-2854, U-776**

Glass Size	Opening Size	S.S.	Glass Size	Opening Size	S.S.
10x24	2-1x4- $7\frac{1}{2}$	\$2.96	12x24	2-5x4- $7\frac{1}{2}$	\$3.36
26	4-11 $\frac{1}{2}$	3.36	28	5- $3\frac{1}{2}$	3.69
28	5- $3\frac{1}{2}$	3.36	30	5- $7\frac{1}{2}$	3.96
12x20	2-5x3-11 $\frac{1}{2}$	3.09	32	5-11 $\frac{1}{2}$	4.17

 $1\frac{1}{8}$ " W.P.P. STORM SASH FOR 2 LT. WDS. DIVIDED 4 LTS. (2x2) S. S. U-784

Glass Size	Opening Size	S.S.	Glass Size	Opening Size	S.S.	Glass Size	Opening Size	S.S.
32x34	3-0x6- $3\frac{1}{2}$	\$5.55	40x28	3-8x5- $3\frac{1}{2}$	\$5.94	44x36	4-0x6- $7\frac{1}{2}$	\$7.77
36	6- $7\frac{1}{2}$	6.09	30	5- $7\frac{1}{2}$	6.03	40	7- $3\frac{1}{2}$	9.36
34x32	3-2x5-11 $\frac{1}{2}$	5.55	32	5-11 $\frac{1}{2}$	6.84	48x24	4-4x4- $7\frac{1}{2}$	6.84
34	6- $3\frac{1}{2}$	6.09	36	6- $7\frac{1}{2}$	7.68	26	4-11 $\frac{1}{2}$	6.87
36	6- $7\frac{1}{2}$	6.69	40	7- $3\frac{1}{2}$	7.77	28	5- $3\frac{1}{2}$	7.20
36x32	3-4x5-11 $\frac{1}{2}$	6.09	44x24	4-0x4- $7\frac{1}{2}$	5.49	30	5- $7\frac{1}{2}$	7.41
34	6- $3\frac{1}{2}$	6.69	26	4-11 $\frac{1}{2}$	6.03	32	5-11 $\frac{1}{2}$	7.77
36	6- $7\frac{1}{2}$	6.72	28	5- $3\frac{1}{2}$	6.60	36	6- $7\frac{1}{2}$	9.36
40x24	3-8x4- $7\frac{1}{2}$	4.65	30	5- $7\frac{1}{2}$	7.32	40	7- $3\frac{1}{2}$	9.99
26	4-11 $\frac{1}{2}$	5.46	32	5-11 $\frac{1}{2}$	7.41			

 $1\frac{1}{8}$ " W.P.P. STORM SASH FOR "COLONIAL" WINDOWS

Cross bar lines with check rail of window.

Glass Size	Opening Size	2 light SS	2 light Top SS, Bottom DS	2 light DS	4 light SS
20x24/36	2- 0x5- $7\frac{1}{2}$	\$3.78	\$4.33	\$4.68	\$4.26
24x24/36	2- 4x5- $7\frac{1}{2}$	4.29	4.95	5.40	4.77
27x24/36	2- 7x5- $7\frac{1}{2}$	4.86	5.64	6.12	5.34
30x24/36	2-10x5- $7\frac{1}{2}$	4.95	5.73	6.30	4.95
32x24/36	3- 0x5- $7\frac{1}{2}$	---	6.39	6.99	5.49
36x24/36	3- 4x5- $7\frac{1}{2}$	---	6.93	7.59	6.03
40x24/36	3- 8x5- $7\frac{1}{2}$	---	7.86	8.55	6.78

 $1\frac{1}{8}$ " W.P.P. STORM SASH FOR COTTAGE WINDOWS

Cross bar lines with check rail of window.

Glass Size	Openings Size	U-780 2 lights		U-782 Top 1 light, Bottom 2 lts., wide		Divided 4 lts.	
		Top SS, Bot., DS	DS	SS	DS	SS	DS
36x16/36	3-4x4-11 $\frac{1}{2}$	\$6.12	\$6.48	\$5.82	\$6.75	\$6.00	\$6.84
36x20/36	5- $3\frac{1}{2}$	6.36	6.87	6.12	7.20	6.36	7.47
40x16/36	3-8x4-11 $\frac{1}{2}$	6.99	7.41	6.39	7.47	6.45	7.59
40x16/40	5- $3\frac{1}{2}$	7.08	7.44	6.72	7.83	6.84	7.86
40x16/44	5- $7\frac{1}{2}$	8.01	8.46	7.26	8.43	7.29	8.43
40x20/40	5- $7\frac{1}{2}$	7.26	7.80	7.26	8.43	7.29	8.55
40x20/44	5-11 $\frac{1}{2}$	8.22	8.79	7.44	8.67	7.56	8.76
44x16/40	4-0x5- $3\frac{1}{2}$	8.13	8.64	7.38	8.55	7.50	8.64
44x16/44	5- $7\frac{1}{2}$	9.00	9.51	7.80	9.06	7.95	9.06
44x20/40	5- $7\frac{1}{2}$	8.52	9.15	7.77	8.94	7.86	8.94
44x20/44	5-11 $\frac{1}{2}$	9.39	9.99	8.07	9.48	8.13	9.54
48x16/40	4-4x5- $3\frac{1}{2}$	8.73	9.36	7.68	8.94	7.68	8.85

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.**EXTRAS**

Stock Storm Sash will fit standard sub-sill frames and Standard Box frames with 2x8" sill. If wanted with bottom rail wider than $4\frac{1}{2}$ " be sure to specify. If made with wider bottom rail figure at odd size price shown on page 11.

Storm Sash for other than standard 2-light window openings and 4-Lts., listed above must be made special. Figure at odd size price shown on page 11.

Ventilators not furnished unless order specifies that they are to be included. Ventilator cut in bottom rail, add \$0.30 each.


For swing light ventilator, add \$1.35 each, hardware not included.

When Storm Sash are wanted rabbeted to fit frames with $\frac{1}{4}$ " or $\frac{3}{8}$ " outside casing (be sure to specify on order), add per sash \$0.30.

See page 42 for prices on Silent-nite storm sash adjusters and Metalvents.

August 1, 1941

GLAZED SASH



SASH

1 3/8" 1 lt. W. P. P.

C-2721

U-1220

Glass Size	Opening Size	S.S.	D.S.	Glass Size	Opening Size	S.S.	D.S.
10x12	1- 2x1- 5	\$0.93	----	30x24	2-10x2- 5	\$2.16	\$2.70
14	1- 7	.96	----	26	2- 7	2.34	2.91
12x14	1- 4x1- 7	1.08	\$1.14	28	2- 9	2.40	2.97
16	1- 9	1.11	1.23	30	2-11	2.73	3.42
18	1-11	1.20	1.32	32	3- 1	2.82	3.51
20	2- 1	1.23	1.35	36	3- 5	3.03	3.81
24	2- 5	1.35	1.50	36x16	3- 4x1- 9	2.01	2.40
16x16	1- 8x1- 9	1.23	1.35	18	1-11	2.16	2.61
18	1-11	1.26	1.41	20	2- 1	2.31	2.85
20	2- 1	1.38	1.59	24	2- 5	2.61	3.24
24	2- 5	1.47	1.68	26	2- 7	2.82	3.51
18x18	1-10x1-11	1.38	1.59	28	2- 9	3.03	3.81
20	2- 1	1.47	1.65	30	2-11	3.09	3.84
24	2- 5	1.62	1.92	36	3- 5	3.69	4.59
26	2- 7	1.74	2.07	40x16	3- 8x1- 9	2.28	2.76
28	2- 9	1.77	2.16	18	1-11	2.40	2.91
30	2-11	1.86	2.28	20	2- 1	2.49	3.09
32	3- 1	1.89	2.31	24	2- 5	2.91	3.57
36	3- 5	2.13	2.58	28	2- 9	---	4.29
20x16	2- 0x1- 9	1.38	1.59	30	2-11	---	4.29
18	1-11	1.47	1.65	36	3- 5	---	5.28
20	2- 1	1.62	1.89	40	3- 9	---	5.31
24	2- 5	1.74	2.07	44	4- 1	---	6.36
26	2- 7	1.77	2.16	48	4- 5	---	6.81
28	2- 9	1.86	2.28	52	4- 9	---	7.11
30	2-11	1.92	2.40	56	5- 1	---	10.17
32	3- 1	2.07	2.58	60	5- 5	---	10.17
36	3- 5	2.28	2.82	64	5- 9	---	10.80
24x16	2- 4x1- 9	1.50	1.77	44x16	4- 0x1- 9	---	2.91
18	1-11	1.62	1.92	18	1-11	---	3.36
20	2- 1	1.74	2.07	20	2- 1	---	3.63
24	2- 5	1.89	2.34	24	2- 5	---	3.93
26	2- 7	1.92	2.34	28	2- 9	---	4.65
28	2- 9	2.04	2.55	30	2-11	---	5.28
30	2-11	2.16	2.70	36	3- 5	---	5.31
32	3- 1	2.40	2.97	40	3- 9	---	6.36
36	3- 5	2.58	3.24	44	4- 1	---	6.81
26x16	2- 6x1- 9	1.62	1.92	48	4- 5	---	8.70
18	1-11	1.68	2.04	52	4- 9	---	10.20
20	2- 1	1.77	2.16	48x16	4- 4x1- 9	---	3.36
24	2- 5	1.92	2.34	18	1-11	---	3.63
26	2- 7	2.04	2.55	20	2- 1	---	3.63
28	2- 9	2.22	2.73	24	2- 5	---	4.62
30	2-11	2.34	2.91	28	2- 9	---	5.28
32	3- 1	2.43	3.00	30	2-11	---	5.31
36	3- 5	2.82	3.51	36	3- 5	---	6.39
28x16	2- 8x1- 9	1.65	2.01	40	3- 9	---	6.81
18	1-11	1.77	2.16	44	4- 1	---	8.73
20	2- 1	1.86	2.28	48	4- 5	---	10.32
24	2- 5	2.04	2.55	52	4- 9	---	10.50
28	2- 9	2.34	2.91	56	5- 1	---	12.84
30	2-11	2.40	2.97	50x40	4- 6x3- 9	---	6.84
32	3- 1	2.76	3.45	44	4- 1	---	8.76
36	3- 5	3.03	3.81	48	4- 5	---	10.35
30x16	2-10x1- 9	1.74	2.07	52	4- 9	---	11.16
18	1-11	1.86	2.28	56	5- 1	---	14.67
20	2- 1	1.92	2.34				



TRANSOMS


1 3/8" 1 lt.

W. P. P.

C-2911

U-1222

Glass Size	Opening Size	S.S.
26x 6	2- 6x0-10	\$1.05
8	1- 0	1.08
10	1- 2	1.20
12	1- 4	1.26
14	1- 6	1.35
28x 6	2- 8x0-10	1.08
8	1- 0	1.14
10	1- 2	1.23
12	1- 4	1.32
14	1- 6	1.50
16	1- 8	1.59
30x 8	2-10x1- 0	1.23
10	1- 2	1.26
12	1- 4	1.41
14	1- 6	1.53
16	1- 8	1.62
32x 8	3- 0x1- 0	1.32
10	1- 2	1.41
12	1- 4	1.53
14	1- 6	1.62
16	1- 8	1.74
20	2- 0	1.98



HOT

BED

SASH

C-2824

Toxic Treated

Open Glazed
SS.

3-0x6-0, 1 3/8"
 3 rows of 10" glass \$3.21 \$5.85
 4 rows of 7" glass 3.69 6.72
 4-0x6-0, 1 3/8"
 5 rows of 8" glass 5.37 9.93
 For Hardwood Cross Bars,
 add \$0.39


We can furnish Hot Bed Sash
 primed with White Lead and Oil.
 Priming done before sash are
 assembled to protect concealed
 joints. (Specify kind of paint.)
 For priming, add per sash \$0.45.

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

Sizes not shown take odd size price shown on page 11.

August 1, 1941

GLAZED SASH

U-1116
(C-2706)U-1108
(C-2708)

U-1104

CASEMENT SASH

1 3/8" W.P.P.

BARS 1/8" BETWEEN GLASS

Toxic Treated.

GLAZED S.S.

Design	Each Light	Divided	Single Sash	Price each	Pairs Rabbeted	Price per Pr.
			Opg. Size		Opg. for Pr.	
U-1104	10x12	3 Lights high	1- 2 x3- 5 1/2	\$2.07	2- 3 1/2 x3- 5 1/2	\$4.47
"	14x10	Same	1- 6 x2-11 1/2	2.16	2-11 1/2 x2-11 1/2	4.65
"	12	"	3- 5 1/2	2.34	3- 5 1/2	5.01
"	10x12	4 Lights high	1- 2 x4- 5 3/4	2.61	2- 3 1/2 x4- 5 3/4	5.55
"	14x10	Same	1- 6 x3- 9 3/4	2.73	2-11 1/2 x3- 9 3/4	5.79
"	12	"	4- 5 3/4	3.24	4- 5 3/4	6.81
"	14	"	5- 1 3/4	3.81	5- 1 3/4	7.95
"	14x12	5 Lights high	5- 6	4.62	5- 6	9.57
U-1116	6x10	6 lts., 2 wide, 3 high	1- 4 1/4 x2-11 1/2	2.01	2- 8 x2-11 1/2	4.35
"	12	Same	3- 5 1/2	2.22	3- 5 1/2	4.77
"	7x10	"	1- 6 1/4 x2-11 1/2	2.22	2-11 1/2 x2-11 1/2	4.77
"	12	"	3- 5 1/2	2.40	3- 5 1/2	5.13
"	8x10	"	1- 8 1/4 x2-11 1/2	2.25	3- 4 x2-11 1/2	4.83
"	12	"	3- 5 1/2	2.43	3- 5 1/2	5.19
"	9x12	"	1-10 1/4 x3- 5 1/2	2.55	3- 8 x3- 5 1/2	5.43
"	10x12	"	2- 0 1/4 x3- 5 1/2	2.70	4- 0 x3- 5 1/2	5.73
"	14	"	3-11 1/2	3.00	3-11 1/2	6.33
"	12x14	"	2- 4 1/4 x3-11 1/2	3.60		
U-1108	6x10	8 lts., 2 wide, 4 high	1- 4 1/4 x3- 9 3/4	2.82	2- 8 x3- 9 3/4	5.97
"	12	Same	4- 5 3/4	3.06	4- 5 3/4	6.45
"	7x10	"	1- 6 1/4 x3- 9 3/4	2.97	3- 0 x3- 9 3/4	6.27
"	12	"	4- 5 3/4	3.21	4- 5 3/4	6.75
"	14	"	5- 1 3/4	3.45	5- 1 3/4	7.23
"	8x10	"	1- 8 1/4 x3- 9 3/4	2.85	3- 4 x3- 9 3/4	6.03
"	12	"	4- 5 3/4	3.33	4- 5 3/4	6.99
"	14	"	5- 1 3/4	3.57	5- 1 3/4	7.47
"	9x12	"	1-10 1/4 x4- 5 3/4	3.24	3- 8 x4- 5 3/4	6.81
"	10x12	"	2- 0 1/4 x4- 5 3/4	3.39	4- 0 x4- 5 3/4	7.11
"	14	"	5- 1 3/4	3.93	5- 1 3/4	8.19
"	12x14	"	2- 4 1/4 x5- 1 3/4	4.65		
"	7x12	10 lts., 2 wide, 5 high	1- 6 1/4 x5- 6	4.80	3- 0 x5- 6	9.93

When ordering pairs specify "Rabbeted to swing in" or "Rabbeted to swing out."

Special 10% Discount on Orders for Full Bundles of 1 Size and Kind.

EXTRAS—APPLYING TO ALL WINDOWS AND SASH

Divided Lights—1 3/8" Windows or Sash divided rectangular lights, add per light	\$0.15
When Wds. ordered in full bundles, quantity discount also applies on divided lights.	
Divided lights, not rectangular, use sash rules and apply odd discount.	
Half Windows—Stock or odd sizes, take one-half the price of a full window and add	\$0.27
"A" Glass—Windows or sash, if specified glazed "A" glass, add 20%.	
Obscure Glass—Windows or Sash, if glazed Florentine, Maze or Syenite, use SS price and add per sq. ft. (minimum 3 sq. ft.)	\$0.24
Bedded Glass—Glass bedded in putty, add per light—	
30 united inches or less	\$0.06
31 to 60 inches	.09
Over 60 united inches	.15

SPECIAL MADE SASH—W.P.P.

For prices on windows and sash not priced on the preceding pages, use lists and extras shown in Standard Lists, Catalog No. 40, effective March 1, 1940, and apply following discounts:

1 1/2, 1 3/8 or 1 3/4 thick	Glazed	K.D. or Open
Less than 6 windows or 12 sash one size and kind	10%	Plus 30%
6 or more windows or 12 or more sash one size and kind, special made sash, W.P.P., deduct 10%.		

Write for prices on sash made in woods other than W.P.P.

Write for prices on Open 1 1/2" and 1 3/8" stock windows or sash.


August 1, 1941

"GRAND RAPIDS" INVISIBLE SASH BALANCES



F.O.B. Kansas City

Grand Rapids sash balances move with the sash—Electro-Galvanized finish—10 sizes cover 95% of all residential requirements—Simple to install and adjust on sash properly plowed—factory guaranteed.



Balance Number	Width of Sash		Height of Sash		Maximum Weight Per Sash	Price Per Set of 4 Balances
	Glass Size	Opening Size	Glass Size	Opening Size		
112	12" to 40"	1'4" to 3'8"	12"	2'6"	11 lbs.	\$2.10
114	12" to 40"	1'4" to 3'8"	14"	2'10"	12 lbs.	2.10
115	12" to 40"	1'4" to 3'8"	15"	3'0"	12 1/2 lbs.	2.10
116	12" to 40"	1'4" to 3'8"	16"	3'2"	13 lbs.	2.10
118	12" to 40"	1'4" to 3'8"	18"	3'6"	14 lbs.	2.10
120	12" to 40"	1'4" to 3'8"	20"	3'10"	15 lbs.	2.10
221	12" to 40"	1'4" to 3'8"	21"	4'0"	18 lbs.	2.10
222	12" to 48"	1'4" to 4'4"	22"	4'2"	20 lbs.	2.10
224	12" to 48"	1'4" to 4'4"	24"	4'6"	21 lbs.	2.10
225	12" to 48"	1'4" to 4'4"	25"	4'8"	21 1/2 lbs.	2.10
226	12" to 48"	1'4" to 4'4"	26"	4'10"	22 lbs.	2.10
227	12" to 48"	1'4" to 4'4"	27"	5'0"	22 1/2 lbs.	2.10
228	12" to 48"	1'4" to 4'4"	28"	5'2"	23 lbs.	2.10
230	12" to 48"	1'4" to 4'4"	30"	5'6"	24 lbs.	2.10
*231	12" to 48"	1'4" to 4'4"	31"	5'8"	24 1/2 lbs.	2.40
*232	12" to 48"	1'4" to 4'4"	32"	5'10"	25 lbs.	2.40
*234	12" to 48"	1'4" to 4'4"	34"	6'2"	26 lbs.	2.40
*336	20" to 54"	2'0" to 4'10"	36"	6'6"	32 lbs.	3.30
*338	20" to 54"	2'0" to 4'10"	38"	6'10"	33 lbs.	3.30
*340	20" to 54"	2'0" to 4'10"	40"	7'2"	34 lbs.	3.30
*342	20" to 54"	2'0" to 4'10"	42"	7'6"	35 lbs.	3.30

Each set individually packaged in fibreboard carton.

Special 5% discount on orders for 100 to 199 sets, Assorted sizes. F.O.B. Grand Rapids, Mich.

Special 10% discount on orders for 200 or more sets (800 balances), assorted sizes. F.O.B. Grand Rapids, Mich.

EXTRAS

For plowing stiles of stock or odd windows to receive Invisible balances, add per window ----- \$0.30

Metal plates to cover 1x4 1/2 counter-sunk pulley holes in old jobs, per dozen pieces ----- .36

Stock All-purpose window frames priced on pages 14 and 15, may be furnished with pulley stiles not bored for pulleys, no pulleys furnished, pockets not cut, at no extra charge, providing above Invisible sash balances are ordered.

15 and 20 Light "Colonial" windows shown on page 4 show individual weight of each upper and lower sash. We will properly package Invisible Sash balances for such openings when so ordered. Price per set of 4 Balances ----- \$2.70

*Balances No. 231 to 342, incl., available for shipment from factory.

SASH CHAIN

F.O.B. Kansas City

Sash chain is fast gaining preference on both new and old residences and buildings. Approved by Fire Insurance Companies as more safe than sash cord. Easily installed without special boring of stock sash. Works well on any standard pulley.



No. 8 Coppered Steel, Bag of 100 lineal feet with fittings for 7 windows, per bag ----- \$2.10

SASH CORD

No. 7, 100 lin. ft., per hank ----- \$1.35

No. 8, 100 lin. ft., per hank ----- 1.53

SASH WEIGHTS

F.O.B. Kansas City

Sash Weights, per 100 lbs. ----- (Write for Current Market Prices)




August 1, 1941

FIR K.D. WINDOW AND DOOR FRAMES


A HIGH QUALITY LOW COST frame specially designed for modern frame wall building requirements.

Features:

1. $1\frac{1}{8}$ "x $3\frac{3}{8}$ " exterior casing.
2. Solid 2x8 Sill with 3" pitch and special watertight rabbet into side jambs, also double horned to support outside casing.
3. Jamb liner makes possible use of either wood or insulating lath without alteration or furring.
4. Jamb liner is interlocking to receive special Rust No. 100-D ground casing for narrow interior trim.
5. By removing jamb liner, pulley stile is made flush with $3\frac{1}{2}$ " stud, thus making easy use of Plywood or composition board walls.
6. Pulley stile, blind stop and casing are all tongued together making a real watertight frame.
7. Dillon jam-proof pulleys set in place.
8. Door jambs are $1\frac{1}{8}$ "x $5\frac{1}{2}$ " with tongue into casing to insure true alignment of exterior casing.
9. Made exclusively of old growth Douglas Fir.



100



200

WINDOW FRAME, Fir No. 100. For prices read across for width; read down for height.

Glass Size	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
12"	\$3.66	\$3.66	\$3.48	\$3.66	\$3.66	\$3.72	\$3.78	\$3.87	\$3.93	\$4.08	\$4.35	\$4.53	\$4.80	\$5.16	\$5.52
14"	3.78	3.78	3.60	3.78	3.78	3.84	3.90	3.99	4.05	4.20	4.47	4.65	4.92	5.28	5.64
16"	3.72	3.72	3.54	3.72	3.72	3.78	3.84	3.93	3.99	4.14	4.41	4.59	4.86	5.22	5.58
18"	3.87	3.87	3.69	3.87	3.87	3.93	3.99	4.08	4.14	4.29	4.56	4.74	5.01	5.37	5.73
20"	4.08	4.08	3.90	4.08	4.08	4.14	4.20	4.29	4.35	4.50	4.77	4.95	5.22	5.58	5.94
22"	4.23	4.23	4.05	4.23	4.23	4.29	4.35	4.44	4.50	4.65	4.92	5.10	5.37	5.73	6.09
24"	4.32	4.32	4.14	4.32	4.32	4.38	4.44	4.53	4.59	4.74	5.01	5.19	5.46	5.82	6.18
26"	4.47	4.47	4.29	4.47	4.47	4.53	4.59	4.68	4.74	4.89	5.16	5.34	5.61	5.97	6.33
28"	4.56	4.56	4.38	4.56	4.56	4.62	4.68	4.77	4.83	4.98	5.25	5.43	5.70	6.06	6.42
30"	5.04	5.04	4.86	5.04	5.04	5.10	5.16	5.25	5.31	5.46	5.73	5.91	6.18	6.54	6.90
32"	5.16	5.16	4.98	5.16	5.16	5.22	5.28	5.37	5.43	5.58	5.85	6.03	6.30	6.66	7.02
36"	5.58	5.58	5.40	5.58	5.58	5.64	5.70	5.79	5.85	6.00	6.27	6.45	6.72	7.08	7.44

SASH FRAMES

For $1\frac{1}{8}$ " stationary sash, same price as 2 lt. window frame of next larger opening size.

For $1\frac{1}{8}$ " or $1\frac{3}{8}$ " sash, rabbeted for sash to swing in or out, same price as 2 lt. window frame of next larger opening size, plus \$1.50.

DOOR FRAMES—(5 $\frac{1}{8}$ " Jamb Width).

Stock sizes, 3-0x7-0 and smaller, Rabbeted, $1\frac{1}{8}$ " or $1\frac{3}{8}$ "

Larger than 3-0 wide, up to 4-0x7-0

Larger than 4-0 wide, up to 5-0x7-0

Fir No. 200
\$6.18
7.08
7.95

EXTRAS

Odd sizes, including frames for 4, 8 and 12 lt. windows, use next larger stock size and add:

For odd width	\$0.60
For odd height	.90
Mullion frames, add to price of 2 single frames,	.36
Triple Frames, add to price of 3 single frames,	.96
Quadruple Frames, add to price of 4 single frames	7.50
Moulded Cap Frames, add per single opening	.39
Door Frames with Jambs $1\frac{3}{8}$ " thick, add	1.80
Door Frames, (5 $\frac{1}{8}$ " Jamb width) with Oak Sill instead of Fir, add	1.47
Door Frames, $1\frac{1}{8}$ " Jambs, under 5 $\frac{1}{8}$ " wide, add per single frame	.75
Door Frames, $1\frac{1}{8}$ " Jambs, over 5 $\frac{1}{8}$ " to 7 $\frac{1}{4}$ " wide, add per single frame	2.40
Nailing Up, add per single opening	.75

For Bay or Corner Window Layouts, use extras priced on page 14.

PARTS LISTS

GLASS SIZE

ITEM	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
Vert. Mbrs.	\$2.16	\$2.28	\$2.22	\$2.37	\$2.58	\$2.73	\$2.82	\$2.97	\$3.06	\$3.54	\$3.66	\$4.08	---	---	---
Sgl. H. & S.	---	---	1.32	1.50	1.50	1.56	1.62	1.71	1.77	1.92	2.19	2.37	2.64	3.00	3.36
Mull. H. & S.	---	---	3.00	3.36	3.36	3.48	3.60	3.78	3.90	4.20	4.74	5.10	---	---	---
Trip. H. & S.	---	---	---	---	5.46	5.64	5.82	6.09	6.27	6.72	7.53	8.07	---	---	---

Door Frames: Sides, 7-0 and under \$4.14, Heads and Sills, 3-0 and under \$2.04.

CONVERSION STRIPS—To make Rust No. 100 Fir window frames convertible to odd wall thicknesses. Furnished lineal lengths only. No credit allowed for salvage of "H" strips attached to frame.

No. 100-B Jamb liner	$1\frac{1}{8}$ "x $1\frac{1}{8}$ " W.P.P. No. 2 grade. For use on lath and plastered walls with studs net 4" wide, per 100 lineal feet	\$4.50
No. 100-C Extension jamb	$\frac{3}{4}$ "x $3\frac{1}{8}$ " W.P.P. Clear grade. For use on lath and plastered walls with studs net 5 $\frac{1}{8}$ " wide, per 100 lineal feet	7.80
No. 100-D Ground Strip	$\frac{3}{4}$ "x $3\frac{1}{8}$ " W.P.P. No. 2 grade. For use on lath and plastered walls, studs net 3 $\frac{1}{8}$ " wide. To permit usage of narrow inside casings, per 100 lin. ft.	5.25

August 1, 1941


CURTIS ALL-PURPOSE WINDOW FRAMES

W.P.P., K.D. Dillon Jam-proof pulleys in place.


See Curtis Design Book No. 504, pages No. 44-49 for illustrations and complete description.

C-1570 WINDOW FRAMES—For 2x4 stud, boxing, wood lath and plaster, and siding.
1 $\frac{1}{8}$ "x3 $\frac{3}{4}$ " Csgs. Priced for 5 $\frac{1}{8}$ " Walls. (W-61 Liners.)

For prices read across for width; read down for height.

**C-1570**

Glass Size	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
12"	\$3.78	\$3.90	\$3.90	\$3.99	\$4.05	\$4.14	\$4.20	\$4.35	\$4.68	\$4.83	\$5.13	\$5.37	\$5.52
14"	3.90	4.02	4.02	4.11	4.17	4.26	4.32	4.47	4.80	4.95	5.25	5.49	5.64
16"	3.90	4.02	4.02	4.11	4.17	4.26	4.32	4.47	4.80	4.95	5.25	5.49	5.64
18"	4.02	4.14	4.14	4.23	4.29	4.38	4.44	4.59	4.92	5.07	5.37	5.61	5.76
20"	4.23	4.35	4.35	4.44	4.50	4.59	4.65	4.80	5.13	5.28	5.58	5.82	5.97
22"	4.38	4.50	4.50	4.59	4.65	4.74	4.80	4.95	5.28	5.43	5.73	5.97	6.12
24"	4.53	4.65	4.65	4.74	4.80	4.89	4.95	5.10	5.43	5.58	5.88	6.12	6.27
26"	4.68	4.80	4.80	4.89	4.95	5.04	5.10	5.25	5.58	5.73	6.03	6.27	6.42
28"	4.83	4.95	4.95	5.04	5.10	5.19	5.25	5.40	5.73	5.88	6.18	6.42	6.57
30"	5.25	5.37	5.37	5.46	5.52	5.61	5.67	5.82	6.15	6.30	6.60	6.84	6.99
32"	5.43	5.55	5.55	5.64	5.70	5.79	5.85	6.00	6.33	6.48	6.78	7.02	7.17
36"	5.76	5.88	5.88	5.97	6.03	6.12	6.18	6.33	6.66	6.81	7.11	7.35	7.50

C-1573 Wd. frames—(same as C-1570 except Molded Cap) use table above and add per single opening ————— **\$0.39****C-1576** Wd. frames—(for 2x4 stud, boxing, wood lath and plaster, Stucco Exterior) Included W-76 band mold and W-57 Drip, use table above and add per single opening. ————— **.36****C-1579** Wd. frames—(same as C-1570 except $\frac{3}{4}$ "x3 $\frac{3}{4}$ " Csgs., furnished, use table above and deduct per single opening ————— **.12****C-1582****C-1582 WINDOW FRAMES**—For 2x4 stud, boxing, wood lath and plaster; Stucco Shingles or Siding. 1 $\frac{1}{8}$ "x2" Csgs. Priced for 5 $\frac{1}{8}$ " walls. (W-61 Liners.)

For prices. Read Across for Width; Read Down for Height.

Glass Size	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
12"	\$3.96	\$4.11	\$4.08	\$4.17	\$4.23	\$4.32	\$4.41	\$4.56	\$4.83	\$5.01	\$5.31	\$5.58	\$5.70
14"	4.11	4.26	4.23	4.32	4.38	4.47	4.56	4.71	4.98	5.16	5.46	5.73	5.85
16"	4.14	4.29	4.26	4.35	4.41	4.50	4.59	4.74	5.01	5.19	5.49	5.76	5.88
18"	4.26	4.41	4.38	4.47	4.53	4.62	4.71	4.86	5.13	5.31	5.61	5.88	6.00
20"	4.41	4.56	4.53	4.62	4.68	4.77	4.86	5.01	5.28	5.46	5.76	6.03	6.15
22"	4.56	4.71	4.68	4.77	4.83	4.92	5.01	5.16	5.43	5.61	5.91	6.18	6.30
24"	4.71	4.86	4.83	4.92	4.98	5.07	5.16	5.31	5.58	5.76	6.06	6.33	6.45
26"	4.89	5.04	5.01	5.10	5.16	5.25	5.34	5.49	5.76	5.94	6.24	6.51	6.63
28"	5.01	5.16	5.13	5.22	5.28	5.37	5.46	5.61	5.88	6.06	6.36	6.63	6.75
30"	5.43	5.58	5.55	5.64	5.70	5.79	5.88	6.03	6.30	6.48	6.78	7.05	7.17
32"	5.61	5.76	5.73	5.82	5.88	5.97	6.06	6.21	6.48	6.66	6.96	7.23	7.35
36"	5.97	6.12	6.09	6.18	6.24	6.33	6.42	6.57	6.84	7.02	7.32	7.59	7.71

C-1585 Wd. frame—For 2x4 stud, boxing, wood lath and plaster, Stucco exterior on $\frac{3}{8}$ " furring or Byrkit lath. Includes W-75 and W-76 band molds and W-57 Drip.
Use price table for C-1582 and add, per single opening ————— **\$0.48****SASH FRAMES**—Use window frame of required layout and price as follows:For 1 $\frac{3}{8}$ " stationary sash, same price as 2 lt. window frame of next larger opening size.For 1 $\frac{3}{8}$ " or 1 $\frac{1}{4}$ " sash, rabbeted for sash to swing in or out, same price as 2 lt. window frame of next larger opening size, plus \$1.50. Specify if sash are to swing in or out.**EXTRAS (For all frames priced on this sheet)**

Odd sizes, including frames for 4, 8 and 12 lt. windows, use next larger size and add:

For odd width ————— **\$0.60**
For odd height ————— **.90**Mullion frames, add to price of 2 single frames, ————— **.36**Triple Frames, add to price of 3 single frames ————— **.96**Quadruple Frames, add to price of 4 single frames ————— **7.50**For frames furnished with A-15 or A-19 grounds for side members in place of W-61 or W-63 liners so that narrow casings may be used, add per single opening. ————— **\$0.30**Units furnished for 3 sided bay openings. Add to price of corresponding frame of required size: K.D. \$9.00; fully set-up as one unit **\$24.00.**Units furnished with long sill horn and exterior casing not exceeding 8 $\frac{1}{2}$ " wide, one or two ends, add per end ————— **\$1.50**Nailing Up, other than Bay window frames, add per Single opening ————— **\$0.75**For walls requiring jambs wider than 5 $\frac{1}{8}$ " add extra, per single opening, for thicker liners as shown below:


Liner	Jamb Width	Extra	Liner	Jamb Width	Extra
W-60	4 $\frac{7}{8}$ "	None	W-23	5 $\frac{1}{8}$ "	\$0.33
W-20	5 $\frac{1}{8}$ "	None	W-65	5 $\frac{1}{8}$ "	.33
W-21	5 $\frac{1}{8}$ "	None	W-19-21; W-19-61	6 $\frac{1}{8}$ ", 6 $\frac{3}{8}$ "	.42
W-63	5 $\frac{1}{8}$ "	\$0.15	W-19-63; W-19-67	6 $\frac{1}{8}$ ", 6 $\frac{3}{8}$ "	.57
W-67	5 $\frac{1}{8}$ "	.15	W-19-66	6 $\frac{1}{8}$ "	.66
W-66	5 $\frac{1}{8}$ "	.18	W-19-23; W-19-65	6 $\frac{1}{8}$ ", 6 $\frac{3}{8}$ "	.75
W-22	5 $\frac{1}{8}$ "	.18	W-19-25	7 $\frac{1}{8}$ " (2x6 Stud)	1.20

August 1, 1941

CURTIS ALL-PURPOSE WINDOW FRAMES

W.P.P., K.D. Dillon Jam-proof pulleys in place.

See Curtis Design Book No. 504, pages No.44-49 for illustrations and complete description




C-1590

C-1590 WINDOW FRAMES—For 2x4 stud, boxing, wood lath and plaster, Brick Veneer. Jamb including blind stop 5 $\frac{1}{8}$ ". Prices include W-65 Liners.
For Prices. Read Across for Width; Read Down for Height.

Glass Size	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
12"	\$3.99	\$4.17	\$4.14	\$4.23	\$4.29	\$4.38	\$4.44	\$4.62	\$4.89	\$5.10	\$5.37	\$5.64	\$5.76
14"	4.17	4.35	4.32	4.41	4.47	4.56	4.62	4.80	5.07	5.28	5.55	5.82	5.94
16"	4.17	4.35	4.32	4.41	4.47	4.56	4.62	4.80	5.07	5.28	5.55	5.82	5.94
18"	4.32	4.50	4.47	4.56	4.62	4.71	4.77	4.95	5.22	5.43	5.70	5.97	6.09
20"	4.53	4.71	4.68	4.77	4.83	4.92	4.98	5.16	5.43	5.64	5.91	6.18	6.30
22"	4.68	4.86	4.83	4.92	4.98	5.07	5.13	5.31	5.58	5.79	6.06	6.33	6.45
24"	4.83	5.01	4.98	5.07	5.13	5.22	5.28	5.46	5.73	5.94	6.21	6.48	6.60
26"	5.01	5.19	5.16	5.25	5.31	5.40	5.46	5.64	5.91	6.12	6.39	6.66	6.78
28"	5.16	5.34	5.31	5.40	5.46	5.55	5.61	5.79	6.06	6.27	6.54	6.81	6.93
30"	5.58	5.76	5.73	5.82	5.88	5.97	6.03	6.21	6.48	6.69	6.96	7.23	7.35
32"	5.76	5.94	5.91	6.00	6.06	6.15	6.21	6.39	6.66	6.87	7.14	7.41	7.53
36"	6.24	6.42	6.39	6.48	6.54	6.63	6.69	6.87	7.14	7.35	7.62	7.89	8.01

C-1588 Wd. frame—Same as C-1590 except with W-61 liners.

Use price table for C-1590 and deduct, per single opening ----- \$0.33



C-1595

C-1595 BOX WINDOW FRAMES For Masonry walls. Jambs incl. blind stop 5 $\frac{1}{8}$ " overall. Boxes Only Nailed Up.

Glass Size	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
12"	\$4.77	\$4.92	\$4.89	\$4.95	\$5.04	\$5.10	\$5.19	\$5.34	\$5.58	\$5.73	\$6.00	\$6.24	\$6.36
14"	4.98	5.13	5.10	5.16	5.25	5.31	5.40	5.55	5.79	5.94	6.21	6.45	6.57
16"	5.01	5.16	5.13	5.19	5.28	5.34	5.43	5.58	5.82	5.97	6.24	6.48	6.60
18"	5.16	5.31	5.28	5.34	5.43	5.49	5.58	5.73	5.97	6.12	6.39	6.63	6.75
20"	5.43	5.58	5.55	5.61	5.70	5.76	5.85	6.00	6.24	6.39	6.66	6.90	7.02
22"	5.64	5.79	5.76	5.82	5.91	5.97	6.06	6.21	6.45	6.60	6.87	7.11	7.23
24"	5.82	5.97	5.94	6.00	6.09	6.15	6.24	6.39	6.63	6.78	7.05	7.29	7.41
26"	6.03	6.18	6.15	6.21	6.30	6.36	6.45	6.60	6.84	6.99	7.26	7.50	7.62
28"	6.21	6.36	6.33	6.39	6.48	6.54	6.63	6.78	7.02	7.17	7.44	7.68	7.80
30"	6.78	6.93	6.90	6.96	7.05	7.11	7.20	7.35	7.59	7.74	8.01	8.25	8.37
32"	7.17	7.32	7.29	7.35	7.44	7.50	7.59	7.74	7.98	8.13	8.40	8.64	8.76
36"	7.65	7.80	7.77	7.83	7.92	7.98	8.07	8.22	8.46	8.61	8.88	9.12	9.24

EXTRAS (For all frames priced on this sheet)

Odd sizes, including frames for 4, 8, and 12 lt. windows, use next larger stock size and add:

For odd width ----- \$0.60

For odd height ----- .90

Mullion frames, add to price of 2 single frames ----- .36

Triple frames, add to price of 3 single frames, ----- .96

Quadruple frames, add to price of 4 single frames, ----- 7.50


Nailing up, add per single opening ----- \$0.75

CURTIS ALL-PURPOSE WINDOW FRAME PARTS LISTS


DESIGN

GLASS SIZE

	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	36"	40"	44"	48"
C-1570															
Vert. Mbrs.	\$2.13	\$2.25	\$2.25	\$2.37	\$2.58	\$2.73	\$2.88	\$3.03	\$3.18	\$3.60	\$3.78	\$4.11			
Sgle. H. & S.	---	---	1.65	1.77	1.77	1.86	1.92	2.01	2.07	2.22	2.55	2.70	3.00	3.24	3.39
Mull. H. & S.	---	---	3.66	3.90	3.90	4.08	4.20	4.38	4.50	4.80	5.46	5.76			
Trip. H. & S.	---	---	---	---	6.27	6.54	6.72	6.99	7.17	7.62					
C-1582															
Vert. Mbrs.	2.28	2.43	2.46	2.58	2.73	2.88	3.03	3.21	3.33	3.75	3.93	4.29			
Sgle. H. & S.	---	---	1.68	1.83	1.80	1.89	1.95	2.04	2.13	2.28	2.55	2.73	3.03	3.30	3.42
Mull. H. & S.	---	---	3.72	4.02	3.96	4.14	4.26	4.44	4.62	4.92	5.46	5.82			
Trip. H. & S.	---	---	---	---	6.36	6.63	6.81	7.08	7.35	7.80					
C-1590															
Vert. Mbrs.	2.43	2.61	2.61	2.76	2.97	3.12	3.27	3.45	3.60	4.02	4.20	4.68			
Sgle. H. & S.	---	---	1.56	1.74	1.71	1.80	1.86	1.95	2.01	2.19	2.46	2.67	2.94	3.21	3.33
Mull. H. & S.	---	---	3.48	3.84	3.78	3.96	4.08	4.26	4.38	4.74	5.28	5.70			
Trip. H. & S.	---	---	---	---	6.09	6.36	6.54	6.81	6.99	7.53					
C-1595															
Vert. Mbrs.	3.27	3.48	3.51	3.66	3.93	4.14	4.32	4.53	4.71	5.28	5.67	6.15			
Sgle. H. & S.	---	---	1.50	1.65	1.62	1.68	1.77	1.83	1.92	2.07	2.31	2.46	2.73	2.97	3.09
Mull. H. & S.	---	---	3.36	3.66	3.60	3.72	3.90	4.02	4.20	4.50	4.98	5.28			
Trip. H. & S.	---	---	---	---	5.82	6.00	6.27	6.45	6.72	7.17					



C-1535



C-1553

CURTIS ALL-PURPOSE DOOR FRAMES

W.P.P.—K.D.—TOXIC TREATED

See Curtis Design Book No. 504, pages No. 48-49 for complete sectional details.

Door frames matching Silentite window frames are priced on page 69.

FOR 2x4 STUD WALLS:

	3-0x7x0 or under	4-0x7-0	5-0x7-0
C-1534 1 1/8"x3 3/4" Csg. 1 1/8"x5 1/4" Jbs. Pine sill.			
Planted stops. (stops included) Each	\$7.83	\$8.67	\$9.39
C-1535 1 1/8"x3 3/4" Csgs. 1 1/8"x5 1/4" Rabt. Jbs. Pine sill.			
Plain cap. Each	7.23	8.28	9.00
C-1536 1 1/8"x3 3/4" Csgs. 1 1/8"x5 1/4" Rabt. Jbs. Pine sill			
Moulded cap. Each	7.47	8.55	9.33
C-1538 1 1/8"x2" Csgs. 1 1/8"x5 1/4" Rabt. Jbs. Pine sill.			
Plain cap. Each	7.02	7.98	8.70
C-1539 1 1/8"x2" Csgs. 1 1/8"x5 1/4" Rabt. Jbs. Oak Threshold			
sill. Plain cap. Each	9.03	10.14	11.19
C-1546 3/4"x3 3/4" Csgs. 1 1/8"x5 1/4" Rabt. Jbs. Oak Threshold			
sill. Plain cap. Each	8.52	9.66	10.71
C-1546-A 3/4"x3 3/4" Csgs. 1 1/8"x5 1/4" Rabt Jbs. Pine sill.			
Plain cap. Each	6.51	7.47	8.19

FOR 2x4 STUD AND BRICK VENEER WALLS:

C-1548 1 1/8"x2" Csgs. 1 1/8"x6" Rabt. Jbs. Oak sill.			
No band mould. Each	9.09	10.50	11.52
C-1548-A 1 1/8"x2" Csgs. 1 1/8"x6" Rabt. Jbs. Pine sill.			
No band mould. Each	7.62	8.58	9.27
C-1548-C 1 1/8"x2" Csgs. 1 1/8"x6" Rabt. Jbs. No sill.			
No band mould	6.39	6.84	7.14

FOR MASONRY WALLS

C-1553 1 1/8"x2" Csgs. 1 1/8"x5 1/4" Rabt. Jbs. No Sill.			
No band mould. Each	4.89	5.22	5.46
C-1554 1 1/8"x2" Csgs. 1 1/8"x7 1/4" Rabt. Jbs. No sill.			
No band mould. Each	8.52	8.94	9.42
C-1555 1 1/8"x2" Csgs. 1 1/8"x9 1/4" Rabt. Jbs. No sill.			
No band mould. Each	10.80	11.34	11.91

EXTRAS

For band moulds furnished for any of above frames,
add per single opening as follows:

W-75	\$0.60	\$0.66	\$0.69
W-76	.45	.48	.51
W-77	.72	.75	.78

For D-140 Ground strips, add per single frame

For Jambs 1 1/8" thick on frames C-1535 to C-1553, Incl., add

For odd width 1 1/8" jambs under 5 1/2", add per single frame

Over 5 1/2" to 7 1/4", add per single frame

For Plain Oak sills in place of pine sills on frames C-1534 to C-1538, add

For Plain Pine sills in place of threshold Oak sills, deduct per frame

Garage Door Frames, 8-0x7-6 and under, Jambs 1 1/8"x5 3/8", no stops, Casing 1 1/8"x3 3/4" or less, no Sill,

K.D., each

For Setting Up, add per single frame

For Door and Sidelight frames, figure 3 times the corresponding single frame price.

Transom Head Door Frames, Transom 2-0 high or less take price of 2 single door frames of corresponding door width and design.

Curtis Door Weatherstrips may be used on all above door frames. See page 69 for prices.

ALL-PURPOSE "STUDIO" COMPLETE WINDOW UNITS

W.P.P.—K.D.—Windows and Sash 1 1/8" Thick

Units R-1900, R-1901 and R-1902 glazed SSB.

Units R-1903, R-1904 and R-1905 Windows gla., SSB; Plain Plate glass for center Opg., boxed separately.

Prices include Frames, Windows and Sash (no weights or cord)

Unit Number	Side Window Opening	Center Sash or Plate Opening	2x4 Stud Wall to match C-1570 (5 1/8" jambs)	Brick Veneer Walls to match C-1590 (5 1/8" jambs)	13" Masonry Walls to match C-1595 (5 1/8" jambs)	If Plain Plate glass for center opening not furnished, deduct
R-1900	1-10x5-6	3-4x5-6	\$39.81	\$40.98	\$44.13	-----
R-1901	2- 0x5-6	3-8x5-6	41.34	42.42	45.57	-----
R-1902	2- 0x6-4	3-8x6-4	46.62	48.15	51.93	-----
R-1903	1-10x5-6	3-4x5-6	57.72	58.89	62.04	\$24.96
R-1904	2- 0x5-6	3-8x5-6	61.80	62.88	66.03	27.72
R-1905	2- 0x6-4	3-8x6-4	70.83	72.36	76.14	32.07

See page 73 for illustrations. R-1900 is same appearance as R-2700, etc.

EXTRAS

For other wall thicknesses, add extras shown on page 14.

If windows and sash furnished Horizontal Bars only (Wds., Gla., SSB, center sh., Gla., DSB), deduct; units R-1900, R-1901, R-1902 \$3.60; deduct, units R-1903, R-1904, R-1905 \$1.02.

If frame only furnished Set-Up (windows or sash not installed), add, per complete unit

For interior trim, price on basis of 24x30" or 24x36", 2 lt., triple window.

	Openings		
Rough Stud Opening	R-1900, R-1903 8- 6x5-10	R-1901, R-1904 9- 2x5-10	R-1902, R-1905 9- 2x6- 8
Masonry Opening	8- 3x5-10 3/4	8-11x5-10 3/4	8-11x6- 8 3/4

SPECIAL WINDOW AND SASH FRAMES

W.P.P., Set up.

Opening sizes 2-10x4-6 and under	Window or Stationary Sash Frames			Rabbeted Sash Frames		
	2x4 Stud Plain Cap (5 1/8" Jamb)	Brick Veneer or Stucco (6" Jamb)	Masonry Wall Box Frame (5 1/8" Jamb)	2x4 Stud Plain Cap (1 3/8"x5 3/8" Jamb)	Brick Veneer or Stucco (1 3/8"x6" Jamb)	13" Masonry Walls (1 3/8"x9 1/4" Jamb)
Segment Head in and out	\$19.65	\$17.70	\$19.50	\$19.35	\$17.10	\$20.85
Circle Head in and out	20.55	18.90	20.55	19.95	17.75	21.90
Elliptic or Gothic Head in and out	22.20	20.55	22.20	21.15	18.95	23.10
Circle Head out—square in	17.10	15.00	16.20			
Elliptic or Gothic Head out—square in	18.75	16.80	17.85			
Peak Head	9.90	10.20	12.00	9.40	9.75	12.90
Quarter Circle Sash Frame 2-0x2-0 or smaller, design U-1264, Jamb 5 1/4"						
Quarter Circle in and out	15.15	13.05	14.10	14.70	12.45	15.00
Quarter Circle out—square in	11.25	9.75	10.20			
Half Circle Sash Frame 3-0x1-6 or smaller, design U-1286, Jamb 5 1/4"						
Half Circle in and out	17.65	14.55	15.60	16.50	13.95	16.80
Half Circle out—Square in	14.25	11.25	12.30			

Wider widths, add for each 6" or part, 15%. Heights over 4-6, add for each 6" or part \$0.60

Three frames of similar construction, permitting grouping of machine work, not necessarily of same radius, deduct 10%

QUARTER CIRCLE AND HALF CIRCLE SASH

1 3/8" thick, W.P.P., Glazed plain.

Quarter Circle in and out, opg. 2-0x2-0 or smaller, 3 fan lights \$ 8.70

Quarter Circle out—square in, opg. 2-0x2-0 or smaller, 3 fan lights 9.60

Half Circle in and out, opg. 3-0x1-6 or smaller, 6 fan lights 12.60

Half Circle out—square in, opg. 3-0x1-6 or smaller, 6 fan lights 13.50

SPECIAL DOOR FRAMES

W.P.P. Set up.

For doors 3-0x7-0 or smaller.

	Segment Head	Circle Head	Tudor Gothic or Elliptic Head	Peak Head
For 2x4 Stud Wall, Plain Cap	\$20.55	\$21.15	\$22.65	\$13.50
For Stucco, Jamb 1 3/8"x5 1/4", B.M. 1 1/8"x2", with sill	20.55	21.15	22.65	13.50
For Brick Veneer, Jamb 1 3/8"x6", B.M. 1 1/8"x2", no sill	17.10	18.00	19.50	12.30

For Masonry Wall:

Jamb 1 3/8"x5 3/8", B.M. 1 1/8"x2", no sill	15.60	16.80	18.30	10.50
Jamb 1 3/8"x7 1/2", B.M. 1 1/8"x2", no sill	18.00	19.65	21.15	14.10
Jamb 1 3/8"x9 1/2", B.M. 1 1/8"x2", no sill	22.95	24.30	25.50	16.50

Wider widths, add for each 6" or part, 15%.

Three frames of similar construction, permitting grouping of machine work, not necessarily of same radius, deduct 10%.

LINEAL FRAME STOCK

		Fir	W.P.P.
Pulley Stile,	3/4"x4 1/2", plowed for 1 3/8" window	\$ 7.20	\$ 7.80
Outside Casing,	3/4"x3 3/4", S4S	6.75	7.20
	3/4"x4 1/2"	7.32	7.98
	3/4"x5 1/2"	9.45	9.90
	1 1/8"x3 3/4", S4S	8.70	10.80
Outside Casing,	1 1/8"x4 1/2"	10.98	13.50
	1 1/8"x5 1/2"	13.05	15.90
	1 3/8"x7 3/8", machined to match frames	27.60	35.70
	1 3/8"x7 3/8", machined to match frames	27.60	35.70
Window Sill,	1 3/8"x5 3/8", Rabbeted 1 3/8" or 1 3/4"	15.75	19.80
	1 3/8"x5 3/8", Rabbeted 1 3/8" or 1 3/4"	20.70	27.00
	1 3/8"x7 1/2", Rabbeted 1 3/8" or 1 3/4"	28.50	36.60
	1 3/8"x9 1/2", Rabbeted 1 3/8" or 1 3/4"	35.70	45.60

Prices are per 100 lineal ft. in random lengths.

For specified lengths, add 10%

For small mouldings used in making frames, refer to Moulding prices, pages 48 and 49.


August 1, 1941

GABLE SASH AND LOUVRES


See also Curtis stock designs priced on page 19.




Full Circle
Frame U-1296-A
Full Circle
Sash U-1295-A




Octagon Frame
U-1297-A
Octagon Sash
U-1298-A



Full Circle
Louvre U-1309



Louvre U-1310



Louvre U-1310-A

W.P.P. 5/8" Jambs. Set Up.

	2x4 stud or Brick Veneer	Masonry Walls 5/8" Jambs
Frame U-1296-A for 2-0 Sash opening Diameter, or less, each	\$16.20	\$23.70
Sash U-1295-A for 2-0 Opening Diameter, or less, Glazed SS, each	11.13	12.63
Frame U-1297-A for Sash Opening 2-0, or less, each	13.05	18.30
Sash U-1298-A for 2-0 Sash Opening, or less, Glazed SS, each	11.13	12.63
Louvre U-1300 1-0x3-6, or less, 16-M Bronze Wire back, each	10.23	10.23
Louvre U-1309 For 2-6 Louvre opg. dia., or less, 16-M Bronze wire back, each	16.65	23.85
Louvre U-1310 For any roof pitch and not exceeding 1-10 drop, 16-M Bronze Wire back, each	16.50	16.50
Louvre U-1310-A For any roof pitch and not exceeding 1-10 drop, 16-M Bronze wire back, made right or left hand as specified, each	12.60	12.60

Note: Circle and octagon Sash or Louvres for Masonry Walls are made circle in and out.

Special 10% discount if ordered 3 or more, 1 size and kind.

Extras: For water drip W-55, furnished on frames U-1296-A or U-1309, add \$4.95

For brick mould W-77, furnished on frames U-1296-A or U-1309, add 4.65

CELLAR SASH FRAMES

For Masonry Wall, W.P.P. or Fir Brick Mldg. 1 1/8"x2", K. D.

Cellar Sash Size	C-1670		C-1670		
	Jambs 1 5/8 x 5 1/4	Jambs 1 5/8 x 7 1/4	Jambs 1 5/8 x 5 1/4	Jambs 1 5/8 x 7 1/4	
10x12—2 Lt. Opg. 2- 1x1-5	3.60	5.37	8x10—3 Lt. Opg. 2- 4x1-3	3.60	5.37
14 1-7	3.60	5.37	9x12—3 Lt. Opg. 2- 7x1-5	3.60	5.37
16 1-9	3.60	5.37	10x12—3 Lt. Opg. 2-10x1-5	3.81	5.62
12x14—2 Lt. Opg. 2- 5x1-7	3.60	5.37	14 1-7	3.81	5.62
16 1-9	3.60	5.37	16 1-9	3.81	5.62
14x16—2 Lt. Opg. 2- 9x1-9	3.81	5.62	18 1-11	4.08	6.12
			20 2-1	4.08	6.12
			12x14—3 Lt. Opg. 3- 4x1-7	4.23	6.36
			16 1-9	4.23	6.36
			18 1-11	4.50	6.84

For nailed up cellar sash frames, add per frame \$0.45

Intermediate sizes—Same price as next larger listed size.

CASEMENT SASH FRAMES RABBETED FOR 1 3/8" SASH

C-1567 W.P.P.—TOXIC TREATED—K.D.

Opening	2'-0"	2'-4"	2'-10"	3'-0"	3'-4"	3'-8"	4'-0"
2'-1"	\$3.87	\$4.11	\$4.77	\$4.98	\$5.40	\$5.61	\$5.73
2'-9"	4.11	4.65	5.31	5.52	5.94	6.15	6.27
3'-5 1/2"	4.80	5.04	5.70	5.91	6.33	6.54	6.66
3'-11 1/2"	5.25	5.49	6.15	6.36	6.78	6.99	7.11
4'-5 3/4"	5.58	5.82	6.48	6.69	7.11	7.32	7.44
5'-1 3/4"	6.00	6.24	6.90	7.11	7.53	7.74	7.86
5'-6"	6.24	6.48	7.14	7.35	7.77	7.98	8.10

For Moulded Drip Cap, add per single frame 39c

For odd or intermediate sizes, use price of next larger listed size.

If furnished Set Up, add per sgle. opg. 75c

C-1568—Use above schedule and add per single frame 42c

C-1569—Use above schedule and add per single frame 36c

Note: Above frames made with solid jambs only. Specify if sash swing in or out. If sash are to swing out, state also size of screen rabbet wanted at inside. In ordering specify size of outside casing wanted. Standard Mullions are 2 1/2" between sash.

August 1, 1941

CURTIS SIDELIGHT SASH AND TRANSOMS

See Curtis design book No. 504, pages 6, 8, 14 and 15 for illustrations.

							Weights Lbs.
C-2902*	0-10 x 4-5,	1 3/8" Glazed Leaded, DS	Per Pair	\$16.83			18
"	0-10 x 4-9	" " " " " "	Per Pair	17.16			20
C-2903*	0-9 1/2 x 4-5,	1 3/8" Glazed Leaded, DS	Per Pair	18.57			18
"	0-9 1/2 x 4-9,	" " " " " "	Per Pair	18.87			20
C-2904*	0-10 x 4-5,	1 3/8" Glazed SS, Bedded	Per Pair	5.79			16
"	0-10 x 4-9	" " " " " "	Per Pair	6.00			18
C-2905*	0-9 1/2 x 4-5,	1 3/8" Glazed SS, Wood bars,	Per Pair	13.11			18
"	0-9 1/2 x 4-9,	" " " " " "	Per Pair	13.35			20
C-2910*	3-1 x 0-11 3/8,	1 3/8" Glazed Leaded, DS	Each	13.98			9
C-2912*	5-1 x 1-1,	1 3/8" Glazed Leaded, DS	Each	16.05			14
C-1913*	3-1 x 0-11 3/8,	1 3/8" Glazed SS, Wood bars	Each	7.47			9
C-2916*	5-1 x 1-1,	1 3/8" Glazed SS, Bedded	Each	10.11			13
C-2926*	5-1 x 1-1,	1 3/8" Elliptic Head Fan	Each	15.81			16

Above Items in Stock at Clinton, Iowa, Only. Prices include crating.

CURTIS GABLE SASH FRAMES—GABLE SASH—LOUVRES

See Curtis Design Book No. 504, Pages 52, 53, 64 and 66, for Illustrations.

						Lbs.
C-1665	Half Circle Sash Frame, 2-6x1- 6, Set Up	Each	\$ 9.81			16
C-1665	" " " " 3-4x1-11, Set Up	Each	11.01			21
C-1667	Quarter Circle Sash Frame, 1-3x1- 6, Set Up	Each	7.83			12
C-1667	" " " " 1-8x1-11, Set Up	Each	8.70			16
C-1803*	Square Head Louvre Frame, 0-3x2-6 Set Up	Each	11.70			13
"	" " " " 0-3x3-6 Set Up	Each	12.12			18
C-1806	Square Head Louvre Frame, 0-6x2-6 Set Up	Each	4.92			15
"	" " " " 1-0x2-0, Set Up	Each	5.40			22
C-1815	Half Circle Louvre Frame, 2-6x1-6 Set Up	Each	11.31			32
C-1820	Quarter Circle Louvre Frame, 1-3x1-6 Set Up	Each	7.74			20
C-2720*	Gable Sash, 1-0x1-8, 1 3/8" 1 lt., leaded, DS	Each	3.78			4 1/2
"	" " 1-2x2-1, 1 3/8" 1 lt., leaded, DS	Each	4.50			6
C-2953	Quarter Circle Sash, 1-3x1- 6, 1 3/8" Gla., SS	Each	4.62			4
"	" " " 1-8x1-11, 1 3/8" Gla., SS	Each	4.92			6 1/2
C-2956	Half Circle Sash, 2-6x1- 6, 1 3/8" Gla., SS	Each	6.45			8
"	" " " 3-4x1-11, 1 3/8" Gla., SS	Each	6.96			13

Designs Followed by Asterisk "*" in Stock at Clinton, Iowa, Only. Prices include crating.

CURTIS BLINDS AND SHUTTERS

(Toxic Treated, Flashed, Not Rabbeted)

See Curtis Design Book No. 504, Pages 54 and 55 for Illustrations.

2 Lt. Glass Size	Opening Sizes	C-1836*	C-1841*	C-1843	C-1847*	C-1848*
20x24	2- 0x4- 7 1/8	\$ 9.63	\$11.28	\$6.45	\$ 8.97	\$ 9.03
24/36	5- 7 1/8	11.64	13.65	8.88*	10.83	10.77
24x20	2- 4x3-11 1/8	8.28	9.69	5.55	7.71	7.86
24	4- 7 1/8	9.63	11.28	6.45	8.97	9.03
26	4-11 1/8	10.29	12.06	7.83*	9.60	9.63
24/36	5- 7 1/8	11.64	13.65	8.88*	10.83	10.77
27x24	2- 7x4- 7 1/8	9.63	11.28	6.45	8.97	9.03
26	4-11 1/8	10.29	12.06	7.83*	9.60	9.63
24/36	5- 7 1/8	11.64	13.65	8.88*	10.83	10.77
30x20	2-10x3-11 1/8	8.28	9.69	5.55	7.71	7.86
24	4- 7 1/8	9.63	11.28	6.45	8.97	9.03
26	4-11 1/8	10.29	12.06	7.65*	9.60	9.63
24/36	5- 7 1/8	11.64	13.65	7.80	10.83	10.77
36x24	3- 4x4- 7 1/8	10.68	12.54	7.14	9.96	9.96
26	4-11 1/8	11.46	13.44	8.70*	10.65	10.59
24/36	5- 7 1/8	12.93	15.18	8.64	12.03	11.88
40x24	3- 8x4- 7 1/8	11.40	13.41	7.62	10.62	10.56
24/36	5- 7 1/8	13.83	16.23	9.21	12.87	12.63

If Rabbeted and Beaded, add per pair \$0.30.

If Cut-Out is omitted in design C-1847 or C-1848, deduct Per Pair \$0.72

For intermediate sizes, other than C-1843 design, use price of next larger size and add 10%

Odd size C-1843 Blinds—Opening widths 2-10 and under. Figure Window, Casement or Door opening height, Minimum 4 lineal feet, per lineal foot \$1.59

For each additional 2" in width, add, per lineal foot .06

For full or half rolling slats, figure all sizes on above odd basis and add, per lineal foot .21

If Top ends of stiles of odd size C-1843 Blinds are covered with metal flashing, add, per pair .45


Batten Type Blinds, not rabbeted, no cut-out, not flashed (Minimum 12 Sq. Ft., per pair) per sq. ft. of window opening .60

Special 10% Discount on Orders for 6 or More Pairs of 1 Size and Kind.


Designs or Sizes Followed by Asterisk "*" in Stock at Clinton, Iowa, Only.

August 1, 1941


FRONT DOORS



Size	Wood	Thickness	C-1020 U-132 Ovolo Sticking	C-1021 D. S. Bedded	C-1023 Flush Moulded	C-1024 U-134 Ovolo Sticking	C-1025 D. S. Bedded
2-8x6-8	W.P.P.	1 3/4	\$ 8.94	\$12.24	---	\$12.45	---
3-0x6-8			13.05	16.35	---	13.20	---
7-0			13.95	17.25	---	14.04	---
2-8x6-8	W.P.P.	1 3/4	13.44	16.74	\$21.06	16.35	\$23.22
3-0x6-8			14.25	17.31	19.94	14.94	22.71
7-0			15.15	18.45	23.52	15.87	25.08
3-4x6-8			17.13	21.60	23.52	17.79	28.89
2-8x6-8	P.R. Oak	1 3/4	35.43	---	---	38.87	---
3-0x6-8			36.90	---	---	39.81	---
7-0			37.56	---	---	40.50	---
Intermediate Sizes add	W.P.P.		4.50	---	5.40	4.80	6.75
	P.R. Oak	No Extra	---	---	---	No Extra	---
Weight 3-0x6-8	W.P.P. 1 3/4		62 lbs.	59 lbs		63 lbs.	62 lbs.



All 1 3/4" W.P.P. Doors priced on this page have 1 1/8" thick solid wood Raised Panels.



Size	Wood	Thickness	C-1026 D. S. Bedded	C-1027 D. S. Bedded	C-1028 D. S. Bedded	C-1030 D. S. Bedded
2-8x6-8	W.P.P.	1 3/4	---	\$11.07	---	---
3-0x6-8			---	15.30	---	---
7-0			---	16.20	---	---
2-8x6-8	W.P.P.	1 3/4	\$19.20	17.85	\$33.60	\$24.03
3-0x6-8			18.72	15.21	29.34	23.94
7-0			21.09	19.86	34.92	26.37
3-4x6-8			23.16	20.10	34.92	31.56
Intermediate Sizes, add	W.P.P.		4.80	4.50	10.50	7.80
Weight 3-0x6-8	W.P.P. 1 3/4		54 lbs.	62 lbs.	62 lbs.	62 lbs.


Birch where not priced can be furnished at P.R. Oak price.

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.




August 1, 1941

EXTERIOR DOORS





WATER SHED LIP



Designs C-1060, C-1065 and C-1070
Priced at the Right incorporate the Curtis
Patented "Watershed Lip" Illustrated
Above.



Size	Wood	Thickness	C-1060 D. S. in Zinc	C-1065 D. S. in Zinc	C-1070 D. S. in Zinc
2-8x6-8 -----	W.P.P.	1 3/4	\$15.87	\$34.23	\$34.23
3-0x6-8 -----			16.35	30.42	30.42
7-0 -----			18.63	33.12	36.57
3-4x6-8 -----			22.20	36.96	36.96
<hr/>					
3-0x6-8 -----	P.R. Oak	1 3/4	43.71	51.51	51.51
7-0 -----			44.70	52.50	52.50
<hr/>					
3-0x6-8 -----	Birch	1 3/4	38.61	46.41	46.41
7-0 -----			39.51	47.31	47.31
Intermediate Sizes add -----	W.P.P.		6.60	9.60	9.60
	P.R. Oak		No Extra	No Extra	No Extra
	Birch		No Extra	No Extra	No Extra
Weight 3-0x6-8 -----	W.P.P. 1 3/4		69 lbs.	69 lbs.	69 lbs.



Size	Wood	Thickness	C-1081 D. S. in Zinc	C-1085 D. S. in Zinc	C-1086 D. S. in Zinc	C-1089 D. S. in Zinc
2-8x6-8 -----	W.P.P.	1 3/4	\$28.23	\$32.34	\$32.34	\$32.34
3-0x6-8 -----			28.89	32.88	32.88	32.88
7-0 -----			30.54	34.65	34.65	34.65
<hr/>						
3-0x6-8 -----	P.R. Oak	1 3/4	35.49	40.44	40.44	40.44
7-0 -----			36.15	41.10	41.10	41.10
<hr/>						
3-0x6-8 -----	Birch	1 3/4	35.49	40.44	40.44	40.44
7-0 -----			36.15	41.10	41.10	41.10
Intermediate Sizes, W.P.P., Oak or Birch, Add -----			3.75	3.75	3.75	3.75
Weight, 3-0x6-8 -----	W.P.P. 1 3/4		81 lbs.	81 lbs.	81 lbs.	81 lbs.


All Slab Doors priced above have 1/4" face veneers and are "cross banded."

Design C-1081 may be furnished with glass opening in center—No Extra.




Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941



EXTERIOR DOORS




C-1110

C-1150
U-232
D.S.
BeddedC-1200
U-206
Gla., D.S.
S.S. BeddedC-1210
U-200
Gla., D.S.
S.S. Bedded


Size	Wood	Thickness	Gla. S.S.	D.S. Bedded		Gla. S.S.	D.S. Bedded	Gla. S.S.	D.S. Bedded
2-8x6-8	W.P.P.	1%	\$11.16	\$12.00		\$11.31		\$9.81	\$10.11
2-8x6-8	W.P.P.	1%	14.58	15.42		14.79		12.93	13.23
3-0x6-8			15.12	15.96		15.99		13.50	13.80
7-0			16.47	17.37		17.13		16.23	16.56
2-8x6-8	P.R. Oak	1%		30.69		27.21			31.50
3-0x6-8				31.47		28.44			32.31
7-0				32.22		28.86			32.85
Intermediate Sizes add			W.P.P.	\$4.20	W.P.P.	\$3.00		W.P.P.	\$3.60
			P.R.Oak	\$0.00	P.R.Oak	\$0.00		P.R.Oak	\$0.00
Weight 3-0x6-8	W.P.P. 1%		52 lbs.		50 lbs.			52 lbs.	

C-1211
U-203

C-1220



C-1224

C-1240
U-242


Size	Wood	Thickness	Gla. SS	D.S. Bedded	Gla. SS	D.S. Bedded	Gla. SS	D.S. Bedded	D.S. Bedded	
2-8x6-8 -----	W.P.P.	1%	\$9.81	\$10.05	\$10.44	\$10.68	\$9.57	\$9.90	\$11.22	
2-8x6-8 -----	W.P.P.	1%	13.26	13.50	13.68	13.92	12.63	12.96	15.54	
3-0x6-8 -----			13.77	14.13	14.19	14.55	13.26	13.59	16.47	
7-0 -----			14.76	15.12	15.75	16.11	14.94	15.30	17.34	
2-8x6-8 -----	P.R. Oak	1%	-----	29.91	-----	30.45	-----	-----	-----	
3-0x6-8 -----			-----	30.72	-----	31.26	-----	-----	-----	
7-0 -----			-----	31.26	-----	31.80	-----	-----	-----	
Intermediate Sizes add-----			W.P.P.	\$3.30	W.P.P.	\$3.30	W.P.P.	\$3.00	W.P.P.	\$3.00
			P.R.Oak	\$0.00	P.R.Oak	\$0.00				
Weight 3-0x6-8 -----	W.P.P.	1%	52 lbs.		52 lbs.		40 lbs.		43 lbs.	

Birch where not priced can be furnished at P.R. Oak price.


Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941


EXTERIOR DOORS




U-104



U-108




U-118




U-124


Size	Wood	Thickness	D.S. in Zinc	Glazed D.S. Wood Bars	D.S. Bedded	Bev. Plate	D.S. Bedded	Bev. Plate
2-8x6-8	W.P.P.	1 3/4"	\$32.55	\$31.44	\$27.63	\$36.00	\$27.57	\$35.10
3-0x6-8			33.06	31.98	28.32	36.75	28.23	35.85
7-0			34.83	33.72	29.94	38.40	29.85	37.44
3-0x6-8	P.R.Oak	1 3/4"	41.04	40.17	39.21	47.67	35.34	42.93
7-0			41.70	40.83	39.87	48.33	36.00	43.50
3-0x6-8	Uns. Birch.	1 3/4"	41.04	40.17	39.21	47.67	35.34	42.93
7-0			41.70	40.83	39.87	48.33	36.00	43.50
Odd or Intermediate Size, Add.....			\$3.75	\$3.75	\$3.75		\$3.75	
Weight 3-0x6-8, W.P.P., 1 3/4".....			80 Lbs.	80 Lbs.	Birch or Oak 87 Lbs.		Birch or Oak 87 Lbs.	



C-130

C-1130
U-140

U-143



U-148





Size	Wood	Thickness	D.S. Wood Bars	D.S. Bedded	Crystal Sheet	D.S. Bedded	Glazed S.S.	D.S. Bedded
2-8x6-8	W.P.P.	1 3/4"	\$20.28	\$9.51	\$11.97	\$11.46	\$9.99	\$10.89
3-0x6-8				12.12	14.70	14.37	12.54	13.53
7-0				12.75	15.45	15.00	13.23	14.22
2-8x6-8	W.P.P.	1 3/4"	21.03	11.79	14.25	14.76	13.05	13.95
3-0x6-8			21.87	13.32	15.90	16.35	13.65	14.61
7-0			27.27	14.04	16.74	17.10	14.40	15.36
2-8x6-8	P.R.Oak	1 3/4"	42.42	25.62	28.08	26.52		31.02
3-0x6-8			43.32	26.85	29.43	27.75		32.25
7-0			43.86	27.45	30.15	28.35		32.85
Odd or Intermediate Sizes, Add.....			W.P.P. \$7.50	W.P.P. \$3.00		W.P.P. \$3.30	W.P.P. \$3.90	
			P.R.Oak \$0.00	P.R.Oak \$0.00		P.R.Oak \$0.00	P.R.Oak \$0.00	
Weight 3-0x6-8 W.P.P. 1 3/4".....			62 Lbs.	58 Lbs.		63 Lbs.	63 Lbs.	

Birch, where not priced, can be furnished at P. R. Oak price.

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941

EXTERIOR DOORS


C-1120
U-150C-1140
U-159C-1160
U-160

U-163


Size	Wood	Thickness	Gla. SS	D.S. Bedded	D. S., Bedded	D. S., Bedded	D. S., Bedded
2-8x6-8	W.P.P.	1 3/8"	\$10.68	\$11.70	\$11.91	\$ 9.60	\$11.04
3-0x6-8	"	"	11.49	12.54	13.80	11.88	13.17
7-0	"	"	13.95	15.06	14.61	12.66	13.98
2-8x6-8	"	1 3/4"	13.83	14.85	15.09	12.42	14.04
3-0x6-8	"	"	14.37	15.39	15.90	13.35	14.79
7-0	"	"	15.09	16.20	18.75	15.99	17.43
2-8x6-8	P.R.Oak	"		33.00	29.07	25.44	26.94
3-0x6-8	"	"		34.23	30.30	26.55	28.05
7-0	"	"		34.83	30.90	27.15	28.65

Odd or Intermediate Sizes, Add ----- W.P.P. \$4.20 W.P.P. \$4.20 W.P.P. \$3.00 W.P.P. \$3.30
P. R. Oak \$0.00 P. R. Oak \$0.00 P. R. Oak \$0.00 P. R. Oak \$0.00


Weight 3-0x6-8 W.P.P. 1 3/4" 63 Lbs. 63 Lbs. 58 Lbs. 55 Lbs.




U-169



U-180



U-183



U-186

Size	Wood	Thickness	Gla., SS	D.S. Bedded	Gla., SS	D.S. Bedded	Gla., SS	D.S. Bedded	Gla. SS	D.S. Bedded
2-8x6-8	W.P.P.	1 3/8"	\$11.58	\$12.24	\$9.84	\$10.17	\$10.62	\$10.92	\$11.55	\$11.91
3-0x6-8	"	"	13.50	14.19	12.12	12.48	11.43	11.79	12.48	12.90
7-0	"	"	14.19	14.97	13.11	13.53	12.39	12.75	13.35	13.77
2-8x6-8	"	1 3/4"	15.24	15.90	12.66	12.99	13.56	13.86	14.64	15.00
3-0x6-8	"	"	15.75	16.44	13.29	13.65	14.13	14.49	15.27	15.69
7-0	"	"	18.30	18.99	14.88	15.30	15.84	16.20	16.95	17.37
2-8x6-8	Fir	1 3/8"			9.66	9.99	10.02	10.35	10.86	11.25
3-0x6-8	"	"			10.68	11.07	11.43	11.82	12.09	12.54
2-8x6-8	"	1 3/4"			12.36	12.72	12.42	12.75	13.53	13.98
3-0x6-8	"	"			12.45	12.81	13.14	13.53	14.85	15.30
7-0	"	"			13.77	14.19	14.49	14.94	16.14	16.59
2-8x6-8	P.R. Oak	"		29.79		26.79		27.93		29.55
3-0x6-8	"	"		30.90		27.54		28.68		30.30
7-0	"	"		31.50		28.08		29.22		30.84

Odd or Intermediate Sizes, Add ----- W.P.P. \$3.60 W.P.P. \$3.00 W.P.P. \$3.30 W.P.P. \$3.60
P. R. Oak \$0.00 P. R. Oak \$0.00 P. R. Oak \$0.00 P. R. Oak \$0.00

Weight 3-0x6-8, W.P.P. 1 3/4" 59 Lbs. 54 Lbs. 55 Lbs. 55 Lbs.

Birch where not priced can be furnished at P. R. Oak Price.

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941

EXTERIOR DOORS

Design	Wood	2-8x6-8 Glazed SS	2-8x6-8 D.S. Bedded	3-0x6-8 Glazed SS	3-0x6-8 D.S. Bedded	3-0x7-0 Glazed SS	3-0x7-0 D.S. Bedded	Intermediate sizes--add to next larger Size
U-106	Plain Red Oak 1 3/4" -----	-----	-----	-----	\$64.14	-----	\$64.80	\$3.75
	Uns. Birch 1 3/4" -----	-----	-----	-----	64.14	-----	64.80	3.75
U-110	Plain Red Oak 1 3/4" -----	-----	-----	-----	39.51	-----	40.17	3.75
	Uns. Birch 1 3/4" -----	-----	-----	-----	39.51	-----	40.17	3.75
U-112	Plain Red Oak 1 3/4" -----	-----	-----	-----	37.02	-----	37.68	3.75
	Uns. Birch 1 3/4" -----	-----	-----	-----	37.02	-----	37.68	3.75
U-113	Plain Red Oak 1 3/4" -----	-----	-----	-----	40.02	-----	40.68	3.75
	Uns. Birch 1 3/4" -----	-----	-----	-----	40.02	-----	40.68	3.75
U-116	W. P. Pine 1 3/4" -----	-----	\$39.30	-----	41.07	-----	41.70	3.75
	Plain Red Oak 1 3/4" -----	-----	-----	-----	47.43	-----	48.06	3.75
	Uns. Birch 1 3/4" -----	-----	-----	-----	47.43	-----	48.06	3.75
U-123	Plain Red Oak 1 3/4" -----	-----	-----	-----	39.51	-----	40.17	3.75
	Uns. Birch 1 3/4" -----	-----	-----	-----	39.51	-----	40.17	3.75
U-136	W. P. Pine 1 3/4" -----	-----	18.84	-----	22.95	-----	23.85	3.00
	W. P. Pine 1 3/4" -----	-----	23.34	-----	24.15	-----	25.05	3.00
U-141	W. P. Pine 1 3/4" -----	-----	19.71	-----	22.32	-----	22.95	5.40
	W. P. Pine 1 3/4" -----	-----	21.99	-----	23.52	-----	24.24	5.40
U-142	W. P. Pine 1 3/4" -----	-----	22.41	-----	25.02	-----	25.65	3.00
	W. P. Pine 1 3/4" -----	-----	24.69	-----	26.22	-----	26.94	3.00
U-156	W. P. Pine 1 3/4" -----	-----	12.36	-----	14.28	-----	15.30	3.60
	W. P. Pine 1 3/4" -----	-----	15.66	-----	16.41	-----	17.01	3.60
U-166	W. P. Pine 1 3/4" -----	-----	11.88	-----	14.19	-----	14.82	3.30
	W. P. Pine 1 3/4" -----	-----	15.03	-----	16.17	-----	18.39	3.30
U-170	W. P. Pine 1 3/4" -----	-----	26.10	-----	26.70	-----	27.75	No
	W. P. Pine 1 3/4" -----	-----	30.30	-----	31.20	-----	32.40	Extra
U-174	W. P. Pine 1 3/4" -----	-----	16.86	-----	17.25	-----	13.39	No
	W. P. Pine 1 3/4" -----	-----	20.13	-----	20.70	-----	22.08	Extra
U-176	W. P. Pine 1 3/4" -----	-----	20.22	-----	20.70	-----	21.48	No
	W. P. Pine 1 3/4" -----	-----	24.66	-----	25.29	-----	26.37	Extra
U-179	W. P. Pine 1 3/4" -----	-----	33.51	-----	34.74	-----	36.45	No
	W. P. Pine 1 3/4" -----	-----	38.61	-----	39.93	-----	42.12	Extra
U-188	W. P. Pine 1 3/4" -----	\$11.85	12.39	\$14.01	14.61	\$14.94	15.60	\$3.60
	W. P. Pine 1 3/4" -----	15.12	15.66	15.78	16.35	17.46	18.12	3.60
	Douglas Fir 1 3/4" -----	12.06	12.60	13.23	13.30	-----	-----	4.20
	Douglas Fir 1 3/4" -----	15.57	16.11	15.63	16.20	17.07	17.70	4.20
U-189	W. P. Pine 1 3/4" -----	12.63	12.93	13.26	13.92	14.16	14.85	3.60
	W. P. Pine 1 3/4" -----	15.51	16.11	16.14	16.77	18.89	19.58	3.60





Doors U-188 and U-189 are priced with bracketed watertable. If watertable is omitted, deduct 90c per door from W. P. Pine or Fir price. Deduct \$1.50 per door from P. R. Oak Price. These deductions apply also to U-180, U-183 and U-186 designs priced on preceding page.

U-190	W. P. Pine 1 3/8" -----	11.91	12.21	12.51	12.90	13.56	13.95	No
	W. P. Pine 1 3/4" -----	15.69	15.99	16.56	16.95	17.91	18.30	Extra
U-196	W. P. Pine 1 3/8" -----	13.56	13.95	14.19	14.61	15.21	15.63	No
	W. P. Pine 1 3/4" -----	17.61	18.00	18.48	18.90	19.80	20.22	Extra
U-198	W. P. Pine 1 3/8" -----	14.04	14.52	14.64	15.12	15.69	16.17	No
	W. P. Pine 1 3/4" -----	18.24	18.72	19.08	19.56	20.43	20.91	Extra
U-208	W. P. Pine 1 3/8" -----	13.20	13.68	13.83	14.31	14.85	15.33	3.00
	W. P. Pine 1 3/4" -----	17.37	17.85	18.18	18.66	19.50	19.98	3.00

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941

MODERN EXTERIOR DOORS

C-1154
Gla. D.S.C-1165
Gla. D.S.C-1233
Gla. D.S.C-3209
Gla. D.S.

Size	Wood Thickness				
2-0x6-8	W.P.P.	1 1/4"			\$11.25
2-6x6-8	"	"			11.94
2-8x6-8	"	"	\$12.57	\$10.59	11.37
3-0x6-8	"	"	13.32	12.63	11.94
3-0x7-0	"	"	14.37	13.47	12.57
2-0x6-8	W.P.P.	1 1/2"			13.59
2-6x6-8	"	"			14.85
2-8x6-8	"	"	16.38	13.59	14.97
3-0x6-8	"	"	16.95	14.25	15.66
3-0x7-0	"	"	18.30	16.92	16.53
Odd or Intermediate sizes add			\$3.00	\$3.30	\$3.30
					\$3.60

SIDELIGHTS

Prices are per Single Sidelight.

Size 1-4x7-0 or Smaller	W.P. Pine 1 1/4"		W.P. Pine 1 1/2"		P.R.O. 1 1/4"
	Glazed SS	D.S. Bedded	Glazed SS	D.S. Bedded	
U-300 or C-1410					
One light, to match C-1130 or similar		\$ 7.62		\$ 9.33	\$15.30
U-308, Eight lights, to match U-148	\$ 8.43	9.06	\$10.62	11.25	17.58
U-310, Ten lights, to match U-150	9.30	9.84	11.64	12.18	18.45
U-318 or C-1420, Colonial Style	8.07	8.52	10.05	10.50	17.91
U-320 or C-1400, Colonial style		7.50		9.24	16.74
U-325 or C-1430, To match French doors	7.71	8.25	9.36	9.90	15.00

Unselected Birch—same price as Plain Red Oak.

When Sidelights are ordered separately, please be sure to give us complete layout and information about door with which they are to be used.

REAR DOORS

The doors illustrated and priced below represent the strongest and most rigidly inspected rear entrance doors on the market. Stiles are 5" face (5 1/8" overall). Panels are solid wood.

C-1230	No. 1, W.P.P. Glazed Plain	No. 1, W.P.P. Glazed Bedded	If glazed Obscure add to SS price	C-1239	No. 1, W.P.P. Glazed Plain	No. 1, W.P.P. Glazed Bedded	If glazed Obscure add to SS price
2-6x6-8, 1 1/4"	\$8.88	\$9.36	\$0.48	2-6x6-8, 1 1/4"	\$11.37	\$12.30	\$0.48
2-8x6-8, "	9.06	9.57	.57	2-8x6-8, "	11.58	12.51	.57
3-0x6-8, "	12.45	13.17	.57	3-0x6-8, "	12.39	13.11	.57
2-6x6-8, 1 1/2"	11.79	12.27	.48	7-0, "	13.26	14.04	.57
2-8x6-8, "	12.03	12.54	.57	2-6x6-8, 1 1/4"	15.18	16.11	.48
7-0, "	13.17	13.68	.57	2-8x6-8, "	12.84	13.50	.57
3-0x6-8, "	16.02	16.71	.57	3-0x6-8, "	14.28	15.00	.57
7-0, "	16.83	17.52	.57	7-0, "	14.97	15.75	.57

C-1230


C-1239

Odd or intermediate sizes, add to price of next larger listed size \$3.60


Special 10% Discount on Orders for 6 or More Doors or Sidelights, 1 Size and Kind.

August 1, 1941

REAR DOORS


U-250
C-1244
Kaw

U-250, C-1244, Glazed Plain	No. 3 Fir	No. 2 Fir	No. 1 Fir	No. 2 W.P.P.	No. 1 W.P.P.	Bedding in Putty add	D.S. add	If Glazed Obscure add to SS Price
2- 6x6- 6, 1 3/8"	\$6.09	\$6.54	\$6.84	\$6.60	\$6.90	\$0.18	\$0.30	\$0.81
6- 8, "	6.21	6.66	6.96	6.72	7.05	.18	.33	.84
2- 8x6- 8, "	6.42	6.87	7.20	7.08	7.35	.18	.33	.90
7- 0, "	8.49	8.55	8.76	---	---	.18	.42	.90
2-10x6-10, "	8.25	8.61	8.85	---	9.00	.18	.42	.90
3- 0x6- 8, "	8.09	8.31	8.40	---	8.46	.18	.39	.93
7- 0, "	8.88	8.97	9.18	---	9.30	.18	.45	1.02
2- 6x6- 8, 1 3/4"	---	8.88	9.12	---	9.33	.18	.33	.84
2- 8x6- 8, "	---	9.15	9.39	---	9.69	.18	.33	.90
7- 0, "	---	11.28	11.58	---	11.73	.18	.42	.90
2-10x6-10, "	---	11.97	12.27	---	---	.18	.42	.90
3- 0x6- 8, "	---	10.92	11.19	---	11.52	.18	.39	.93
7- 0, "	---	11.91	12.24	---	12.60	.18	.45	1.02




C-1245

C-1245 Glazed Plain	No. 3 Fir	No. 2 Fir	No. 1 Fir	No. 2 W.P.P.	No. 1 W.P.P.	Bedding in Putty add	D.S. add	If Glazed Obscure add to SS Price
2- 6x6- 6, 1 3/8"	\$7.14	\$7.29	\$7.59	\$7.95	\$8.25	\$0.27	\$0.30	\$0.81
6- 8, "	7.56	8.01	8.31	8.07	8.31	.27	.33	.84
2- 8x6- 8, "	7.38	7.68	8.01	8.43	8.61	.27	.33	.90
7- 0, "	9.84	9.90	10.11	---	---	.27	.42	.90
2-10x6-10, "	9.60	9.96	10.20	---	10.35	.27	.42	.90
3- 0x6- 8, "	9.44	9.66	9.75	---	9.81	.27	.39	.93
7- 0, "	10.23	10.32	10.53	---	10.65	.27	.45	1.02
2- 6x6- 8, 1 3/4"	---	10.23	10.47	---	10.59	.27	.33	.84
2- 8x6- 8, "	---	10.50	10.74	---	10.95	.27	.33	.90
7- 0, "	---	12.63	12.93	---	13.08	.27	.42	.90
2-10x6-10, "	---	13.32	13.62	---	---	.27	.42	.90
3- 0x6- 8, "	---	12.27	12.54	---	12.87	.27	.39	.93
7- 0, "	---	13.26	13.59	---	13.95	.27	.45	1.02

U-274
C-1246

U-274, C-1246 Glazed Plain	No. 3 Fir	No. 2 Fir	No. 1 Fir	No. 2 W.P.P.	No. 1 W.P.P.	Bedding in Putty add	D.S. add	If Glazed Obscure add to SS Price
2- 6x6- 6, 1 3/8"	\$7.89	\$8.34	\$8.64	\$8.40	\$8.70	\$0.30	\$0.30	\$0.81
6- 8, "	8.01	8.46	8.58	8.52	8.61	.30	.33	.84
2- 8x6- 8, "	7.56	7.89	8.22	8.88	8.91	.30	.33	.90
7- 0, "	10.29	10.35	10.56	---	---	.30	.42	.90
2-10x6-10, "	10.05	10.41	10.65	---	10.80	.30	.42	.90
3- 0x6- 8, "	9.90	10.11	10.20	---	10.26	.30	.39	.93
7- 0, "	10.68	10.77	10.98	---	11.10	.30	.45	1.02
2- 6x6- 8, 1 3/4"	---	10.68	10.86	---	10.89	.30	.33	.84
2- 8x6- 8, "	---	10.95	11.19	---	11.25	.30	.33	.90
7- 0, "	---	13.08	13.38	---	13.53	.30	.42	.90
2-10x6-10, "	---	13.77	14.07	---	---	.30	.42	.90
3- 0x6- 8, "	---	12.72	12.99	---	13.32	.30	.39	.93
7- 0, "	---	13.71	14.04	---	14.40	.30	.45	1.02

U-260
C-1250
K. C.

U-260 C-1250, Glazed Plain	No. 3 Fir	No. 2 Fir	No. 1 Fir	No. 2 W.P.P.	No. 1 W.P.P.	Bedding in Putty add	D.S. add	If Glazed Obscure add to SS Price
2- 6x6- 6, 1 3/8"	\$5.94	\$6.39	\$6.81	\$6.60	\$6.93	\$0.18	\$0.21	\$0.63
6- 8, "	6.03	6.48	6.90	6.69	7.02	.18	.24	.69
2- 8x6- 8, "	6.21	6.63	7.08	6.90	7.26	.18	.24	.75
7- 0, "	8.31	8.37	8.76	---	8.82	.18	.36	.78
2-10x6-10, "	7.95	8.46	8.70	---	---	.18	.36	.78
3- 0x6- 8, "	7.77	8.16	8.34	---	8.73	.18	.36	.81
7- 0, "	8.46	8.88	9.09	---	9.24	.18	.39	.90
2- 6x6- 8, 1 3/4"	---	9.09	9.33	9.24	9.69	.18	.24	.69
2- 8x6- 8, "	---	9.30	9.57	---	10.02	.18	.24	.75
7- 0, "	---	11.01	11.31	---	12.12	.18	.36	.78
2-10x6-10, "	---	11.70	12.00	---	12.33	.18	.36	.78
3- 0x6- 8, "	---	11.07	11.34	---	11.58	.18	.36	.81
7- 0, "	---	11.94	12.06	---	12.30	.18	.39	.90

Extra for obscure glass allows choice of Maze, Florentine, Ribbed, Factrolite or Hammered glass — Specify kind wanted when ordering.



EXTRAS

Designs C-1244 or C-1250 if divided rectangular lights, add per light	\$0.45
Plain Apron, add per door	.45
Odd or intermediate sizes, add to next larger size of required design	3.45
Design C-1244 (U-250) may be reduced to shorter height providing height adjustment is 2" or more below stock door size. For re-setting top rail in our plant on design C-1244 only add to price of stock door	\$1.95

Special 10% Discount for 6 or more Doors, One Size and Kind.

August 1, 1941

FRENCH DOORS

C-3210
U-500C-3211
U-505

(All prices are per door. For pairs, double the per door price)

U-500
C-3210

	Fir Gla. Pln. 1%	Fir Gla. Pln. 1%	W.P.P. Gla. Pln. 1%	W.P.P. Gla. Pln. 1%	Birch P.R. Oak Gla. Pln. 1%	If Gla., D.S. add	Bedding in Putty add	If gla. Obscure add to SS price
2-0x6-6	-----	-----	\$7.95	-----	\$23.79	\$0.30	\$0.45	\$1.23
6-8	\$7.20	\$8.82	7.53	\$9.66	23.97	.30	.45	1.35
7-0	-----	-----	8.46	-----	24.84	.30	.45	1.35
2-4x6-8	8.22	-----	8.70	-----	24.75	.39	.45	1.59
2-6x6-6	8.37	-----	8.70	-----	24.99	.39	.45	1.68
6-8	7.86	10.05	7.95	10.56	25.14	.39	.45	1.86
7-0	8.97	-----	9.21	11.91	25.71	.48	.45	1.89
2-8x6-8	8.34	10.32	8.67	11.10	25.53	.45	.45	1.98

U-505
C-3211

	Fir Gla. Pln. 1%	Fir Gla. Pln. 1%	W.P.P. Gla. Pln. 1%	W.P.P. Gla. Pln. 1%	Birch P.R. Oak Gla. Pln. 1%	If Gla., D.S. add	Bedding in Putty add	If gla. Obscure add to SS price
2-6x6-6	\$9.09	-----	\$9.45	-----	\$27.27	\$0.45	\$0.69	\$1.65
6-8	8.85	\$11.16	9.03	\$11.88	27.42	.45	.69	1.71
7-0	10.08	-----	10.50	13.26	28.05	.48	.69	1.74
2-8x6-8	8.97	11.31	9.06	11.97	27.72	.45	.69	2.07
7-0	-----	-----	10.59	13.53	28.38	.48	.69	1.98
3-0x6-8	-----	12.90	10.32	13.17	28.45	.54	.69	2.31
7-0	-----	-----	10.86	13.86	29.07	.60	.69	2.43


EXTRAS FOR FRENCH DOORS

Intermediate sizes, add to next larger listed size, W.P.P. ----- \$3.60
 Fir ----- 4.80
 Oak or Birch ----- No Extra


Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941

FRENCH DOORS



U-512—C-3201



U-509

(All prices are per door. For pairs, double the per door price.)

U-512—C-3201

			W.P.P. Gla. Pln. 1 3/4"	W.P.P. Gla. Pln. 1 3/4"	Birch P.R. Oak Gla. SS 1 3/4"	If Gla., D.S. add	Bedding in Putty add	If Gla. Obscure add to SS price
2-0x6-8	8 lights, C-3200	-----	\$ 8.25	\$10.62	\$26.40	\$0.27	\$0.36	\$1.02
2-6x6-8	12 lights, C-3201	-----	10.47	13.32	30.00	.42	.57	1.41
7-0	12 lights, "	-----	13.56	17.52	31.26	.45	.57	1.50
2-8x6-8	12 lights, "	-----	10.53	13.44	30.45	.42	.57	1.59
7-0	12 lights, "	-----	13.74	17.67	31.71	.45	.57	1.71
3-0x6-8	12 lights, "	-----	13.41	17.73	31.38	.51	.57	1.92
7-0	12 lights, "	-----	13.98	18.03	32.61	.57	.57	2.04

U-509

			W.P.P. Gla. D.S. 1 3/4"	W.P.P. Gla. D.S. 1 3/4"	Birch P.R. Oak Gla. D.S. 1 3/4"	Bedding in Putty add	If Gla. Obscure add to DS price
2-6x6-8	-----		\$11.73	\$14.77	\$25.98	\$0.54	\$0.90
7-0	-----		12.60	15.90	26.97	.54	.96
2-8x6-8	-----		12.12	15.21	26.64	.54	.90
7-0	-----		12.75	16.08	27.33	.54	.96
3-0x6-8	-----		12.48	15.66	27.45	.54	1.14
7-0	-----		13.50	16.86	28.47	.54	1.20

EXTRAS FOR FRENCH DOORS

Intermediate sizes, add to next larger listed size, W.P.P.	-----	\$3.60
Fir	-----	4.80
Oak or Birch	-----	No Extra

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

ASTRAGALS


	Fir	W.P.P.	Oak	Birch
"T" for 1 3/4" or 1 1/4" Hinged doors, 7-0 long, each	\$1.14	\$1.14	\$1.89	\$1.89
8-0 long, each	1.50	1.50	---	---
"T" for 2 1/4" Hinged doors, 8-0 long, each	---	2.70	---	---
For Sliding Doors, per pair	---	2.25	3.00	---

Special 10% Discount on Orders for 6 or More Astragals


August 1, 1941

GARAGE DOORS


See Design Book No. 504, Pages 35, 36 and 37 for complete description.



C-1440



C-1445




C-1446


WESTERN PONDEROSA PINE

C-1440	7-11 3/4 x 7-6, 1 3/4" thick W.P.P. Gla. "Typetch" Glass, each	\$46.80
C-1445	8-0 x 7-0, Opening for pr. 1 3/8" thick W.P.P. solid flat panels with water shed construction, Gla. Pln., Per Pair	25.35
	8-0 x 7-6, Same	29.70
C-1446	8-0 x 7-0, Opening for pr. 1 3/8" thick, W.P.P Gla. Pln., Per Pair	30.30
	8-0 x 7-6, Same	32.10

FIR GARAGE DOORS



C-1450
Flat Panels
Glazed SSB



C-1451
Flat Panels
Glazed SSB

Opening Sizes	Glass Size (Each Light)		C-1450		C-1451	
	Pairs	Sets	Priced per Pair		Priced per Set	
			1 3/8"	1 3/4"	1 3/8"	1 3/4"
7-6 x 7-0	11 x 14"	10 1/2 x 13"	\$21.99	-----	\$22.92	-----
7-6 x 7-0	11 x 14"	10 1/2 x 16"	21.99	-----	22.92	-----
x 8-0 x 6-8	11 1/4 x 12"	-----	-----	\$26.79	-----	-----
8-0 x 7-0	12 x 13"	11 1/2 x 13"	21.99	23.97	22.92	\$24.99
8-0 x 7-6	12 x 16"	11 1/2 x 16"	21.99	23.97	22.92	24.99
8-0 x 8-0	12 x 16"	11 1/2 x 16"	-----	23.97	-----	24.99

X Doors No. C-1450 for opening 8-0 x 6-8 are made with extra wide stiles and rails. Can be cut down to fill opening as small as 7-8 wide or 6-5 high without weakening doors.
T Astragals, see page 29.

Special 10% discount on orders for 4 pairs or 3 sets of 1 size and kind.

ODD SIZES

Other sizes in ordinary panel and glass designs made to order in White Pine.	Pairs	Sets
1 3/8" thick, per sq. ft.	\$0.72	\$0.84
1 3/4" thick, per sq. ft.	.81	.93
2 1/4" thick, per sq. ft.	1.20	1.35




Special 10% Discount for 4 pairs or 3 sets 1 Size and Kind.

August 1, 1941

Craw-Fir-Door
SELF-ENERGIZING-ONE-PIECE-OVERHEAD TYPE

UPWARD-ACTING GARAGE DOORS

EASY
TO
INSTALL



NO SAGGING
NO WARPING
NO BINDING

Design No. 38

Design No. 39


Design No. 41

DOUGLAS FIR—FACTORY PRIMED PLYWOOD PANELS

2" Headroom and 2" Side room required.

PRICED COMPLETE INCLUDING • DOOR • HARDWARE • LOCK

Net Door Opening 7-10 1/2 x 7-0	Finish Jamb Opg. (face)		Design No. 38		Design No. 39		Design No. 41 (Incl. decorative mouldings).
	Width 8-0	Height 6-11 1/2	Open weight 140 Lbs.	\$38.34	Open weight 155 Lbs.	Gla. SSB weight 160 Lbs.	
					\$39.99	\$42.15	\$39.99
							weight 150 Lbs.



Design No. SC-38
(2nd section from top
6 lights wide).

CRAWFORD SECTIONAL
GARAGE DOORSFOR EVERY RESIDENTIAL AND
COMMERCIAL NEED


1 3/8" Thick

SPRUCE STILES AND RAILS.

3-PLY FIR PANELS.

1 1/2" Head Clearance Required

3 3/4" Side Clearance Required.



Design No. SC-38-MB
(2nd section from top
4 wood panels and 6 Lts., 3x2).

- ★ QUIET OPERATION—Assured by Rubber Insulated Steel Ball Bearing Rollers.
- ★ PATENTED ROLLER BRACKET—Prevents spreading of Track or binding.
- ★ LIFE-TIME CORNER BRACKET—Carries entire weight of Door. Door joints cannot open or bolts loosen.
- ★ LOCK AND HANDLES—Located at either side desired. Easy to reach and operate. 5-Pin standard Cylinder Lock.
- ★ GROOVED CABLE DRUMS—Prevent chafing or strain on Cables. Positive Cable control.
- ★ SILENT TORSION SPRING—Located over top of Door on a seamless Steel Tubular shaft.
- ★ DOOR JOINTS—Specially designed rabbets assure a self-aligning weather-tight joint when closed.

Design	Door Opening (Also face of finish Jamb Opg.)	Price Complete		Weight Lbs.
		Open (no glass furnished)	With SSB Glass (not installed)	
No. SC-38	8-0x6-6	\$62.16	\$63.36	190
No. SC-38	8-0x7-0	62.16	63.36	193
No. SC-38-MB	8-0x7-0	63.00	63.69	190

"Low-Headroom" Bracket—For reducing Head Clearance to 7 1/2", per set

\$3.60

Price does not include installation. Descriptive literature upon request.


Special sizes for Industrial buildings, Double Openings, etc., quoted upon request.

OSBORNE "LIFT-LITE" OVERHEAD GARAGE DOOR HARDWARE FOR
STOCK OR SPECIAL DESIGN GARAGE DOORS

Design No.	For Door sizes		For Doors weighing	Price Complete	Weight Lbs.
	Width	Height			
A-1	7-6 to 9-0	6-6 to 8-0	Up to 225 Lbs.	\$15.54	40
A-2	13-0 to 17-0	6-6 to 8-0	Up to 500 Lbs.	19.98	60

Illustrated folders giving complete information will be mailed upon request.

August 1, 1941



1 PANEL DOORS


	C-3070 W.P. Pine	U-431 No. 1 Fir	U-431 Unsel. Birch	U-431 Plain Red Oak
1- 6x6- 8, 1%	\$ 6.36	\$ 6.21	----	----
1- 8x6- 8, 1%	6.36	7.47	----	----
2- 0x6- 0, 1%	5.94	5.70	----	----
6- 6	5.79	5.73	----	----
6- 8	5.85	5.85	----	----
7- 0	6.87	8.10	----	----
2- 4x6- 4, 1%	7.98	7.98	----	----
6- 6	6.87	6.45	----	----
6- 8	6.45	6.33	----	----
7- 0	7.50	8.91	----	----
2- 6x6- 0, 1%	8.10	8.10	----	----
6- 6	6.63	6.39	----	----
6- 8	6.72	6.48	----	----
7- 0	7.83	9.30	----	----
2- 8x6- 6, 1%	8.85	8.85	----	----
6- 8	7.02	6.63	----	----
7- 0	8.13	9.72	----	----
2-10x6- 8, 1%	9.36	9.36	----	----
6-10	9.99	9.99	----	----
7- 0	10.11	10.11	----	----
3- 0x6- 0, 1%	9.15	9.15	----	----
6- 6	9.60	9.60	----	----
6- 8	9.78	7.41	----	----
6-10	10.41	10.41	----	----
7- 0	10.58	10.58	----	----
2- 0x6- 0, 1%	----	----	\$16.17	\$19.47
6- 6	----	----	16.47	19.86
6- 8	9.60	9.60	14.31	17.34
7- 0	10.35	10.35	17.82	21.48
2- 4x6- 6, 1%	10.35	10.35	17.82	20.73
6- 8	10.53	10.53	14.91	18.06
7- 0	11.37	11.37	18.57	22.35
2- 6x6- 6, 1%	10.80	10.80	17.73	21.36
6- 8	10.98	10.98	15.36	18.54
6-10	11.73	11.73	18.57	22.35
7- 0	11.91	11.91	19.07	22.98
2- 8x6- 0, 1%	10.80	10.80	18.03	21.72
6- 6	11.34	11.34	18.36	22.11
6- 8	11.55	11.55	15.84	19.17
6-10	12.24	12.24	19.17	23.10
7- 0	12.42	12.42	19.71	23.73
2-10x6- 8, 1%	12.00	12.00	19.17	23.10
6-10	12.75	12.75	19.92	23.97
7- 0	12.93	12.93	20.43	24.60
3- 0x6- 6, 1%	12.30	12.30	19.92	23.97
6- 8	12.48	12.48	20.01	24.12
6-10	13.29	13.29	20.73	25.35
7- 0	13.44	13.44	21.27	25.62

Intermediate or larger sizes:

1 panel Softwood Doors, up to and including 3-4x8-0x1 $\frac{3}{4}$, use Standard Panel Door List, plus 15%.1 panel Hardwood Doors up to and including 3-0x7-0x1 $\frac{3}{4}$, add to next larger listed size-----\$4.50

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941



2 PANEL DOORS

	U-432 W.P. Pine	C-3040 W.P. Pine	U-432 No. 2 Fir	U-432 No. 1 Fir	U-432 Unsel. Birch	U-432 Plain Red Oak
1- 6x6- 6, 1%	\$ 7.35	\$7.35	\$5.28	\$7.35	\$14.25	\$17.37
6- 8	5.91	5.91	5.40	5.55	14.40	17.55
1- 8x6- 8, 1%	5.91	5.91	5.40	5.55	14.40	17.55
2- 0x6- 0, 1%	5.13	5.13	4.80	5.04	13.95	16.98
6- 6	5.40	5.40	5.01	5.28	14.25	17.37
6- 8	5.46	5.46	5.13	5.40	11.88	14.58
7- 0	6.42	6.42	---	6.03	15.60	18.99
2- 4x6- 4, 1%	7.98	7.98	5.49	5.67	14.88	18.12
6- 6	6.42	6.42	5.34	5.79	14.97	18.24
6- 8	6.06	6.06	5.43	5.88	12.48	15.30
7- 0	8.91	8.91	---	8.91	16.35	19.86
2- 6x6- 0, 1%	8.10	8.10	---	5.67	15.18	18.48
6- 6	6.24	6.24	5.49	5.94	15.51	18.87
6- 8	6.33	6.33	5.58	6.03	12.90	15.84
7- 0	7.38	7.38	6.36	6.54	16.86	20.49
2- 8x6- 6, 1%	8.85	8.85	---	8.85	16.14	19.62
6- 8	6.63	6.63	5.73	6.18	13.38	16.44
7- 0	7.68	7.68	6.51	6.69	17.49	21.24
2-10x6- 8, 1%	9.36	9.36	---	9.36	16.95	20.61
6-10	9.99	9.99	6.69	6.90	17.70	21.48
7- 0	10.11	10.11	---	10.11	18.21	22.11
3- 0x6- 0, 1%	9.15	9.15	---	9.15	17.37	21.12
6- 6	9.60	9.60	---	9.60	17.70	21.48
6- 8	7.74	7.74	6.54	6.75	17.79	21.60
6-10	10.41	10.41	---	10.41	18.51	22.50
7- 0	8.37	8.37	6.66	7.29	19.02	23.10
2- 0x6- 0, 1%	---	---	---	---	15.54	18.57
6- 6	---	---	---	---	15.84	18.96
6- 8	9.60	9.60	---	9.60	15.96	19.08
7- 0	10.35	10.35	---	10.35	17.19	20.58
2- 4x6- 6, 1%	10.35	10.35	---	10.35	16.56	19.83
6- 8	10.53	10.53	---	10.53	16.68	19.95
7- 0	11.37	11.37	---	11.37	17.94	21.45
2- 6x6- 6, 1%	10.80	10.80	---	10.80	17.10	20.46
6- 8	10.98	9.15	---	10.98	17.19	20.55
6-10	11.73	11.73	---	11.73	17.91	21.45
7- 0	11.91	11.91	---	11.91	18.45	22.08
2- 8x6- 0, 1%	10.80	10.80	---	10.80	17.40	20.82
6- 6	11.34	11.34	---	11.34	17.73	21.21
6- 8	9.63	9.63	---	8.04	17.82	21.33
6-10	12.24	12.24	---	12.24	18.54	22.20
7- 0	12.42	12.42	---	8.71	19.08	22.83
2-10x6- 8, 1%	12.00	12.00	---	12.00	18.54	22.20
6-10	12.75	12.75	---	12.75	19.29	23.07
7- 0	12.93	12.93	---	12.93	19.80	23.70
3- 0x6- 6, 1%	12.30	12.30	---	12.30	19.29	23.07
6- 8	10.41	10.41	8.85	9.12	19.38	23.19
6-10	13.29	13.29	---	13.29	20.10	24.09
7- 0	11.22	11.22	9.54	9.84	20.61	24.69



Intermediate or larger sizes.

2 panel Softwood Doors, up to and including 3-4x8-0, 1%, use Standard Panel Door List, plus 15%.


2 panel Hardwood Doors, up to and including 3-0x7-0x1%, add to next larger listed size \$4.50

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941



5X PANEL AND 4 PANEL DOORS




	U-477 C-3100	U-475 C-3100	U-470 C-3090						
	U-477 C-3100	U-477 C-3100	U-477 C-3100	U-475 5X Pan.	U-477 5X Pan.	U-475 5X Pan.	U-475 5X Pan.	U-470 C-3090	U-470 C-3090
	# 1W.P.P.	# 2W.P.P.	# 1 Fir	# 1 Fir	# 2 Fir	# 3 Fir	# 1W.P.P.	# 2W.P.P.	# 2W.P.P.
2- 0x6- 0, 1 1/2	-----	-----	\$ 4.68	-----	\$ 4.53	\$ 4.32	\$ 5.25	-----	-----
2- 6x6- 6,	-----	-----	5.34	-----	5.19	4.95	-----	-----	-----
2- 8x6- 8	-----	-----	5.58	-----	5.43	5.16	-----	-----	-----
2- 0x6- 0, 1 1/2	\$5.28	\$5.01	5.19	\$ 5.19	5.04	4.65	5.79	\$ 5.49	-----
6- 6	5.55	-----	5.43	-----	5.28	4.86	6.09	-----	-----
6- 8	5.64	-----	5.55	-----	5.40	4.98	6.18	-----	-----
7- 0	6.57	-----	6.03	-----	5.85	-----	8.82	-----	-----
2- 4x6- 4, 1 1/2	6.90	-----	8.67	-----	5.76	5.58	8.67	-----	-----
6- 6	6.12	-----	8.82	-----	5.61	5.43	6.72	-----	-----
6- 8	6.24	-----	9.00	-----	5.70	5.25	6.84	-----	-----
7- 0	7.20	-----	9.69	-----	-----	-----	9.69	-----	-----
2- 6x6- 0, 1 1/2	7.02	-----	8.82	-----	-----	-----	8.82	-----	-----
6- 6	6.42	6.09	5.94	5.94	5.76	5.34	7.05	6.69	-----
6- 8	6.48	-----	6.03	-----	5.85	5.40	7.11	-----	-----
6-10	9.99	-----	9.99	-----	-----	-----	9.99	-----	-----
7- 0	7.53	-----	6.54	-----	6.36	-----	10.11	-----	-----
2- 8x6- 0, 1 1/2	9.18	-----	9.18	-----	-----	-----	9.18	-----	-----
6- 6	9.63	-----	9.63	-----	-----	-----	9.63	-----	-----
6- 8	6.81	6.45	6.18	6.18	6.00	5.55	7.47	7.08	-----
6-10	10.44	-----	10.44	-----	-----	-----	10.44	-----	-----
7- 0	7.86	-----	10.56	-----	6.51	6.30	10.56	-----	-----
2-10x6- 8, 1 1/2	10.20	-----	10.20	-----	-----	-----	10.20	-----	-----
6-10	8.64	-----	10.86	-----	6.69	6.48	10.86	-----	-----
7- 0	11.01	-----	11.01	-----	-----	-----	11.01	-----	-----
3- 0x6- 0, 1 1/2	9.93	-----	9.93	-----	-----	-----	9.93	-----	-----
6- 6	10.44	-----	10.44	-----	-----	-----	10.44	-----	-----
6- 8	7.92	-----	6.75	-----	6.54	6.33	10.62	-----	-----
6-10	11.31	-----	11.31	-----	-----	-----	11.31	-----	-----
7- 0	8.55	-----	7.29	-----	7.08	6.87	11.49	-----	-----
2- 0x6- 8, 1 1/2	10.44	-----	10.44	-----	-----	-----	10.44	-----	-----
7- 0	11.25	-----	11.25	-----	-----	-----	11.25	-----	-----
2- 4x6- 6, 1 1/2	11.25	-----	11.25	-----	-----	-----	11.25	-----	-----
6- 8	11.43	-----	11.43	-----	-----	-----	11.43	-----	-----
7- 0	12.39	-----	12.39	-----	-----	-----	12.39	-----	-----
2- 6x6- 6, 1 1/2	11.76	-----	11.76	-----	-----	-----	11.76	-----	-----
6- 8	9.36	-----	11.94	-----	-----	-----	11.94	-----	-----
6-10	12.75	-----	12.75	-----	-----	-----	12.75	-----	-----
7- 0	10.14	-----	12.93	-----	-----	-----	12.93	-----	-----
2- 8x6- 6, 1 1/2	11.76	-----	11.76	-----	-----	-----	11.76	-----	-----
6- 6	12.30	-----	12.30	-----	-----	-----	12.30	-----	-----
6- 8	9.84	-----	12.57	8.28	-----	-----	10.77	-----	-----
6-10	13.32	-----	13.32	-----	-----	-----	13.32	-----	-----
7- 0	10.56	-----	13.50	8.97	-----	-----	13.50	-----	-----
2-10x6- 8, 1 1/2	13.05	-----	13.05	-----	-----	-----	13.05	-----	-----
6-10	10.86	-----	13.89	-----	-----	-----	13.89	-----	-----
7- 0	14.07	-----	14.07	-----	-----	-----	14.07	-----	-----
3- 0x6- 6, 1 1/2	13.38	-----	13.38	-----	-----	-----	13.38	-----	-----
6- 8	10.62	-----	13.56	9.36	-----	-----	13.56	-----	-----
6-10	14.43	-----	14.43	-----	-----	-----	14.43	-----	-----
7- 0	11.46	-----	14.64	10.08	-----	-----	12.60	-----	-----

Intermediate or larger sizes, 5x or 4 panel Softwood Doors, up to and including 3-4x8-0x1 1/2, use Standard Panel Door List, plus 25%.

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.


August 1, 1941




C-3020



C-3030



C-3050



C-3170

CURTIS INTERIOR
PANEL DOORS

See Curtis Design Book No. 504,

Pages 68 to 74, for illustrations.

	C-3020 W.P.P. Heavy Raised Pan	C-3025* W.P.P. Stand. Raised Pan	C-3030 W.P.P. Flat Pan	C-3035* W.P.P.	C-3050 W.P.P.	C-3060* W.P.P.	C-3170 W.P.P. S. & R. Birch Pan	C-3170 Unsel. Birch
1- 6x6- 8, 1 1/4"	\$ 8.10	\$ 7.23	\$ 6.57		\$ 7.44		\$ 9.06	
1- 8x6- 8, 1 1/4"	8.10	7.77	7.05		7.44		9.06	
2- 0x6- 0, 1 1/4"	7.89	7.56	6.87	\$12.87	7.26	7.02	8.76	
6- 6	7.62	7.32	6.66	13.14	7.53	7.35	9.18	
6- 8	7.71	7.41	6.75	13.26	7.11	7.47	8.70	
7- 0	11.25	9.93	9.93	15.21	10.44	8.10	12.45	
2- 4x6- 4, 1 1/4"	11.13	9.81	9.81	15.09	10.32	7.98	12.27	
6- 6	8.82	8.58	7.80	13.77	8.19	8.10	10.11	
6- 8	8.34	8.16	7.41	13.92	7.77	8.28	9.63	
7- 0	12.12	10.80	10.80	15.96	11.31	8.91	13.68	
2- 6x6- 0, 1 1/4"	11.25	9.93	9.93	15.21	10.44	8.10	12.45	
6- 6	8.55	8.34	7.59	15.57	7.95	8.52	9.93	
6- 8	8.64	8.46	7.68	14.22	8.04	8.64	10.05	
6-10	12.42	11.13	11.13		11.61		14.13	
7- 0	12.57	11.25	11.25	16.32	11.76	9.30	14.31	
2- 8x6- 0, 1 1/4"	11.61	10.32	10.32	15.54	10.80	8.46	12.99	
6- 6	12.06	10.74	10.74	15.90	11.25	8.85	13.62	
6- 8	8.94	8.79	7.98	16.05	8.34	9.03	10.50	
6-10	12.87	11.55	11.55		12.06		14.76	
7- 0	12.99	11.67	11.67	16.68	12.18	9.72	14.94	
2-10x6- 8, 1 1/4"	12.63	11.31	11.31		11.82		14.40	
6-10	13.32	12.00	12.00		12.51		15.36	
7- 0	13.44	12.12	12.12		12.63		15.54	
3- 0x6- 0, 1 1/4"	12.36	11.07	11.47		11.55		14.04	
6- 6	12.87	11.55	11.55	16.59	12.06	9.60	14.76	
6- 8	13.05	11.76	11.76	16.74	12.24	9.78	15.00	
6-10	13.74	12.42	12.42		12.93		15.99	
7- 0	13.95	12.63	12.63	17.49	13.11	10.59	16.26	
2- 0x6- 8, 1 1/4"	14.13	11.55	11.55	18.24	12.06	9.60	14.76	\$14.82
7- 0	14.94	12.36	12.36	18.99	12.87	10.35	15.90	20.04
2- 4x6- 8, 1 1/4"	15.12	12.57	12.57	19.14	13.05	10.53	16.17	15.45
7- 0	16.05	13.50	13.50	19.98	14.01	11.37	17.49	20.82
2- 6x6- 6, 1 1/4"	15.42	12.87	12.87	19.41	13.38	10.80	16.62	19.92
6- 8	12.93	13.05	13.05	19.59	13.56	10.98	16.86	15.90
6-10	16.44	13.86	13.86		14.37	11.73	18.03	
7- 0	16.62	14.07	14.07	20.49	14.55	11.91	18.30	21.39
2- 8x6- 0, 1 1/4"	15.42	12.87	12.87	19.41	13.38	10.80	16.62	
6- 6	15.99	13.44	13.44	19.92	13.92	11.34	17.40	20.61
6- 8	13.44	13.68	13.68	20.13	14.19	11.55	17.76	16.44
6-10	16.98	14.43	14.43		14.94	12.24	18.81	
7- 0	17.19	14.61	14.61	20.97	15.12	12.42	19.08	22.08
2-10x6- 8, 1 1/4"	16.74	14.19	14.19		14.70	12.00	18.45	
6-10	17.55	15.00	15.00		15.51	12.75	19.62	
7- 0	17.76	15.18	15.18		15.69	12.93	19.86	
3- 0x6- 6, 1 1/4"	17.07	14.49	14.49	20.85	15.00	12.30	18.90	22.29
6- 8	14.25	14.67	14.67	21.03	15.18	12.48	19.17	22.41
6-10	18.12	15.57	15.57		16.05		20.40	
7- 0	15.15	15.75	15.75	21.96	16.26	13.44	20.67	23.76

Special 10% discount on orders for full bundles of 1 size and kind.

Design numbers followed by asterisk "*" stock at Clinton, Iowa, only

For intermediate or larger sizes, write for prices.

August 1, 1941

**EXTERIOR SLAB DOORS C-3531****¼" Face Veneers, Cross Banded****5 "Planks (4 "V" Cuts) Two Sides**

Design	Size	W.P. Pine	Unsel. Birch	Plain Red Oak
C-3531	2-8x6-8, 1 ¾" ("V" Cut 2 Sides)	\$25.62	\$32.40	\$32.40
"	3-0x6-8	26.28	32.76	32.76
"	7-0	26.88	33.54	33.54

Can be sawed off in height when fitting. For odd widths, add to next larger stock size \$3.75

If doors are wanted Plain Slab design C-3530, deduct \$3.00


If doors are wanted "V" Cut one side only deduct \$1.50

Above doors may be Horizontally "V" cut, 5 "Planks" (4 "V" cuts)—no extra.

For greater number of "V" cuts, add per side, per Groove \$0.37 ½

EXTRAS FOR LIGHT OPENINGS AND RADIUS CUT HEADS

	Glazed 1 Light DS	Glazed DS in Zinc Rect. lts.	Glazed DS in Zinc Dia. lts.
ADD to price of C-3531 door:			
For Segment or Peak Top, add per door	\$ 3.90		
For Circle or Gothic Top, add per door	4.50		
For each Rectangular Light, 1 ½ sq. ft., or less, add	3.00	\$6.00	\$ 6.60
For each Diamond Shaped Light, 1 ½ sq. ft., or less, add	5.40	8.25	9.00
For each Circle Top or Gothic Top, 1 ½ sq. ft., or less add	9.00	11.85	12.60
For each Full Circle Light, 12" diameter, or less, add	10.20	13.20	13.80
For each Full Circle Light, 24" diameter, or less, add	12.00	15.00	15.60
For dividing any light opening above with straight wood bars, add to the 1-light extra, per light	.75		


INTERIOR SLAB DOORS—U-416**THIN VENEERS—SOLID CORE**Not carried in stock due to ever increasing popularity of "Streamliner" Hollow-Core Slabs priced on page 37.
Write for prices and, if possible, state time in which required.**NU-MOLD DOORS****201****206****208**

With all the beauty of
**A
FLUSH MOLDED
DOOR**

But
None Of Its Disadvantages

**Notice the Heavy Molded
Effect—Obtainable at No
Greater Cost Than an
Ordinary Door**

There Are No
Nailholes to
Disfigure
the
Surface



UNSELECTED BIRCH, except that edgestrips are of
softwood to make fitting and hanging easy.

	No. 201	No. 206	No. 208
1-6x6-8—1 ¾ Birch Veneered	\$11.43		\$13.41
1-8x6-8—Same	11.43		
2-0x6-8—"	11.43	\$12.93	13.41
2-4x6-8—"	13.35	14.91	15.51
2-6x6-8—"	12.33	13.86	14.34
2-8x6-8—"	12.84	14.31	14.79
2-6x6-8—1 ¾ Birch Veneered	13.95	15.43	15.93
2-8x6-8—Same	14.40	15.90	16.38

Sizes not priced are odd. For intermediate sizes, add \$3.75 to next larger stock size. Write for prices on larger sizes or other woods.

Special 10% Discount on Orders for 6 or More Doors, 1 Size and Kind.

August 1, 1941



Cutaway view showing construction of the Laminex Streamliner door.

STREAMLINER DOORS

LAMINEX FLUSH DOOR

Modern—Light—Strong

Individually Paper Wrapped.

For interior use only. The core consists of stiles and rails doweled together and braced by bars mortised into stiles. Two Laminex panels, three ply construction, are cemented to this rigid frame.


All Streamliner doors have Fir edge strips.

Size	Thickness	Unsel. Poplar	Unsel. Birch	Light Red Philippine Mahogany
1-6x6-6	1 3/8"	\$7.59x	\$8.37x	----
6-8		7.11	7.89	----
1-8x6-6		7.59x	8.37x	----
6-8		7.11	7.89	----
2-0x6-0		7.11	7.89	----
6-6		7.68	8.79x	\$10.86x
6-8		7.50	8.31	10.38
7-0		8.25	8.85	----
2-4x6-6		8.64	9.81x	12.00x
6-8		8.46	9.33	11.52
7-0		9.27	10.29	----
2-6x6-6		9.27	10.53x	13.14x
6-8		9.03	10.05	12.66
7-0		9.96	11.04	----
2-8x6-8		9.63	10.71	13.50
2-0x7-0	1 3/4"	9.90	10.80	----
2-4x6-8			11.49	----
7-0		10.92	11.94	----
2-6x6-8		11.13	12.18	----
7-0		10.92	12.69	----
2-8x6-8		11.76	12.90	----
7-0		12.27	13.47	----
3-0x6-8		13.02	14.28	----
7-0		13.59	14.91	----

Doors with prices followed by suffix "x" are furnished by cutting, in our plant, 2" off next larger size. Other sizes can be cut down as much as 4" in height by sawing equal amounts off top and bottom. Doors can be cut down as much as 2" in width by sawing equal amounts off each edge.

For cutting down in either width or height at our plant, add for each operation, per door -----\$0.75
For other woods or sizes—write for prices.

Special 10% discount on orders for 6 or more doors, 1 size and kind.



6-PANEL MAHOGANY DOORS

Layout conforms with Fir Door Institute design No. 66

Size		Unsel. Philippine Mahogany 1 3/8" thick	1 3/4" thick
1-6x6-8	3 Panel	\$ 9.99	----
2-0x6-8	6 Panels	9.99	----
2-4x6-8		10.47	\$12.48
2-6x6-8		10.83	12.84
2-8x6-8		11.22	13.23

For sizes not listed—write for prices. (If possible state time in which required.)

Special 10% discount on orders for 6 or more doors, 1 size and kind.

August 1, 1941

MIRROR DOORS, C-3110

Add to price of door, for mirror, moulding and labor, as follows:

Door Size	6 Panel, 8 Panel or 5X Panel Designs		C-3170 and 2 Panel Designs		Streamliner Slab and 1 Panel Designs	
	Plain Plate	Bevel Plate	Plain Plate	Bevel Plate	Plain Plate	Bevel Plate
2-0x6-0	\$15.63	\$21.15	\$15.03	\$20.55	\$14.58	\$20.10
6-6	17.19	24.30	16.59	23.70	16.14	23.25
6-8	17.55	25.05	16.95	24.45	16.50	24.00
7-0	19.35	26.52	18.75	25.92	18.30	25.47
2-4x6-6	20.94	29.04	20.34	28.44	19.89	27.99
6-8	21.42	29.88	20.82	29.28	20.37	28.83
7-0	23.76	31.59	23.16	30.99	22.71	30.54
2-6x6-6	22.68	31.26	22.08	30.66	21.63	30.21
6-8	23.22	32.19	22.62	31.59	22.17	31.14
7-0	25.83	33.99	25.23	33.39	24.78	32.94
2-8x6-8	27.24	36.84	26.64	36.24	26.19	35.79
7-0	30.42	38.91	29.82	38.31	29.37	37.86
3-0x6-8	33.36	41.85	32.76	41.25	32.31	40.80
7-0	35.01	44.49	34.41	43.89	33.96	43.44

Above prices cover installation in the superior manner shown at the bottom of Page 65 of Curtis 8th Edition Architectural Details. The Curtis method has these advantages: Mirror rests on cork cushion with air space between panel and mirror, protecting mirror against breakage, scratching, and damage caused by moisture or stain coming through panel. Back of stops painted black. Firmly placed on door with weight of mirror resting on bottom rail of door. Ample "Knuckle room" when turning door knob.

Mirror Moulding, 2 member, $\frac{3}{4}$ x1 $\frac{5}{8}$ and $\frac{1}{4}$ x1 $\frac{7}{8}$, "Plant-on" type, W.P.P.	Per Set
(1 set consists of 3 pieces each member 6-0 Long)	\$1.35
P.R. Oak	1.80
Uns. Birch	2.25


SUMMER DOORS

1 $\frac{1}{8}$ " W.P.P., Stationary Slats


These doors, which are hung outside the regular doors, provide ventilation while insuring privacy in sleeping rooms.

Other sizes or designs in any thickness or kind of wood can be made up to order. Write for prices.

Only hardware and two pieces of stop are required in hanging. In exceptional cases where walls are less than standard thickness a special method may be necessary. If jambs are less than 5 $\frac{1}{4}$ " wide we will be glad to assist in planning the most efficient and economical way of hanging.



C-3300




U-594

	2 Panel C-3300	4 Panel U-594
2-6x6-0 (for use with 2-6x6-6, 6-8 or 7-0 doors)	\$6.36	\$7.44
2-8x6-0 (for use with 2-8x6-8 or 7-0 doors)	6.51	7.56
3-0x6-0 (for use with 3-0x6-8 or 7-0 doors. Have wide stiles and can be cut down to 2-10 wide)	7.20	8.25

Special 10% Discount on Orders for 8 or More Doors, 1 Size and Kind

STORE DOORS

W.P.P Stiles and Top Rail 6" Face. Bottom Rail 18" Face.



	Glass Size	Open With Beads	Glazed D.S.A.	Glazed Crystal Sheet	Glazed Plain Plate	Glazed Bevel Plate	Add for 2 $\frac{1}{4}$ " Thick
3-0x7-0x1 $\frac{3}{4}$	24x60	\$12.15	\$15.75	\$20.25	\$27.45	\$35.40	\$14.10
7-6	66	16.26	20.04	24.36	31.56	39.51	9.51
8-0	72	16.77	21.27	26.31	36.06	46.35	10.38
3-4x7-0x1 $\frac{3}{4}$	28x60	15.84	20.34	25.14	33.63	42.36	11.85
7-6	66	17.25	21.75	27.39	36.75	46.65	12.96
8-0	72	17.94	23.64	28.92	39.66	51.21	13.44
3-6x7-0x1 $\frac{3}{4}$	30x60	16.08	20.58	25.98	35.07	44.19	12.06
7-6	66	17.49	21.99	28.29	38.31	48.60	13.14
8-0	72	18.21	23.91	29.91	40.83	52.83	13.62


Intermediate sizes, use price of next larger size.

Special 10% Discount on Orders for 6 or More, 1 Size and Kind

August 1, 1941

WEATHERSTRIPS


F. O. B. Kansas City




No. 801



No. 71 1/2



No. 5000



No. 373

5000, Dennis Bronze Strip, 1 " wide, 100 ft. reels, each	\$ 3.51
1 1/8" wide, 100 ft. reels, each	3.75
1 1/4" wide, 100 ft. reels, each	3.99
591, Dennis Security Strip, 11/16" wide, 100 ft. reels, each	1.80
500 ft. reels, each	9.00
801, Dennis Security Strip, 11/16" wide, 100 ft. reels, each	2.70
500 ft. reels, each	13.50
373, Dennis Door Bottoms, 1 1/4", 32" long, per dozen	3.20
36" long, per dozen	3.60
71, Dennis Clincher, wood and felt (Walnut stained) 3/8 x 3/4", carton contains 36 pcs. 7 ft. long, per carton	6.24
71 1/2, Dennis Clincher, 7/16 x 1", 36 pieces 7 ft. long, per carton	8.76
74, Dennis Clincher, 1/2 x 1 1/4", 18 pieces 7 ft. long, per carton	5.63
3x7x143, Door Set, Styles "T" and "D" Strips, with Brass threshold, for door 3-0x7-0 or smaller, per set	3.90
5 1/2 x 7 x 143, Door Set, for Pr. French Drs. 5-6x7-0 or smaller, per set	7.00

Monarch MetaLane, No. 420, for window 20x20" 2 lt. or smaller, per set	\$1.08
" " 24x24" " " " " " "	1.20
" " 28x28" " " " " " "	1.35
" " 32x32" " " " " " "	1.47
Monarch MetaLane, No. 828, for door 2-8x7-0 or smaller, per set	3.27
" " 3-0x7-0 " " " " "	3.51
Monarch MetaLane, No. 850, for door 3-0x7-0 or smaller, per set	1.50


Nu-Way Strip, Bronze and felt, Box contains 12 packages of 20 ft. each, box	\$10.80
100 ft. reels, each	4.50
300 ft. reels, each	13.50
On Gard, Bronze Strip, 1 1/8" wide, 200 ft. reels, each	6.60
On Gard, Door Bottoms, No. 1 grade, 32" long, per dozen	4.80
36" long, per dozen	5.40
On Gard, Door Bottoms, No. 3 grade, 32" long, per dozen	2.40
36" long, per dozen	2.70

All above items carried in stock in Kansas City, and priced f.o.b. Kansas City.




All other items shown in Dennis, Monarch, or Macklanburg-Duncan catalogues can be shipped promptly from the factory, and will be priced f. o. b. factory.

August 1, 1941

SCREEN DOORS






708

701, 716
700, 703705, 1000
1002, 1004800, 816
818

	708— $\frac{3}{8}$ " W.P.P. Stained Walnut, 12-m. Blk. Wire, Stiles 3"	701— $\frac{3}{8}$ " W.P.P. Painted Black, 12-m. Blk. Wire, Stiles 3"	700— $1\frac{1}{8}$ " W.P.P. Painted Black, 12-m. Blk. Wire, Stiles 3"	716— $1\frac{1}{8}$ " W.P.P. In the White, 16-m. Galv. Wire, Stiles 3"
2- 6x6- 6	\$2.35	\$3.42	\$4.02	\$4.20
6- 8	3.00	---	4.17	---
2- 8x6- 8	3.00	3.57	4.17	4.38
	703— $1\frac{1}{8}$ " W.P.P. Painted Black, 12-m. Blk. Wire, Stiles 4"	705— $1\frac{1}{8}$ " W.P.P. Painted Black, 12-m. Blk. Wire, Stiles 3"	1000— $1\frac{1}{8}$ " W.P.P. In the White, 12-m. Blk. Wire, Stiles 3"	1004— $1\frac{1}{8}$ " W.P.P. In the White, 14-m. Galv. Wire, Stiles 4"
2- 6x6- 6	\$4.38	\$4.05	\$3.90	\$4.38
6- 8	4.59	4.20	4.08	4.59
2- 8x6- 8	4.59	4.20	4.08	4.59
7- 0	---	4.32	---	---
2-10x6-10	---	4.38	4.23	4.80
3- 0x6- 8	4.83	4.44	4.29	4.86
7- 0	4.95	4.53	4.41	5.01
	1002— $1\frac{1}{8}$ " W.P.P. In the White, 14-m. Galv. Wire, Stiles 3"	800— $1\frac{1}{8}$ " W.P.P. In the White, 14-m. Galv. Wire, Stiles 4"	816— $1\frac{1}{8}$ " W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"	818— $1\frac{1}{8}$ " W.P.P. In the White, 16-m. Brz. Wire, Stiles 4"
2- 6x6- 6	\$4.05	---	---	---
6- 8	4.23	\$5.52	\$5.70	\$6.72
2- 8x6- 8	4.23	5.32	5.70	6.72
3- 0x6- 8	---	5.82	5.97	7.17
7- 0	---	5.94	6.15	7.41

Special 10% Discount on Orders for 6 or More, 1 Size and Kind.

SCREEN DOORS

1316
1300, 1493706, 600
616, 1492

1200, 1216

	1300—1½" W.P.P. In the White, 14-m. Galv. Wire, Stiles 4"	1316—1½" W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"	1493—1½" W.P.P. In the White, 16-m. Brz. Wire, Stiles 4"
2- 6x6- 6	\$5.10	—	—
6- 8	5.31	\$5.46	\$6.60
2- 8x6- 8	5.31	5.46	6.60
7- 0	5.43	5.61	6.78
2-10x6-10	5.52	5.70	6.96
3- 0x6- 8	5.58	5.79	7.05
7- 0	5.73	5.94	7.29

	706—1½" W.P.P. Varnished, 14-m. Galv. Wire, Stiles 4"	600—1½" W.P.P. In the White, 14-m. Galv. Wire, Stiles 4"	616—1½" W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"
2- 6x6- 6	—	\$4.74	\$4.89
6- 8	—	4.95	5.10
2- 8x6- 8	\$5.43	4.95	5.10
7- 0	5.55	5.07	5.22
2-10x6-10	—	5.16	5.34
3- 0x6- 8	5.70	5.22	5.37
7- 0	5.85	5.37	5.55

	1492—1½" W.P.P. In the White, 16-m. Brz. Wire, Stiles 4"	1200—1½" W.P.P. In the White, 14-m. Galv. Wire, Stiles 4"	1216—1½" W.P.P. In the White, 16-m. Galv. Wire, Stiles 4"
2- 0x6- 8	—	\$5.31	\$5.46
2- 6x6- 6	\$5.73	5.40	5.25
6- 8	6.06	5.31	5.46
2- 8x6- 8	6.06	5.31	5.46
7- 0	6.24	—	—
2-10x6-10	6.39	5.52	5.70
3- 0x6- 8	6.48	5.38	5.79
7- 0	6.72	5.73	5.94

Special 10% Discount on Orders for 6 or More, 1 Size and Kind.

August 1, 1941

ODD SCREEN DOORS

Made $\frac{1}{2}$ " wider and 1" longer than entrance door size
Footage computed from entrance door size. (Minimum 16 sq. ft.)

1 $\frac{1}{2}$ " W.P.P., in the white, intermediate or special sizes,
similar to our stock designs.

Stiles 3" overall, per sq. ft. _____

Stiles 4" overall, per sq. ft. _____

16 Mesh
Galv. Wire

16 Mesh
Bronze Wire

\$0.39
45

\$0.45
51

Doors 1 $\frac{3}{8}$ " thick, figure as odd 1 $\frac{1}{8}$ " door, and then add _____

Odd screen doors, not stock, figure as odd W.P.P. of same size and thickness, and then add _____

Plain Oak (in the white) _____

Qtd. White Oak (in the white) _____

Segment head, add to price of door figured on odd basis _____

Circle head, add to price of door figured on odd basis _____

Poultry netting, 1" mesh, over lower part of door, add per door _____

Hail wire, square mesh, over lower part of door, add per door _____

All stock screen doors except No's. 700, 701, 703, 705, 708, 1000, 1002 and 1004, may be reduced to shorter height, providing height adjustment is 4" or more below stock door size. For re-setting top rail in our plant, add to price of stock door. _____

30%

75%

100%

\$4.50

5.10

75

90

\$1.50

SCREEN DOOR GRILLES

F. O. B. Kansas City

No. 75-A, size 26 $\frac{1}{2}$ x24". Has adjustable arms, so will fit any standard size door. Anyone can attach to door in five minutes. Scroll top, 2" mesh. Brass finish, each _____

\$ 3.36

No. 74-A, same as No. 75-A, except plain top, each _____

2.85

No. 65, stock sheets 10-0x2-0, will cut grilles for 4 doors, edges fit under screen moulding. Scroll top, 2" mesh, Brass or Statuary finish (specify which wanted), per sheet _____

17.37

Per piece, 2-6x2-0 or less _____

4.65

For piece 2-6x2-0 or less, installed in door without cross rail (600, 706 or similar), add to price of door _____

5.40

No. 64, stock sheets 10-0x2-6, will cut grilles for 4 doors, edges fit under screen moulding. Plain top, 2" mesh, Brass or Statuary finish (specify which wanted), per sheet _____

12.60


Per piece, 2-6x2-6 or less _____

3.45

For piece 2-6x2-6 or less, installed in door with cross rail (1200 1300 or similar), add to price of door _____

4.20

Special 10% Discount on Orders for 6 or More Grilles or Sheets



MICKLIN DUAL CORNERS

F.O.B. Kansas City

For use in making and in repairing screens, sign frames, etc. A set consists of 4 corners with necessary nails.

Per set, for $\frac{7}{8}$ " or for 1 $\frac{1}{8}$ " lumber _____

\$0.30

Per dozen sets _____

3.00


Please show on order whether for $\frac{7}{8}$ " or 1 $\frac{1}{8}$ " lumber.

SILENT-NITE STORM SASH ADJUSTER No. 40

This new, patented storm sash adjuster is substantially built and cadmium plated. Moisture proofed fibre washers at the elbow joints insure adequate friction to hold the sash to any desired opening. When sash is closed the adjusters are swung upwards along the stiles and the sash is thus firmly locked. A handle is provided, to be attached to inside face of the bottom rail. Can be used either with prefitted sash for Silentite frames, or with ordinary sash and frames. Instructions on each package. Easy to install. Per set _____

\$0.54

(Not recommended for use where screen slides have been installed on blind stop, nor where storm sash are rabbeted to fit $\frac{3}{4}$ " casing frames.)



METALVENTS

F.O.B. Kansas City

Permits fresh air passage through bottom rail of storm sash.

Easily installed—does not shrink, swell or break—Rust-proof.

No. 20-K Metalvent, each _____

\$0.22 $\frac{1}{4}$

In lots of 1 dozen, per dozen _____

2.16


August 1, 1941

STORM DOORS

COMBINATION STORM AND SCREEN DOORS



**C-1466
U-758**
Combination
1 1/8" W.P.P. In the White
Screen Panel Wired
Sash Glazed Plain.




C-1472
Combination
1 1/8" W.P.P. In the White
Screen Panel Wired
Sash Glazed Plain.

	C-1466 16 Mesh Galv.	C-1466 16 Mesh Bronze	If Sash Omitted Deduct		C-1472 16 Mesh Galv.	C-1472 16 Mesh Bronze	If Sash Omitted Deduct		If Screen Insert Omitted in Either Design. Deduct	
									16 Mesh Galv.	16 Mesh Bronze
2- 0x6- 8	-----\$ 4.85	\$9.42	\$2.61						\$1.98	\$2.55
2- 6x6- 6	-----4.70	9.36	2.61		\$9.27	\$9.84	\$3.09		1.98	2.55
6- 8	-----4.85	9.42	2.61		9.33	9.90	3.09		1.98	2.55
2- 8x6- 8	-----4.70	9.36	2.70		9.36	9.93	3.27		1.92	2.49
7- 0	-----4.85	10.11	2.79		10.17	10.74	3.42		2.01	2.58
2-10x6-10	-----4.85	10.26	2.88		10.23	10.83	3.45		2.07	2.67
3- 0x6- 8	-----4.21	9.75	2.88		9.69	10.23	3.36		2.07	2.61
7- 0	-----11.08	10.65	3.03		10.53	11.10	3.48		2.16	2.73

C-1459, C-1461, C-1463, not carried in stock. Take price of C-1472, of same size and kind of wire, allowing 3 weeks for factory shipment, and add per door-----\$1.30


C-1459, C-1461, C-1463, not carried in stock. Take price of C-1472, of same size and kind of wire, allowing 3 weeks for factory shipment, and add per door \$1.80

C-1478, C-1479—See prices shown under "Odd Combination Doors"



767
Dual-Door
1 1/8" W.P.P. In the
White. Wire fasten-
ed to Door. Sash
Glazed Plain.

	767 16 Mesh Galv.
2- 6x6- 6	\$6.87
6- 8	7.20
2- 8x6- 8	6.87
3- 0x6- 8	7.56
7- 0	



C-1475
Storm Door
1 1/8" W.P.P.
In the White
Glazed Plain.

	C-1475
	\$6.45
	6.54
	6.45
	7.05
	7.65

ODD COMBINATION DOORS

Intermediate sizes, use price of next larger stock size and add 60%

Doors wider than 3-0, add to list of 3-0 door of same height 60% account odd, and then add for each additional 6-inch or part thereof in width \$2.10

Doors higher than 7-0, add to list of 7-0 door of same width 60% account odd, and then add for each additional 6-inch or part thereof in height 1.95

Doors 1 1/8" thick, figure as odd 1 1/8" door, and then add 25%

Plain Oak doors, figure as odd White Pine of same size and thickness, and then add 90%

Segment head, add to price of door figured on odd basis 12.90

Circle Head (C-1479) or Tudor Head (C-1478), add to price of door figured on odd basis 13.80

ODD SIZES, STORM DOORS

Intermediate sizes, use price of next larger stock size and add \$3.00

Combination doors and storm doors are both made 1/2" wider and 1" longer than regular door size.

Special 10% Discount on Orders for 6 or More Doors of 1 Size and Kind.

August 1, 1941

WINDOW SCREENS

U-728, C-1496, Full Size Screens, 1½" Thick, W.P.P. in the White.

Made long enough to use with sub-sill frames, opening 1½" longer than window.

Not pre-fitted. For pre-fitted screens for Silentite and All-Purpose Frames see page 73.

U-728, C-1496 for 2-Light Windows

Size	14 Mesh Galv.	16 Mesh Galv.	16 Mesh Bronze
12x16	\$1.56	\$1.65	\$2.07
20	1.71	1.80	2.28
24	1.92	2.01	2.55
26	2.01	2.10	2.70
28	2.10	2.13	2.82
14x16	1.68	1.71	2.22
20	1.83	1.92	2.49
24	2.01	2.10	2.76
26	2.10	2.22	2.91
28	2.22	2.28	3.03
16x16	1.68	1.71	2.37
18	1.77	1.83	2.52
20	1.83	1.92	2.67
22	1.92	2.01	2.82
24	2.01	2.10	2.97
26	2.10	2.22	3.09
28	2.22	2.28	3.24
30	2.28	2.40	3.39
18x16	1.71	1.83	2.52
18	1.86	1.92	2.67
20	1.92	2.01	2.85
22	2.01	2.10	3.00
24	2.10	2.22	3.15
26	2.22	2.28	3.33
28	2.28	2.40	3.48
30	2.40	2.46	3.63
20x12	1.47	1.50	2.28
14	1.44	1.47	2.46
16	1.53	1.56	2.64
18	1.59	1.71	2.82
20	1.71	1.77	3.00
22	2.10	2.22	3.15
24	1.86	1.92	3.33
26	1.89	2.01	3.51
28	2.40	2.46	3.66
30	2.46	2.61	3.84
32	2.58	2.70	4.02
22x16	1.86	1.95	2.82
18	2.01	2.07	3.00
20	2.07	2.16	3.18
22	2.16	2.28	3.36
24	2.28	2.40	3.54
26	2.40	2.46	3.72
28	2.46	2.61	3.93
30	2.58	2.70	4.11
32	2.70	2.85	4.29
24x12	1.86	1.92	2.55
14	1.56	1.59	2.73
16	1.65	1.71	2.94
18	1.74	1.80	3.15
20	1.80	1.89	3.33
22	2.41	2.01	3.54
24	1.85	2.07	3.72
26	2.07	2.19	3.90
28	2.16	2.38	4.14
30	2.61	2.85	4.32
32	2.76	2.94	4.50
34	2.85	3.03	4.74
36	3.00	3.18	4.92
26x14	1.58	1.71	2.88
16	1.71	2.10	3.06
18	1.80	2.25	3.30

U-728, C-1496 for 2-Light Windows

Size	14 Mesh Galv.	16 Mesh Galv.	16 Mesh Bronze
26x20	\$1.89	\$2.31	\$3.48
22	2.31	2.48	3.69
24	2.07	2.16	3.90
26	2.13	2.70	4.11
28	2.61	2.85	4.32
30	2.76	2.94	4.50
32	2.85	3.06	4.74
34	3.00	3.18	4.95
36	3.06	3.30	5.16
28x16	2.10	2.16	3.21
18	2.22	2.28	3.42
20	1.92	2.43	3.66
22	2.43	2.58	3.87
24	2.16	2.28	4.11
26	2.70	2.76	4.32
28	2.76	2.94	4.53
30	2.88	3.03	4.77
32	3.00	3.18	4.98
34	3.15	3.30	5.22
36	3.27	3.42	5.43
30x14	1.83	1.89	3.12
16	1.83	1.89	3.36
18	1.89	2.01	3.57
20	2.04	2.13	3.81
24	2.19	2.34	4.26
26	2.34	2.43	4.47
28	2.88	3.03	4.74
30	3.00	3.15	4.95
32	3.15	3.30	5.22
34	3.27	3.42	5.43
36	3.33	3.51	5.70
32x18	2.31	2.48	3.78
20	2.46	2.61	3.99
24	2.34	2.40	4.47
26	2.85	3.00	4.74
28	3.00	3.15	4.95
30	3.15	3.27	5.22
32	3.27	3.39	5.46
34	3.33	3.51	5.73
36	3.45	3.63	5.97
34x20	2.58	2.70	4.17
24	2.40	2.52	4.68
26	2.94	3.15	4.95
28	3.06	3.27	5.22
30	3.18	3.39	5.46
32	3.30	3.48	5.73
34	3.45	3.63	5.97
36	3.60	3.78	6.24
36x20	2.61	2.76	4.35
24	2.43	2.37	4.86
26	3.03	3.21	5.16
28	3.18	3.33	5.43
30	3.30	3.48	5.70
32	3.42	3.63	5.94
34	3.57	3.78	6.24
36	3.63	3.96	6.51
40x24	2.73	2.76	5.28
26	3.27	3.42	5.58
28	3.36	3.60	5.88
30	3.48	3.75	6.18
32	3.63	3.93	6.48
36	3.93	4.20	7.05

Special 10% Discount on Orders for 12 or More Screens, 1 Size and Kind.

August 1, 1941

WINDOW SCREENS—Continued

U-728 For 4-Light Windows

Size	14 Mesh Galv.	16 Mesh Galv.	16 Mesh Bronze
10x20	\$2.10	\$2.19	\$3.06
24	2.31	2.40	3.39
26	2.40	2.52	3.60
28	2.52	2.64	3.78
12x16	2.04	2.10	3.03
18	2.16	2.22	3.27
20	2.25	2.37	3.45
22	2.37	2.49	3.66
24	2.49	2.58	3.84
26	2.58	2.70	4.08
28	2.70	2.82	4.26
30	2.82	2.97	4.47
32	2.91	3.06	4.65
34	3.00	3.18	4.89
36	3.12	3.30	5.07
14x20	2.40	2.52	3.78
22	2.45	2.67	3.99
24	2.67	2.79	4.23
26	2.79	2.91	4.44
28	2.88	3.03	4.65
30	3.03	3.18	4.89
32	3.15	3.30	5.10
34	3.27	3.45	5.34
36	3.36	3.57	5.58

U-734 For 3-Light Cellar Sash

Size	14 Mesh Galv.	16 Mesh Galv.	16 Mesh Bronze
8x10	\$1.23	\$1.26	\$1.53
12	1.26	1.29	1.59
14	1.29	1.32	1.71
16	1.32	1.38	1.77
9x12	1.32	1.38	1.71
14	1.38	1.41	1.80
16	1.41	1.44	1.92
18	1.47	1.53	2.01
20	1.53	1.56	2.10
10x12	1.41	1.44	1.80
14	1.44	1.47	1.92
16	1.53	1.56	2.04
18	1.56	1.59	2.16
20	1.62	1.68	2.25
12x12	1.53	1.59	2.04
14	1.59	1.62	2.16
16	1.68	1.71	2.31
18	1.71	1.77	2.40

Half Window Screens, U-730, C-1495

For half size screens, $\frac{3}{4}$ " or $1\frac{1}{8}$ ", deduct from the list of full size screen for same size window 25%
 For check strips, add per screen.....\$0.21
 For sliding strips and grooving, add per screen.... .27

U-734 For 2-Light Cellar Sash

Size	14 Mesh Galv.	16 Mesh Galv.	16 Mesh Bronze
10x12	\$1.20	\$1.23	\$1.53
14	1.23	1.26	1.59
16	1.29	1.32	1.68
18	1.32	1.38	1.77
20	1.38	1.41	1.86
12x12	1.29	1.32	1.68
14	1.32	1.38	1.74
16	1.38	1.41	1.86
18	1.44	1.47	1.92
20	1.47	1.53	2.04
24	1.56	1.62	2.19
14x14	1.44	1.47	1.89
16	1.47	1.53	2.01
18	1.56	1.59	2.10
20	1.59	1.62	2.22

Window Screen Extras

Odd or intermediate sizes—Use price of next larger listed size and add 33 $\frac{1}{3}$ %
 $\frac{3}{4}$ " full screens take odd size price.
 Segment Head Screens, figure at odd price, and add \$1.50
 Circle or Gothic Head Screens figure at odd price, and add 3.00
 For painting window screens one coat black both sides, add per screen..... .30
 Cellar Sash Screens, same, add..... .21
 If painted special white, cream or other color, add per screen for first coat..... .45
 Each additional coat, add..... .33
 When screens for brick building must be made 2" longer than regular on account of narrow sills, take odd size price.

Special 10% Discount on Orders for 12 or More Screens, 1 Size and Kind.

PORCH SCREENS

W.P.P.— $1\frac{1}{8}$ " THICK—16 Mesh Galvanized Wire.

Specifications: Stiles and Top rail $3\frac{3}{4}$ " overall. Bottom rail $5\frac{3}{8}$ " overall.

Vertical muntins $2\frac{1}{2}$ " overall. Flush Moulded.

Screens 4-0 wide or less made 1 screen panel wide.

Screens 4-1 wide to 7-0 wide made 2 screen panels wide.

Screens 7-1 wide to 10-0 wide made 3 screen panels wide.

Screens 6-6 high and up furnished with cross rail $3\frac{3}{4}$ " overall located 2'7" from top of cross rail to bottom of screen; under 6-0 cross rail is $1\frac{1}{4}$ " overall located in center.

Opening height	OPENING WIDTH									
	2-0	2-6	3-0	4-0	5-0	6-0	7-0	8-0	9-0	10-0
4-6	\$4.05	\$5.07	\$5.67	\$7.56	\$8.70	\$10.53	\$12.27	\$12.96	\$14.58	\$16.20
5-0	4.50	5.61	6.30	7.74	9.30	11.22	12.60	14.40	15.45	17.16
5-6	4.77	5.97	6.66	7.92	9.90	11.88	13.86	15.12	16.32	18.15
6-0	5.04	6.30	7.02	8.64	10.32	12.39	15.12	15.84	17.82	19.80
6-6	5.25	6.54	7.29	9.36	10.74	12.90	15.63	16.32	18.36	20.40
7-0	5.46	6.81	7.56	10.08	11.55	13.80	16.17	16.80	18.90	21.00
7-6	5.85	7.02	7.77	10.32	11.79	14.10	16.50	17.04	19.17	21.30
8-0	6.21	7.20	7.92	10.56	12.00	14.40	16.80	17.28	19.44	21.60
8-6	6.84	7.65	8.40	11.22	12.75	15.30	17.85	18.36	20.64	22.95

PORCH SCREEN EXTRAS

Intermediate sizes—Use price for next larger listed size—no extra.

Porch screens wired with 14 mesh Galvanized wire, same price as 16 Mesh Galv. wire.

Porch screens wired with 16 mesh Antique Bronze wire, add 25%


Sectional porch screens—Use above schedule, pricing each individual screen section from nearest actual size of section as priced above—no extra.

Porch Screens made with framed opening for door, $1\frac{1}{8}$ x $2\frac{3}{4}$ " with stops, use Sectional Basis and add \$2.40

August 1, 1941

FIR EXTERIOR COLUMNS

See Curtis Design Book No. 504, Pages 56-57 for Complete Description.



TURNED, No. C-2110, U-3400, Fir

	6-0	8-0	9-0	10-0
4x 4, each		\$2.04		\$2.73
5x 5, each		3.42	\$3.84	
6x 6, each		4.89		

COLONIAL, No. C-2111, U-3325 (Round), Fir C. & B. Incl.

6x 6, each	\$5.19	5.19		
8x 8, each	6.48	6.48	8.01	9.06
10x10, each	8.67	8.67	10.56	11.52
12x12, each	11.91	11.91	12.99	14.16

COLONIAL, No. C-2113, U-3322 (Square), Fir C. & B. Incl.

8x 8, each	6.66	6.66		
10x10, each	8.40	8.40		

Splitting Column C-2111 or C-2113, add per column				\$0.36
Splitting Post C-2110, add per post				.12
Fluting Column C-2111, add per column				7.50

Special 5% Discount on Orders for 12 or More Columns.

EXTRA CAPS AND BASES, for Round Column C-2111, U-3325.

	Caps	Bases
6x 6—Fir, per set	\$0.36	\$0.75
8x 8—Fir, per set	.48	.96
10x10—Fir, per set	.63	1.32
12x12—Fir, per set	.75	1.59

Write for prices on larger sizes, columns with composition caps, etc.

FIR BATTENS

F.O.B. Kansas City

Length	Flat	2 1/2" O.G.
6-0 per 100 lineal feet	\$0.84	
8-0 " " " "	1.05	\$2.10
10-0 " " " "	1.20	2.10
12-0 " " " "	1.26	2.25
14-0 to 20-0 per 100 lineal feet	1.32	2.25

Special 5% discount on orders for 5,000 lineal feet or more.

August 1, 1941

PINE PORCH WORK

See Curtis Design Book No. 504, Pages 58 to 60 for Illustrations.

PORCH COLUMNS, W.P.P.

			Each	Weight
C-2200*	Columns	7-5 Long	\$16.53	25 Lbs.
"	"	7-9 Long	16.53	26 Lbs.
C-2202*	Columns	4 1/2 x 4 1/2 — 7-5	9.36	19 Lbs.
"	"	7-9	9.42	20 Lbs.
"	"	5 x 5 — 8-0	11.79	22 Lbs.
"	"	5 3/4 x 5 3/4 — 8-0	13.02	25 Lbs.
"	"	6 1/2 x 6 1/2 — 8-0	14.49	28 Lbs.
C-2204*	Pilaster	1 7/8 x 4 1/2 — 7-4	4.53	9 Lbs.
"	"	7-8	4.62	10 Lbs.
"	"	1 7/8 x 5 — 8-0	5.49	11 Lbs.
"	"	1 7/8 x 5 3/4 — 8-0	8.07	12 Lbs.
"	"	1 7/8 x 6 1/2 — 8-0	10.29	14 Lbs.
C-2206*	Post	5 1/2 x 5 1/2 — 8-0	8.67	25 Lbs.
C-2208*	Pilasters	2 3/4 x 5 1/2 — 8-0	5.79	13 Lbs.
C-2210*	Post	3 1/2 x 3 1/2 — 8-0	4.92	12 Lbs.
C-2214*	Post	4 x 4 — 8-0	5.91	20 Lbs.
"	"	5 1/2 x 5 1/2 — 8-0	6.48	22 Lbs.
C-2216*	Pilaster	2 x 4 — 8-0	5.07	7 Lbs.
"	"	2 3/4 x 5 1/2 — 8-0	5.70	8 Lbs.
C-2230*	Lattice Panel	1'4 3/4" Wide, 7-0 1/4 High	21.27	14 Lbs.
"	"	1'4 3/4" Wide, 7-4 1/4 High	21.48	15 Lbs.

PORCH NEWELS, W.P.P.

C-2250*	Newel	3 x 3 — 2-2	\$3.33	5 Lbs.
C-2252*	Newel	5 1/2 x 5 1/2 — 3-6	3.00	10 Lbs.

PORCH BALUSTERS, W.P.P.

C-2256*	Baluster	3 1/2 x 3 1/2 — 3-0	\$3.33	4 1/2 Lbs.
C-2258*	Baluster	3 1/2 x 3 1/2 — 4-0	3.90	5 1/2 Lbs.
C-2264	Baluster	1 1/8 x 1 1/8 — 2-0	.09	-----
"	"	1 1/8 x 1 1/8 — 2-0	.12	-----
"	"	1 5/8 x 1 5/8 — 2-0	.21	-----
C-2270*	Baluster	1 1/8 x 3 5/8 — 2-0	.36	2 Lbs.
C-2272*	Baluster	1 1/8 x 3 5/8 — 2-0	.45	2 Lbs.

PORCH BRACKETS AND ORNAMENTS, W.P.P.

C-2462*	Hood Bracket	-----	\$3.51	8 Lbs.
C-2464*	Hood Bracket	-----	5.43	12 Lbs.
C-2466*	Hood Bracket	-----	5.49	9 1/2 Lbs.
C-2472*	Turned Drop	-----	2.25	-----
C-2475*	Turned Urn	-----	2.94	-----

Design Numbers followed by Asterisk "" in stock at Clinton, Iowa only.

August 1, 1941

MOULDINGS

New Number	Old Number	Curtis Design	Size	Name	W.P.P.	Unsel Gum	Pln. Red Gum	Plain Red Oak
7001	8007	C-4018	$\frac{3}{4} \times 1 \frac{3}{4}$	Crown	\$2.70			
7002	8008		$2 \frac{1}{4}$	"	3.36			
	8006		$4 \frac{1}{4}$	"	7.04			
7011	8011	C-4008	$2 \frac{1}{4}$	"	3.36	\$6.00		\$7.50
7012	8010	C-4000	$2 \frac{3}{4}$	"	4.44			
7013	8014	C-4010	$3 \frac{1}{4}$	"	5.19			
7014	8009	C-4014	$3 \frac{5}{8}$	"	5.91			
7015	8012	C-4012	$4 \frac{1}{4}$	"	7.04			
7016	8013		$4 \frac{5}{8}$	"	8.13			
	8015		$\frac{3}{4} \times 1$	Bed	1.68			
7022	8017		$1 \frac{1}{2}$	"	2.37			
7023	8016	C-4054	$1 \frac{3}{4}$	"	2.61			
7024	8520	C-4052	2	"	3.03			
7025	8018	C-4050	$2 \frac{1}{4}$	"	3.24			
7026	8019	C-4030	$2 \frac{3}{4}$	"	4.44			
7027	8020	C-4034	$3 \frac{1}{4}$	"	5.19			
7032	8060	C-4101	$\frac{3}{4} \times \frac{7}{8}$	Cove	1.29	\$2.40	\$3.30	\$3.00
7033	8061	C-4102	$1 \frac{1}{8}$	"	1.68			
7035	8024	C-4106	$1 \frac{3}{4}$	"	2.97			
7036	8025		$2 \frac{1}{4}$	"	3.72	6.00		7.50
7037	8026		$2 \frac{3}{4}$	"	4.86	7.20		9.00
	8029		$3 \frac{1}{4}$	"	5.67	8.40	11.55	10.50
7060		C-4242	$1 \frac{1}{8} \times 2$	Brick Moulding	5.55			
7061	8441	C-4220	2	"	5.34			
	8039 $\frac{1}{2}$		$1 \frac{3}{4} \times 1 \frac{3}{4}$	"	8.13			
7073	8422	C-5096	$\frac{1}{2} \times \frac{3}{4}$	Base Shoe	1.20	2.40	3.30	2.85
	8062		$\frac{1}{4} \times \frac{1}{4}$	Quarter Round	.90			
7083	8063	C-4200	$\frac{1}{2} \times \frac{1}{2}$	"	1.08			
7084	8064		$\frac{5}{8} \times \frac{5}{8}$	"	1.26			
7085	8065	C-4202	$\frac{3}{4} \times \frac{3}{4}$	"	1.26			
7087	8067		$\frac{3}{4} \times 1 \frac{1}{8}$	"	2.37			
	8075		$\frac{1}{4} \times \frac{7}{16}$	Half Round Screen Mold	.66			
7092	8076	C-4212	$\frac{1}{8} \times \frac{5}{8}$	"	.66			
7093	8077		$\frac{3}{8} \times \frac{3}{4}$	"	.93			
7094	8078	C-4214	$\frac{1}{2} \times 1$	Half Round	1.62			
	8079		$\frac{5}{8} \times 1 \frac{1}{4}$	"	1.95			
7096	8080		$\frac{3}{4} \times 1 \frac{5}{8}$	"	2.70			
7101	8610	C-4306	$\frac{1}{4} \times \frac{3}{4}$	Screen Moulding	.66			
7102	8611	C-4304	$\frac{1}{4} \times \frac{3}{4}$	"	.66			
7103	8139	C-4302	$\frac{1}{8} \times \frac{5}{8}$	"	.66			
7104	8140	C-4300	$\frac{3}{8} \times \frac{3}{4}$	"	.84			
7125	8614	C-4240	$\frac{3}{4} \times 1 \frac{3}{4}$	S4S Screen Stock	2.58			
			2	"	3.03			
7126	8615	C-4246	$2 \frac{3}{4}$	"	4.26			
			$1 \frac{1}{8} \times 1 \frac{3}{4}$	"	4.68			
		C-4242	2	"	5.43			
			$2 \frac{3}{4}$	"	7.11			
7129			$\frac{5}{8} \times 1 \frac{1}{2}$	Wall Panel Mold	2.61			
7138		C-5024	$\frac{5}{8} \times 1 \frac{1}{8}$	"	1.86			
7148			$\frac{3}{4} \times 1 \frac{1}{8}$	Back Band	2.22	3.60	4.95	4.50
7150	8366	C-5301	$\frac{3}{4} \times 1 \frac{1}{8}$	"	2.22	3.60	4.95	4.50
7151	8378	C-5352	$1 \frac{1}{8} \times 1 \frac{1}{8}$	"	3.51	5.64	7.77	7.05
7155	8389		$1 \frac{1}{8} \times 1 \frac{5}{8}$	Cap Mold	5.76	8.52		10.65
7171	8560		$\frac{1}{4} \times \frac{1}{2}$	Glass Bead or Stop	1.08			
7172	8563		$\frac{3}{8} \times \frac{1}{8}$	"	1.08			
7174	8562	C-4290	$\frac{3}{8} \times \frac{1}{2}$	"	1.08			
7175	8570	C-4292	$\frac{1}{2} \times \frac{1}{8}$	"	1.08			
7176	8571		$\frac{5}{8} \times \frac{5}{8}$	"	1.26			
	8558		$\frac{1}{8} \times \frac{1}{8}$	"	1.08			
	8561		$\frac{1}{4} \times \frac{3}{8}$	"	1.08			
	8569		$\frac{3}{8} \times \frac{3}{8}$	"	1.08			
7186	8395		$\frac{1}{8} \times 1 \frac{1}{8}$	Fillet	1.56	2.64		3.30
7222	8083		$\frac{3}{8} \times 1 \frac{1}{8}$	O.G. Stop	1.50			
7223	8084		$1 \frac{1}{8}$	"	1.65			
7224	8085		$1 \frac{1}{8}$	"	2.07			
7225	8097		$\frac{1}{2} \times 1 \frac{1}{8}$	"	1.80	3.00		3.75
7226	8096		$1 \frac{1}{8}$	"	2.16	3.60		4.50
7227	8095		$1 \frac{1}{8}$	"	2.67	4.80		6.00
7236	8098	C-5368	$\frac{1}{2} \times 1 \frac{3}{8}$	Stop	2.16	3.60	4.95	4.50
7237	8090	C-5371	$1 \frac{1}{8}$	"	2.67	4.80	6.60	6.00
7241	8540	C-5017	$\frac{1}{2} \times 1 \frac{1}{8}$	R.E. Stop	1.80			
7242	8541	C-5018	$1 \frac{1}{8}$	"	2.16	3.60		4.50
7243	8542	C-5021	$1 \frac{1}{8}$	"	2.67	4.80		6.00

Special 10% Discount on Orders for 500 Lineal Feet or More of 1 Size and Kind
August 1, 1941

MOULDINGS—Continued									
New Number	Old Number	Curtis Design	Size	Picture	Mold	W.P.P.	Unsel. Gum	Pln. Red Gum	Pln. Red Oak
7261	8263	C-5975	$\frac{3}{4}$ x 1 $\frac{3}{4}$	Picture	Mold	\$2.85	\$4.80	\$6.60	\$6.00
7262	8264	C-5375	1 $\frac{3}{4}$	"	"	2.85	4.80	6.60	6.00
7291	8627	-----	$\frac{5}{8}$ x 2 $\frac{1}{2}$	Chair	Rail	4.55	6.60	-----	8.25
7301	8640	-----	$\frac{5}{8}$ x 3 $\frac{5}{8}$	"	"	7.44	10.08	13.86	12.60
7307	8641	C-5312	$\frac{3}{4}$ x 3 $\frac{5}{8}$	Apron	-----	7.44	10.08	13.86	12.60
7311	8669	-----	$\frac{3}{4}$ x 3 $\frac{1}{4}$	R.E.	Stool	5.67	-----	-----	-----
7312	8267	C-5408	1 $\frac{1}{8}$ x 3 $\frac{5}{8}$	"	"	10.68	15.84	-----	19.80
7316	8269 $\frac{1}{2}$	-----	3 $\frac{1}{4}$	O.G.	Stool	9.39	13.92	-----	17.40
7346	8308	C-5405	$\frac{3}{4}$ x 3 $\frac{5}{8}$	R.E.	Casing or Base	7.44	10.08	13.86	12.60
7347	8309	C-5354	4 $\frac{1}{4}$	R.E.	Casing	9.30	12.00	16.50	15.00
7349	-----	C-5364	5 $\frac{1}{2}$	R.E.	Mullion Casing	11.16	15.60	21.45	19.50
7352	-----	C-5454	3 $\frac{5}{8}$	Casing	or Base	7.44	10.08	13.86	12.60
7383	Illus., Pg. 53	-----	$\frac{5}{8}$ x 3 $\frac{5}{8}$	Moulded	Base	6.99	10.08	13.86	12.60
7384	Illus., Pg. 52	-----	$\frac{5}{8}$ x 4 $\frac{1}{4}$	Moulded	Base	8.40	12.00	16.50	15.00
7386	8385	-----	$\frac{3}{4}$ x 5 $\frac{1}{4}$	O.G.	Base	11.16	14.40	19.80	18.00
7387	8386	-----	7 $\frac{1}{4}$	"	"	14.88	19.20	26.40	24.00
-----	-----	C-5155	$\frac{5}{8}$ x 3 $\frac{5}{8}$	R.E.	Base	6.99	10.08	13.86	12.60
-----	-----	C-5243	4 $\frac{1}{4}$	"	"	8.40	12.00	16.50	15.00
7431	-----	C-5092	5 $\frac{1}{4}$	"	"	11.16	14.40	19.80	18.00
7434	-----	C-5042	$\frac{3}{4}$ x 5 $\frac{1}{4}$	R.E.	Base	11.16	14.40	19.80	18.00
7435	8828	C-5392	7 $\frac{1}{4}$	"	"	14.88	19.20	26.40	24.00
-----	-----	C-5089	$\frac{1}{8}$ x 3 $\frac{3}{4}$	Base	Mold	1.50	2.40	3.30	3.00
-----	-----	C-5451	$\frac{3}{4}$ x 1	"	"	1.86	2.40	4.14	3.75
7461	8432	C-4280	$\frac{1}{2}$ x 3 $\frac{3}{4}$	Parting	Stop	1.08	-----	-----	-----
7463	8430	C-4230	$\frac{3}{4}$ x 1 $\frac{5}{8}$	Blind	Stop	2.12	-----	-----	-----
7481	8283	C-4154	1 $\frac{1}{8}$ x 1 $\frac{5}{8}$	Drip	Cap	4.68	-----	-----	-----
7482	8284	C-4156	2	"	"	5.31	-----	-----	-----
7483	8285	C-4158	2 $\frac{1}{2}$	"	"	6.45	-----	-----	-----
-----	8286	-----	3	"	"	7.65	-----	-----	-----
7501	8280	-----	$\frac{1}{8}$ x 1 $\frac{1}{8}$	Lattice	-----	1.02	-----	-----	-----
7502	8281	C-4272	1 $\frac{3}{8}$	"	-----	1.20	-----	-----	-----
7503	8282	C-4270	1 $\frac{3}{8}$	"	-----	1.50	-----	-----	-----
7554	8902	C-2120	1 $\frac{5}{8}$ x 1 $\frac{5}{8}$	Baluster	Stock	7.44	-----	-----	-----

Special 10% Discount on Orders for 500 Lineal Feet or More of 1 Size and Kind

STANDARD MOULDING LIST

This table applies to all special mouldings not shown on preceding pages including S3S and S4S designs. It does not represent the value of any specific wood, but is merely a basis or starting point. The value of a given wood is determined by applying percentages shown below.

Width	Per 100 Lineal Feet					
	$\frac{3}{4}$ " thick	1 $\frac{1}{8}$ " thick	1 $\frac{3}{8}$ " thick	1 $\frac{3}{4}$ " thick	2 $\frac{1}{4}$ " thick	2 $\frac{3}{4}$ " thick
$\frac{3}{4}$	\$2.00	-----	-----	-----	-----	-----
1 $\frac{1}{8}$	2.50	\$ 4.20	-----	-----	-----	-----
1 $\frac{1}{4}$	3.00	5.00	-----	-----	-----	-----
1 $\frac{3}{8}$	3.50	5.80	\$ 7.00	-----	-----	-----
1 $\frac{1}{2}$	3.50	5.80	7.00	-----	-----	-----
1 $\frac{3}{4}$	4.00	6.60	8.00	\$11.00	-----	-----
2	4.50	7.50	9.00	12.40	-----	-----
2 $\frac{1}{4}$	5.00	8.30	10.00	13.80	\$27.50	-----
2 $\frac{1}{2}$	5.50	9.10	11.00	15.20	30.30	-----
2 $\frac{3}{4}$	6.00	10.00	12.00	16.50	33.00	\$39.60
3	6.50	10.80	13.00	17.90	35.80	42.90
3 $\frac{1}{4}$	7.00	11.60	14.00	19.30	38.50	46.20
3 $\frac{1}{2}$	8.40	12.40	15.00	20.60	41.30	49.50
3 $\frac{3}{8}$	8.40	13.20	16.00	22.00	44.00	52.80
3 $\frac{1}{2}$	9.00	13.20	16.00	22.00	44.00	52.80
4	9.00	14.90	18.00	24.80	49.50	59.40
4 $\frac{1}{4}$	10.00	15.70	19.00	26.10	52.30	62.70
4 $\frac{1}{2}$	10.50	16.50	20.00	27.50	55.00	66.00
5	12.00	18.20	22.00	30.30	60.50	72.60
5 $\frac{1}{4}$	12.00	19.80	24.00	33.00	66.00	79.20
5 $\frac{1}{2}$	13.00	19.80	24.00	33.00	66.00	79.20
5 $\frac{3}{4}$	13.00	21.50	26.00	35.80	71.50	85.80
6	14.00	21.50	26.00	35.80	71.50	85.80
6 $\frac{1}{4}$	14.00	23.10	28.00	38.50	77.00	92.40
6 $\frac{1}{2}$	16.00	23.10	28.00	38.50	77.00	92.40
7 $\frac{1}{4}$	16.00	26.40	32.00	44.00	88.00	105.60
8 $\frac{1}{4}$	19.00	31.40	38.00	52.30	104.50	125.40
8 $\frac{3}{4}$	20.00	31.40	38.00	52.30	104.50	125.40
9 $\frac{1}{4}$	21.00	34.00	41.00	56.00	112.00	134.40
10 $\frac{1}{2}$	24.00	39.60	48.00	66.00	132.00	158.40
11 $\frac{1}{4}$	26.00	39.60	48.00	66.00	132.00	158.40

Odd Mouldings use table at left and add:

Yellow Pine	10%
W. P. Pine	20%
Tidewater Red Cypress	36%
All Heart Red Cypress	55%
Oregon Fir	20%
Unsel. Gum	28%
Plain Red Gum	70%
Plain Red Oak	54%
Plain White Oak	80%
Quartered White Oak	125%
Quartered Red Oak	95%
Philippine Mahogany (Lauan)	118%
Unsel. Birch	105%
Red Birch	145%
Unsel. Poplar	38%
African Mahogany	265%
Unsel. Walnut	210%
All Heart Black Walnut	295%

MACHINE SET UPS

In any quantity under 500 lin. ft. Add for each different size or design of moulding, except S2S, S3S or S4S \$2.25

Quantity Discount

1,000 lin. ft. or more special mouldings, one size and kind, deduct 10%
 EXTRAS: Edge rabbeted moulding requiring perfect machining of one or more exposed corners of rabbet, per 100 lineal feet \$0.50

August 1, 1941

MOULDING EXTRAS

Applying to page 48, 49 and to Curtis Mouldings listed below.

Prices are per 100 Lin. Ft. in random lengths. Add extra for specified lengths as follows:

6-0 and 8-0	No extra charge
10-0 to 16-0	Add 10%
All 14-0 and 16-0	Add 20%

Machine sanding, flat surfaces one side add, per 100 Lin. Ft. \$0.30

CURTIS MOULDINGS

(Not otherwise priced on preceding two sheets)

See Design Book No. 504, pages No. 82-118 for illustrations.

All prices are per 100 lineal feet

EXTERIOR MOULDINGS

Design No.	Size	Name	W.P.P.
*C-4032	1 x3	Crown or Bed	\$11.88
*C-4060	3/4 x1 3/4	Crown or Bed	4.38
C-4082	1 x1 1/2	Frieze mould	6.00
*C-4092	3/8 x1 1/8	Band mould	2.73

INTERIOR CASINGS

*C-5056	1 1/8 x2 1/4	Madison	\$ 9.12
*C-5104	5/8 x3 1/4	Northport	7.71
*C-5205	3/4 x3 1/2	Brewster	9.24
*C-5207	3/4 x2 5/8	Brewster	6.60
C-5255	3/4 x2 1/4	Regency	5.10
C-5256	3/4 x2 1/4	York	4.62
*C-5306	3/4 x2 1/4	Haddon	5.49
*C-5356	3/4 x2 1/4	Plainfield	5.49
*C-5456	3/4 x2 1/4	Penn	5.10
*C-5935	3/4 x2 1/2	Winthrop	6.06

MULLION CASINGS

C-5064	1 1/8 x2 1/4	Penn	\$ 5.10
*C-5114	5/8 x5 1/2	Northport	13.20
*C-5115	5/8 x2	Northport	4.95
*C-5166	1 1/8 x5 1/2	Brewster	13.20
*C-5215	1 1/8 x2	Brewster	4.95
*C-5217	1/4 x2	Plainfield or Winthrop	4.95
*C-5266	1/4 x5 1/2	Plainfield or Winthrop	13.20
*C-5314	3/4 x2 1/4	Madison	5.49
*C-5317	1/2 x2	Haddon	4.95
*C-5366	1/2 x5 1/2	Haddon	13.20
C-5414	1 1/8 x2 1/4	York	5.10
C-5464	1 1/8 x2	York	4.56

APRONS

C-5012	5/8 x2 1/2	Northport	\$ 5.58
C-5062	5/8 x2	York	4.42
C-5063	3/4 x1 3/4	Madison or Penn	4.05
C-5212	3/4 x1 3/4	Brewster	4.42
*C-5262	3/4 x1 1/2	Regency	4.56

STOOLS (For All-Purpose Frames)

*C-5008	1 x3	For W-63 Liners	\$11.88
*C-5108	3/4 x2 7/8	" W-63 "	7.20
C-5208	3/4 x2 5/8	" W-63 "	6.60
C-5211	3/4 x2 1/2	" W-61 "	6.15
C-5211-K	3/4 x2 3/4	" W-67 "	6.60
C-5211-R	3/4 x3 1/4	" W-65 "	7.71

STOOLS (For Silentite Frames)

C-5211-N	3/4 x2 3/8	For W-61liners, Reg. Trim	\$6.00
C-5211-P	3/4 x2 5/8	" W-67 "	6.60
C-5211-W	3/4 x2 1/2	" W-63 "	6.15
C-5058	3/4 x2 3/8	For W-61 liners, M/T Trim	6.00
C-5059	3/4 x2 1/2	" W-63 "	6.15
C-5060-N	3/4 x2 5/8	" W-67 "	6.60

CURTIS DESIGN HARDWOOD MOULDINGS

Unless otherwise listed and priced upon the preceding two pages, use odd moulding table on page 49, adding extra for kind of wood required, plus machine Set-Up for any quantity under 500 lineal feet, for each different size and design.

RUST SPECIAL DESIGN MOULDINGS

Design No.	Size	Name	W.P.P.
D	3/4 "x3 1/2"	Casing	\$ 8.40
D-1	1/2 "x5 1/2"	Mull. Csg.	13.20
D-2	1/2 "x2"	Mull. Csg.	4.95
E	3/4 "x2 1/2"	Casing	6.06
E-1	1/2 "x5 1/2"	Mull. Csg.	13.20
E-2	1/2 "x2"	Mull. Csg.	4.95

WINDOW STOPS (For All-Purpose Frames)

Design No.	Size	Name	W.P.P.
C-5018	1/2 x1 3/8	For W-61 Liners	\$ 2.16
C-5367	1/2 x1 1/8	" W-60 "	2.70
C-5368	1/2 x1 3/8	" W-61 "	2.16
*C-5369	1/2 x1 1/2	" W-63 "	3.84
C-5371	1/2 x1 5/8	" W-67 "	2.67
*C-5371-W	1/2 x2 1/4	" W-65 "	5.49

WINDOW STOPS (For Silentite Frames)

C-5030	3/4 x1 1/4	For W-61 liners, Reg. Trim	3.06
C-5031	3/4 x1 3/8	" W-63 "	3.54
*C-5031-F	3/4 x1 5/8	" W-66 "	4.42
*C-5031-X	3/4 x1 1/2	" W-67 "	3.84
C-5036-L	3/4 x2 1/8	" W-65 "	5.07
*C-5077-W	3/4 x1	" W-60 "	2.76
C-5078	3/4 x 1 1/8	" W-60 liners, M/T Trim	2.22
C-5079	3/4 x1 1/8	" W-61 "	2.52
C-5080	3/4 x1 1/4	" W-63 "	3.06
*C-5081	3/4 x1 1/2	" W-66 "	3.84
C-5082	3/4 x1 3/8	" W-67 "	3.54

DOOR STOPS

C-5035	1/2 x1 5/8		2.67
--------	------------	--	------

BASE AND BASE MOULDS

C-5092	5/8 x5 1/4	R. E. Base	\$11.16
C-5155	5/8 x3 5/8	R. E. Base	6.99
C-5243	5/8 x4 1/4	R. E. Base	8.40
C-5243-A	5/8 x5 1/4	Base like C-5104	11.16
C-5243-B	5/8 x4 1/4	" "	8.40
C-5243-C	5/8 x3 5/8	" "	6.99
C-5089	1 1/8 x 3/4	Base mould	1.50
C-5451	3/4 x1	" "	1.86

INTERIOR CORNICE MOULDS

C-5875	Two member	See pg. 101 of catalog	\$11.40
C-5880	Three member	" "	22.17
C-5481	3/4 x4 1/8	Cornice mould	11.01
C-5885	3/4 x2 3/4	" "	4.86
*C-5890	3/4 x5	" "	13.20
C-5975	3/4 x1 3/4	Picture mould	2.85
C-5979	3/4 x4 1/2	Cornice mould	8.55

WALL PANEL MOULDS AND SEGMENTS

C-5024	5/8 x1 1/8	Panel mould	1.86
R-7129	5/8 x1 1/2	" "	2.61
C-5870		Segments for C-5024, ea.	.39
R-7129-C		Full circles for R-7129, ea	1.20

MACHINE SET-UPS

Items marked with asterisk "*" must be run special. On these patterns in any quantity under 500 lin. ft., of a pattern, add per set-up \$2.25

QUANTITY DISCOUNT

500 Lineal feet or more Curtis or Rust design Mouldings, one size and kind, deduct 10%

August 1, 1941

CLEAR FINISH LUMBER

Specified Widths and Lengths, Kiln Dried. Rough or S2S

Prices are per 1,000 ft. B.M., F.O.B. Kansas City

Width	Length	Plain Red Oak	Plain White Oak	Quartered White Oak	Unsel. Birch	Hard Maple
1x 4"	5 ft. or less	\$195.00	\$240.00	\$300.00	\$292.50	\$255.00
	6 to 12 ft.	202.50	247.50	307.50	300.00	262.50
	14 and 16 ft.	225.00	270.00	330.00	322.50	285.00
1x 6"	5 ft. or less	202.50	247.50	307.50	300.00	262.50
	6 to 12 ft.	210.00	255.00	315.00	307.50	270.00
	14 and 16 ft.	232.50	277.50	337.50	330.00	292.50
1x 8"	5 ft. or less	210.00	255.00	315.00	307.50	270.00
	6 to 12 ft.	217.50	262.50	322.50	315.00	277.50
	14 and 16 ft.	240.00	285.00	345.00	337.50	300.00
1x10"	5 ft. or less	217.50	262.50	322.50	315.00	277.50
	6 to 12 ft.	247.50	292.50	352.50	345.00	307.50
	14 and 16 ft.	277.50	322.50	382.50	375.00	337.50
1x12"	5 ft. or less	240.00	285.00	345.00	337.50	300.00
	6 to 12 ft.	270.00	315.00	375.00	367.50	330.00
	14 and 16 ft.	300.00	345.00	405.00	397.50	360.00
	1 1/4" thick, add	36.00	42.00	48.00	24.00	24.00
	1 1/2" thick, add	-----	-----	-----	36.00	36.00
	2" thick, add	87.00	-----	-----	63.00	63.00

Width	Length	Unsel. Gum	Pln. Red Gum	Dark Red Bataan	W.P. Pine	Yellow Pine
1x 4"	5 ft. or less	\$172.50	\$255.00	\$315.00	\$165.00	\$150.00
	6 to 12 ft.	180.00	262.50	322.50	172.50	157.50
	14 and 16 ft.	202.50	285.00	345.00	180.00	165.00
1x 6"	5 ft. or less	180.00	262.50	322.50	172.50	157.50
	6 to 12 ft.	187.50	270.00	330.00	180.00	165.00
	14 and 16 ft.	210.00	292.50	352.50	187.50	172.50
1x 8"	5 ft. or less	187.50	270.00	330.00	180.00	165.00
	6 to 12 ft.	195.00	277.50	337.50	187.50	172.50
	14 and 16 ft.	207.50	300.00	360.00	195.00	180.00
1x10"	5 ft. or less	195.00	277.50	337.50	187.50	172.50
	6 to 12 ft.	225.00	307.50	367.50	195.00	180.00
	14 and 16 ft.	255.00	337.50	397.50	202.50	187.50
1x12"	5 ft. or less	217.50	300.00	360.00	207.50	192.50
	6 to 12 ft.	247.50	330.00	390.00	217.50	202.50
	14 and 16 ft.	277.50	360.00	420.00	232.50	217.50
	1 1/4" thick, add	18.00	18.00	18.00	18.00	36.00
	1 1/2" thick, add	-----	-----	27.00	18.00	-----
	2" thick, add	-----	60.00	45.00	36.00	-----

Machine Sanding, one side, add per M ft., B.M.----- \$ 6.00

Lumber over 12" wide, add for glueing up, per M ft., B.M.----- 75.00

(Use 8" lumber basis and add 1" waste for every 6" in width.)

Specified widths and lengths, intermediate sizes, figure full even inches in width and full even feet in length.

Lumber furnished S3S or S4S, add per M ft.----- \$30.00

The above prices are intended only to apply on Clear Finish Lumber, furnished in specified widths and lengths. Random widths and lengths, Hardwoods in F.A.S. grade, Ponderosa Pine in C Select, and Yellow Pine in B and Better grade, can be furnished at regular market prices which are, of course, lower than those shown above. Write for prices on Tidewater Red Cypress, Poplar, Magnolia, Black Walnut, etc. On orders or inquiries for Walnut, always state whether wanted "All Heart" or with reasonable amount of Sap permitted.

W.P.P. INTERIOR TRIM SETS

Window Trim prices on this page apply for walls 5 $\frac{1}{8}$ " thick, or less.

For Prices—Read Across for Width, Read Down for Height

Pattern No. 1:

Side Casing	No. 7346	(8308)
Head Casing	No. 7307	(8641)
Apron	No. 7307	(8641)
Stool	No. 7316	(8269 $\frac{1}{2}$)
Stop	No. 7242	(8541)
Mull Casing	No. 7349	$\frac{3}{4}$ "x5 $\frac{1}{2}$ "
or Mull. Csg.	No. 7349-S	$\frac{3}{4}$ "x2"

Pattern No. 2:

Curtis "Brewster"

See Page No. 106
of Design Book
No. 504 for Illus-
tration.

Casing	---C-5205
Apron	---C-5062
Stool	---C-5108
Stop	---C-5018
Mull. Csg.	C-5166
or Mull. Csg.	C-5215

Pattern No. 16:

Illustrated
Half Size
Below

Csg. $\frac{3}{4}$ "x3 $\frac{3}{8}$ " Det. D
Apron ---C-5012
Stool ---C-5211-G
Stop ---C-5368
Mull Csg. Det. D-1
or Mull Csg. De. D-2

Glass

Size	20	24	26	28	30	36	40	48
12	\$1.56	\$1.68	\$1.71	\$1.74	\$1.77	\$1.98	\$2.07	\$2.25
14	1.68	1.80	1.83	1.86	1.89	2.10	2.19	2.37
16	1.77	1.89	1.92	1.95	1.98	2.19	2.28	2.46
20	1.89	2.01	2.04	2.07	2.10	2.31	2.40	2.58
24	2.01	2.13	2.16	2.19	2.22	2.43	2.52	2.70
26	2.10	2.22	2.25	2.28	2.31	2.52	2.61	2.79
28	2.16	2.28	2.31	2.34	2.37	2.58	2.67	2.85
30	2.22	2.34	2.37	2.40	2.43	2.64	2.73	2.91
36	2.43	2.55	2.58	2.61	2.64	2.85	2.94	3.12

Door

Size	2-0	2-4	2-6	2-8	3-0	5-0	6-0
6-0	---\$1.29	\$1.32	\$1.35	\$1.35	\$1.38	\$1.53	\$1.62
6-6	---1.38	1.41	1.44	1.44	1.47	1.62	1.71
6-8	---1.44	1.47	1.50	1.50	1.53	1.68	1.77
7-0	---1.47	1.50	1.53	1.53	1.56	1.71	1.80
8-0	---1.62	1.65	1.68	1.68	1.71	1.86	1.95

If plinths desired add per side ----- 30c

Pattern No. 3

Casing	7352	(8308)
Back Band	7150	(8366)
Apron	7307	(8641)
Stool	7316	(8269 $\frac{1}{2}$)
Stop	7242	(8541)
Mull Csg.	7349	$\frac{3}{4}$ "x5 $\frac{1}{2}$ "
or Mull Csg.	7349-A	$\frac{3}{4}$ "x2"

Pattern No. 4

Curtis "Northport"

See Page No. 102
of Design Book
No. 504 for Illus-
tration.

Casing	C-5104
Back Band	C-5101
Apron	C-5012
Stool	C-5108
Stop	C-5018
Mull Csg.	C-5114
or Mull Csg.	C-5115

Pattern No. 5

Curtis "Ashford"

See Page No. 108
of Design Book
No. 504 for Illus-
tration.

Casing	C-5454
Back Band	C-5301
Apron	C-5462
Stool	C-5408
Stop	C-5018
Mull Csg.	C-5364
or Mull Csg.	C-5365

Glass

Size	20	24	26	28	30	36	40	48
12	\$1.83	\$1.89	\$1.92	\$1.95	\$2.01	\$2.22	\$2.34	\$2.58
14	1.98	2.04	2.07	2.10	2.16	2.37	2.49	2.73
16	2.10	2.16	2.19	2.22	2.28	2.49	2.61	2.85
20	2.25	2.31	2.34	2.37	2.43	2.64	2.76	3.00
24	2.37	2.43	2.46	2.49	2.55	2.76	2.88	3.12
26	2.52	2.58	2.61	2.64	2.70	2.91	3.03	3.27
28	2.58	2.64	2.67	2.70	2.76	2.97	3.09	3.33
30	2.67	2.73	2.76	2.79	2.85	3.06	3.18	3.42
36	2.94	3.00	3.03	3.06	3.12	3.33	3.45	3.69

Door

Size	2-0	2-4	2-6	2-8	3-0	5-0	6-0
6-0	---\$1.77	\$1.80	\$1.83	\$1.86	\$1.89	\$2.10	\$2.22
6-6	---1.89	1.92	1.95	1.98	2.01	2.22	2.34
6-8	---1.95	1.98	2.01	2.04	2.07	2.28	2.40
7-0	---2.01	2.04	2.07	2.10	2.13	2.34	2.46
8-0	---2.22	2.25	2.28	2.31	2.34	2.55	2.67

If plinths desired add per side ----- 30c

Pattern No. 10

Curtis "Harris"	Casing	C-5406
	Back Band	C-5303
	Apron	C-5012
	Stool	C-5108
	Stop	C-5018
	Mull Csg.	C-5164
	or Mull. Csg.	C-5165

See Page No. 116
of Design Book
No. 504 for Illus-
tration.

Pattern No. 11

Rust
"Detail R"

Casing	Detail R
Back Band	C-5451
Apron	Detail RA
Stool	7316
Stop	7236
Mull Csg.	R-1
or Mull. Csg.	R-2

Pattern No. 12

Wd. Csg.	K-2
Rust "Detail K"	Door Csg. K-1 and C-5451
	Apron C-5012
	Stool C-5008
	Stop 7236
	Mull Casing R-1
	or Mull Csg R-2


Glass

Size	20	24	26	28	30	36	40	48
12	\$1.62	\$1.68	\$1.71	\$1.74	\$1.77	\$1.92	\$2.07	\$2.28
14	1.71	1.77	1.80	1.83	1.86	2.01	2.16	2.37
16	1.83	1.89	1.92	1.95	1.98	2.13	2.28	2.49
20	1.95	2.01	2.04	2.07	2.10	2.25	2.40	2.61
24	2.07	2.13	2.16	2.19	2.22	2.37	2.52	2.73
26	2.16	2.22	2.25	2.28	2.31	2.46	2.61	2.82
28	2.22	2.28	2.31	2.34	2.37	2.52	2.67	2.88
30	2.28	2.34	2.37	2.40	2.43	2.58	2.73	2.94
36	2.49	2.55	2.58	2.61	2.64	2.79	2.94	3.15

Door

Size	2-0	2-4	2-6	2-8	3-0	5-0	6-0
6-0	---\$1.32	\$1.35	\$1.38	\$1.41	\$1.44	\$1.59	\$1.65
6-6	---1.41	1.44	1.47	1.50	1.53	1.68	1.74
6-8	---1.47	1.50	1.53	1.56	1.59	1.74	1.80
7-0	---1.50	1.53	1.56	1.59	1.62	1.77	1.83
8-0	---1.68	1.71	1.74	1.77	1.80	1.95	2.01

If plinths desired add per side ----- 18c



August 1, 1941

W.P.P. INTERIOR TRIM SETS

Window Trim prices on this page apply for walls $5\frac{1}{8}$ " thick, or less.

For Prices—Read Across for Width, Read Down for Height

Pattern No. 6

Curtis "Brewster"

See Page No. 106
of Design Book
No. 504 for Illus-
tration.

Casing	C-5207
Apron	C-5062
Stool	C-5108
Stop	C-5018
Mull Csg.	C-5166
or Mull Csg.	C-5215

Pattern No. 7

Curtis "Haddon"

See Page No. 110
of Design Book
No. 504 for Illus-
tration.

Casing	C-5306
Apron	C-5212
Stool	C-5208
Stop	C-5018
Mull Csg.	C-5366
or Mull Csg.	C-5317

Pattern No. 17:

Illustrated
Below
Half Size

Casing $\frac{3}{4}$ "x2 $\frac{1}{2}$ " Detail E	
Apron	C-5062
Stool	C-5208
Stop	C-5368
Mull Csg.	E-1
or Mull Csg.	E-2

Pattern No. 8

Curtis "Plainfield"

See Page No. 112
of Design Book
No. 504 for Illus-
tration.

Casing	C-5356
Apron	C-5112
Stool	C-5108
Stop	C-5130
Mull Csg.	C-5266
or Mull Csg.	C-5217

Pattern No. 9

Curtis "Winthrop"

See Page No. 114
of Design Book
No. 504 for Illus-
tration.

Casing	C-5935
Apron	C-5062
Stool	C-5208
Stop	C-5130
Mull Csg.	C-5266
or Mull Csg.	C-5217

Pattern No. 18:

Curtis "York"

(not Miterite)
See page No. 220
of Design Book
No. 504 for illus-
tration.

Casing	C-5256
Apron	C-5063
Stool	C-5208
Stop	C-5368
Mull Csg.	C-5564
or Mull Csg.	C-5464

Glass	Size	20	24	26	28	30	36	40	48
12	\$1.35	\$1.41	\$1.44	\$1.44	\$1.47	\$1.62	\$1.77	\$1.95	
14	1.38	1.44	1.47	1.47	1.50	1.65	1.80	1.98	
16	1.47	1.53	1.56	1.56	1.59	1.74	1.89	2.07	
20	1.59	1.65	1.68	1.68	1.71	1.86	2.01	2.19	
24	1.68	1.74	1.77	1.77	1.80	1.95	2.10	2.28	
26	1.74	1.80	1.83	1.83	1.86	2.01	2.16	2.34	
28	1.77	1.83	1.86	1.86	1.89	2.04	2.19	2.37	
30	1.83	1.89	1.92	1.92	1.95	2.10	2.25	2.43	
36	2.01	2.07	2.10	2.10	2.13	2.28	2.43	2.61	

Door	Size	2-0	2-4	2-6	2-8	3-0	5-0	6-0
6-0	-----	\$0.87	\$0.90	\$0.90	\$0.93	\$0.96	\$1.05	\$1.11
6-6	-----	.93	.96	.96	.99	1.02	1.11	1.17
6-8	-----	.96	.99	.99	1.02	1.05	1.14	1.20
7-0	-----	.99	1.02	1.02	1.05	1.08	1.17	1.23
8-0	-----	1.11	1.14	1.14	1.17	1.20	1.29	1.35
If plinths desired add per side -----								
								15c
(Note: Plinths required for patterns 7 and 9)								

Pattern No. 13

Casing	7352	(8308)
Back Band	7151	(8378)
Apron	7307	(8641)
Stool	7316	(8269 $\frac{1}{2}$)
Stop	7242	(8541)
Mull Casing	7349	$\frac{3}{4}$ "x5 $\frac{1}{2}$ "
or Mull Csg.	7349-S	$\frac{3}{4}$ "x2"

Pattern No. 14

Curtis
"Bayside"See Page No. 104
of Design Book
No. 504 for Illus-
tration.

Casing	C-5154 or
	C-5155
Back Band	C-5152
Apron	C-5012
Stool	C-5008
Stop	C-5018
Mull Csg.	C-5164
or Mull Csg.	C-5165


Pattern No. 15

Curtis
"Ashford"See Page No. 108
of Design Book
No. 504 for Illus-
tration.

Casing	C-5454
Back Band	C-5352
Apron	C-5312
Stool	C-5408
Stop	C-5018
Mull Csg.	C-5364
or Mull Csg.	C-5365

Glass	Size	20	24	26	28	30	36	40	48
12	\$1.95	\$2.04	\$2.07	\$2.10	\$2.13	\$2.28	\$2.43	\$2.70	
14	2.10	2.19	2.22	2.25	2.28	2.43	2.58	2.85	
16	2.25	2.34	2.37	2.40	2.43	2.58	2.73	3.00	
20	2.43	2.52	2.55	2.58	2.61	2.76	2.91	3.18	
24	2.55	2.64	2.67	2.70	2.73	2.88	3.03	3.30	
26	2.70	2.79	2.82	2.85	2.88	3.03	3.18	3.45	
28	2.76	2.85	2.88	2.91	2.94	3.09	3.24	3.51	
30	2.88	2.97	3.00	3.03	3.06	3.21	3.36	3.63	
36	3.18	3.27	3.30	3.33	3.36	3.51	3.66	3.93	

Door	Size	2-0	2-4	2-6	2-8	3-0	5-0	6-0
6-0	-----	\$1.95	\$2.01	\$2.04	\$2.07	\$2.10	\$2.34	\$2.46
6-6	-----	2.10	2.16	2.19	2.22	2.25	2.49	2.61
6-8	-----	2.16	2.22	2.25	2.28	2.31	2.55	2.67
7-0	-----	2.22	2.28	2.31	2.34	2.37	2.61	2.73
8-0	-----	2.46	2.52	2.55	2.58	2.61	2.85	2.97
If plinths desired add per side -----								
								30c



EXTRAS

For double, triple and quadruple window trim use above prices for each single window opening.

For single sash or casement trim, take price of next larger window opening.

For Brick Veneer walls, 2x6" Stud walls and other wall thicknesses, add extras shown on page 54.

For Hardwood trim add percentage extra shown on page 54.

Extra for Radius Head window and door trim is priced on page 55.

Note: Window stops specified in each trim set are 1 $\frac{1}{2}$ " wide for regular weight and cord frames. When trim sets are ordered for Silentite window units, order should specify window stops C-5030, if for Silentite frames 5 $\frac{1}{8}$ " jamb width, or C-5031 if 5 $\frac{1}{4}$ " jamb width. The first listed mullion casing in each trim set is 5 $\frac{1}{2}$ " wide. If for Silentite window units, then specify the last listed mullion casing.

August 1, 1941

W.P.P. INTERIOR TRIM SET EXTRAS

Following Extras apply to trim sets priced on preceding two pages.

THICK WALLS

For walls $5\frac{1}{8}$ " to $6\frac{1}{8}$ " thick, Brick Veneer walls with C-1590 frames, etc., (Does not apply if Silentite frame C-1523 is used). add, per single opening -----

Glass Width							
20	24	26	28	30	36	40	48
\$0.54	\$0.57	\$0.57	\$0.60	\$0.60	\$0.63	\$0.66	\$0.69

For walls $6\frac{1}{8}$ " to $7\frac{3}{8}$ " thick, 2x6 Stud walls, etc., add per single opening -----

.66	.72	.75	.78	.78	.84	.87	.93
-----	-----	-----	-----	-----	-----	-----	-----

13" MASONRY WALLS

Prices include $\frac{3}{4}$ "x $4\frac{1}{4}$ " tongued extension jambs;

$1\frac{1}{8}$ "x $7\frac{1}{4}$ " R. E. or O. G. stools and $1\frac{5}{8}$ " stops.

ADD to window trim price of required design and size, as follows:

For Prices—Read Across for Width, Read Down for Height


Glass Size	20	24	26	28	30	36	40	48
12 -----	\$1.56	\$1.71	\$1.74	\$1.74	\$1.86	\$2.01	\$2.16	\$2.31
14 -----	1.68	1.83	1.86	1.86	1.98	2.13	2.28	2.43
16 -----	1.80	1.95	1.98	1.98	2.10	2.25	2.40	2.55
20 -----	1.92	2.07	2.10	2.10	2.22	2.37	2.52	2.67
24 -----	2.04	2.19	2.22	2.22	2.34	2.49	2.64	2.79
26 -----	2.16	2.31	2.34	2.34	2.46	2.61	2.76	2.91
28 -----	2.19	2.34	2.37	2.37	2.49	2.64	2.79	2.94
30 -----	2.28	2.43	2.46	2.46	2.58	2.73	2.88	3.03
36 -----	2.52	2.67	2.70	2.70	2.82	2.97	3.12	3.27

HARDWOOD WINDOW AND DOOR TRIM

ADD to W.P.P. price of required design and size:

Unselected Gum, add -----	30%
Plain Red Gum, add -----	70%
Plain Red Oak, add -----	55%
Unselected Birch, add -----	95%

Note: When pricing hardwood trim for 13" Masonry walls, use W.P.P. extra as priced in above table, then deduct 10% from this extra ONLY before applying Hardwood extra. Do not deduct this 10% from trim list.



ROUND CORNER BASE SHOE

Round base shoe corners do away with unsightly, unsanitary corners at the floor as they make cleaning easy and dirt cannot accumulate.

Fits stock Base Shoe	W.P.P.	Oak
No. 7073 - 8422	Per Corner -----	\$0.09 \$0.12
C-5096	Per 100 Corners -	6.99 9.99

Packed 100 Corners in a Carton

August 1, 1941

INSIDE DOOR JAMBS

PLAIN JAMBS, (C-1675) $\frac{3}{4}$ "x5 $\frac{1}{2}$ ", Stops 8090, 8095, 8542 or C-5035.

Per Set	2-8x6-8 or smaller		3-0x7-0 or smaller		5-0x7-0 or smaller	
	With Stops	No Stops	With Stops	No Stops	With Stops	No Stops
Yellow Pine -----	\$2.40	\$1.92	\$2.70	\$2.16	\$2.91	\$2.34
Western Ponderosa Pine -----	2.61	2.13	2.91	2.37	3.12	2.55
Unselected Gum -----	3.96	3.03	4.44	3.39	4.83	3.66
Plain Red Gum -----	5.16	3.93	5.79	4.41	6.33	4.80
Plain Red Oak -----	4.62	3.51	5.19	3.93	5.67	4.29
Unselected Birch -----	5.82	4.41	6.54	4.95	7.14	5.40

RABBETED JAMBS, (C-1678) 1 $\frac{3}{8}$ "x5 $\frac{1}{2}$ ", double rabbeted for 1 $\frac{3}{8}$ " or 1 $\frac{3}{4}$ " doors as specified.

	2-8x6-8 or smaller	3-0x7-0 or smaller	5-0x7-0 or smaller
Y. Pine or W.P. Pine -----	\$4.44	\$4.77	\$5.10
Unselected Gum -----	5.19	5.97	6.48
Plain Red Gum -----	6.90	7.98	9.33
Plain Red Oak -----	6.09	7.05	7.68
Unselected Birch -----	7.98	9.33	9.99

EXTRAS

Over 5-0 wide, add for each foot or fraction ----- 10%

Over 7-0 high, add for each foot or fraction ----- 20%

Jambs wider than 5 $\frac{1}{2}$ ", add for each 2" or fraction ----- 30%

Transom head jambs (C-1676), double the price of regular jambs.

Other woods, figure on odd moulding basis plus \$0.30 for dadoing and bundling.

Jambs can be wrapped in paper at an extra charge of \$0.15 per set.

RADIUS HEAD INSIDE DOOR JAMBS

SET-UP

ADD to regular door jamb price in size and wood required, using "no stop" price:	Circle Head		Tudor Gothic or Elliptic Head		Segment Head	
	Widths up to 3-0	Widths up to 6-0	Widths up to 3-0	Widths up to 6-0	Widths up to 3-0	Widths up to 6-0
$\frac{3}{4}$ "x5 $\frac{1}{2}$ ", no stops, add per Opg.---	\$6.45	\$7.50	\$7.05	\$8.10	\$6.00	\$7.05
$\frac{3}{4}$ "x7 $\frac{1}{2}$ ", no stops, add per Opg.---	7.35	8.55	7.95	9.15	6.75	7.95
If door stops furnished, add per set -----	2.55	4.50	2.70	4.20	2.40	4.05

RADIUS HEAD WINDOW AND DOOR TRIM


ADD to trim price of design, size and wood required:	Circle Head		Tudor Gothic or Elliptic Head		Segment Head	
	Width up to 3-0	Width up to 6-0	Width up to 3-0	Width up to 6-0	Width up to 3-0	Width up to 6-0
All designs $\frac{3}{4}$ "x3 $\frac{1}{2}$ ", or less						
Casing, no Back Band; per single window -----	\$7.80		\$9.60		\$6.90	
per door side -----	5.25	\$9.30	6.90	\$9.45	4.50	\$8.10
All designs $\frac{3}{4}$ "x3 $\frac{1}{2}$ ". or less,						
Casing, with Back Band; per single window -----	11.10		12.60		9.60	
per door side -----	8.55	15.60	9.90	15.15	7.20	13.50
For all 13" Masonry walls add additional for radius head exten- sion jamb, per sgle. wd. -----	4.95		5.40		4.50	

Window trim for window openings 3-4 wide, add to above 3-0 price 10%; windows 3-8 opening width, add 15%

Radius Head trim for rabbeted sash frames, use window side price of same opening size and design required, plus above door side extra for radius casing.

August 1, 1941

SLIDING STAIRWAYS



THE VICTOR No. 1756

VICTOR SLIDING STAIRWAY No. 1756

Furnished complete including stairs with $\frac{3}{4}$ x5 treads and $\frac{3}{4}$ x4 stringers housed, hand rail with supports, $1\frac{1}{8}$ " ceiling panel door and all necessary hardware, including brackets, coil springs, etc., black Japanned. No jambs or trim furnished. Approximate shipping weight in dust-proof cartons, 110 pounds. All Victors are shipped for 9-0 ceilings only. Easily reduced to shorter lengths by cutting off bottom.

Measurements (See Key)

C Ceiling Heights	D Projection Into Room When Open	B Projection Into Attic When Closed	A Finished Opening Between Jambs	Price Complete
7-4	5- 0	4-6	2-4x4-6	\$39.00
7-6	5- 3	5-3	2-4x4-6	39.00
8-0	5- 7	5-9	2-4x4-6	39.00
8-6	5-10	6-6	2-4x4-6	39.00
9-0	5-10	6-6	2-4x4-6	39.00

PRESTO SLIDING STAIRWAY U-1754

Furnished complete, including stairs with $\frac{3}{4}$ x7 treads and $\frac{3}{4}$ x7 $\frac{1}{4}$ housed stringers, hand rail with supports, $1\frac{1}{8}$ " ceiling door, steel cable, spring drums, 3 cross tie rods, complete non-breakable pressed steel hardware, black Japanned. No jambs or trim included. Approximate shipping weight in dust-proof cartons, 175 pounds.

Measurements (See Key)

C Ceiling Heights	D Project- tion into Room When Open	B Project- tion into Attic When Closed	A Finished Opening Between Jambs	Price Complete
7-6 to 7-11	7- 2	4-11	2-6x6- 3	\$63.90
8-0 to 9- 0	7- 6	5- 8	2-6x6- 3	63.90
9-1 to 10- 0	8- 1	6- 3	2-6x6-11	66.60
10-1 to 10-11	8-10	6-11	2-6x7- 3	69.30
11-0 to 11-5	9- 1	7- 5	2-6x7- 6	75.00

Instructions for Installation with Each Stair

Victor Stairways carried in stock. Presto Stairways are shipped direct from Dubuque, Iowa.

TABLE TENNIS TOPS AND BASES




**TOP AND BASE OF
DOUGLAS FIR
PLYWOOD**

TOPS—Fir Plywood	Sound 2 Sides	Good 1 Side
$\frac{3}{8}$ " thick, 2 pcs. 60x 54"-----	\$5.49	\$6.54
1 pc. 60x108"-----	5.94	7.26
$\frac{1}{2}$ " thick, 2 pcs. 60x 54"-----	7.11	8.16
$\frac{5}{8}$ " thick, 2 pcs. 60x 54"-----	8.31	9.39
1 pc. 60x108"-----	8.79	10.11
$\frac{3}{4}$ " thick, 2 pcs. 60x 54"-----	9.33	10.41
1 pc. 60x108"-----	9.78	11.10

BASES, made of Fir Plywood, slotted together. Can be assembled or dismantled in a minute. No screws required. Wrapped one in a package. Weighs 40 lbs. Each-----\$6.00

When only one top 60x108" is ordered for country shipment, special packing is required. Charge for this packing-----1.50

**DOWEL DISPLAY RACK**

Special price on rack and dowels, complete ----- **\$18.51**
 This fine display rack will help you make sales. Contains following assortment of Birch dowels:

25	1/4"	3 ft.
50	3/8"	3 ft.
100	1/2"	3 ft.
100	5/8"	3 ft.
50	3/4"	3 ft.
25	1"	3 ft.

Weight, 118 lbs. Shipped from Chicago. Freight allowed up to \$1.00 per 100 lbs.
 (This means freight allowed in northern Missouri, but Kansas dealers will have to pay part of freight.)

BIRCH DOWEL RODS

	Per Dozen	Per 100 Rods		Per Dozen	Per 100 Rods
1/8"—3-0 long	\$0.18	\$1.11	1/2"—3-0 long	\$0.54	\$3.66
1/4"—3-0 long	.24	1.50	5/8"—3-0 long	.66	4.50
3/8"—3-0 long	.27	1.86	3/4"—3-0 long	.87	6.00
1/2"—3-0 long	.33	2.25	7/8"—3-0 long	1.08	7.50
3/4"—3-0 long	.39	2.61	1"—3-0 long	1.44	9.75

Orders for less than 100, use the dozen price

CORNER BEADS

R. E. (C-5832, U-3216) 1 1/2"x1 3/4", W.P.P., per 100 lineal feet	\$6.00
Turned (C-5831, U-3212) 1 3/8"x4-0 W.P.P., each	.45

BASE BLOCKS

C-5821, U-3200

Round edge, 1 1/2" thick.	Each
W.P.P. or YELLOW PINE, 4 1/4", 4 1/2", 5" and 5 1/2" wide, 10" long	\$0.15
UNSELECTED GUM, 4 1/2"x10"	.30
PLAIN RED OAK, 4 1/2"x10"	.45

CLOSET POLE

1 1/2" Full round, W.P.P., per 100 lineal feet	\$4.50
1 3/8" Full round, W.P.P., per 100 lineal feet	6.75

OAK THRESHOLDS

	2-9 Each	3-1 Each	4-1 Each	5-1 Each	6-1 Each	Longer lgths., Per lin. ft
INSIDE (C-5851, U-3218) 5/8"x3 3/4",	\$0.30	\$0.33	\$0.54	\$0.72	\$0.90	\$0.15
OUTSIDE (C-5852, U-3219) 3/4"x3 3/4",	.30	.33	.54	.72	.90	.15
JUMBO (outside) 1 1/8"x3 3/4"	.60	.66	.90	1.20	1.44	.24

Extra 10% discount on orders for full bundles of 10 thresholds, one size and kind.
 Additional 10% discount on orders for 100 or more thresholds, when ordered in full bundles.

CEDAR CLOSET LINING

F.O.B. Kansas City

3/8"x3 1/4", Kiln Dried, tongued and grooved, end matched, per 1,000 feet, B.M.	\$90.00
Packed 40 ft. to the bundle, and sold only in full bundles.	


WOLFF WINDOW LOCKS

F.O.B. Kansas City

Lock sash in any open, partially open, or closed position. Fine for porch enclosures and cabins, where weights or counter balances not required. Frames not necessary—windows or sash can be installed between studs.

Set consists of one lock for upper sash and one for lower sash. Packed one set to a package, 25 packages to a box.
 Per set (sold only in boxes of 25 sets) ----- **\$0.75**

August 1, 1941

**CUPBOARD DOORS****1 PANEL DOORS**

U-631, C-3551

1½" Thick, W.P.P.

For prices read across for width; read down for height.

Height	Width								
	1-0	1-2	1-3	1-4	1-5	1-6	1-8	1-10	2-0
1-0	\$1.29	\$1.17	\$1.17	\$1.17	\$1.35	\$1.20	\$1.35	\$1.35	\$1.35
1-6	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35
1-8	1.35	1.20	1.23	1.23	1.35	1.29	1.35	1.38	1.50
1-10	1.35	1.23	1.26	1.26	1.35	1.32	1.35	1.50	1.65
2-0	1.35	1.26	1.29	1.29	1.35	1.35	1.35	1.50	1.65
2-2	1.35	1.35	1.35	1.35	1.44	1.47	1.62	1.80	1.95
2-4	1.35	1.35	1.41	1.41	1.56	1.59	2.01	1.92	2.10
2-8	1.35	1.41	1.59	1.53	1.62	1.65	1.92	2.19	2.40
3-0	1.35	1.53	1.62	1.65	1.74	1.77	1.95	2.46	2.70
3-6	1.56	1.83	1.92	1.95	2.07	2.10	2.28	2.88	3.15
3-8	1.65	1.92	2.10	2.13	2.25	2.28	2.40	3.00	3.30

Special 10% discount on orders for 6 or more, 1 size and kind

**1 LIGHT DOORS**

(U-641) 1½" Thick, W.P.P.

Glazed Plain, Wood Beads

Height	Width								
	1-0	1-2	1-3	1-4	1-5	1-6	1-8	1-10	2-0
2-8	\$1.62	\$1.65	\$1.71	\$1.71	\$1.77	\$1.77	\$1.83	\$1.95	\$2.01
3-0	1.71	1.71	1.77	1.77	1.80	1.80	1.86	1.98	2.07
3-6	1.83	1.83	1.89	1.89	1.98	1.98	2.04	2.19	2.37
3-8	1.89	1.89	1.98	1.98	2.04	2.04	2.22	2.34	2.46

Divided Lights, add per light

\$0.30

Special 10% discount on orders for 6 or more, 1 size and kind

SPECIAL CUPBOARD DOORS

Prices per square foot. Minimum 3 square feet.

	W.P.P. or Yellow Pine	Unsel. Gum	Plain Red Oak	Plain Red Gum	Unsel. Birch
Panel Doors, C-3551, U-631	\$0.45	\$0.54	\$0.66	\$0.69	\$0.72
Glass Doors, 1 Light, Glazed SSB, U-641	.60	.66	.72	.72	.72
Div. Lts., add per light	.30	.36	.45	.45	.45

Six or more, special cupboard doors, one size and kind, deduct 10%

FLUSH CUPBOARD DOORS

Made to Order

Prices per square ft. Minimum 3 square ft.

	Fir	W.P.P.
¾" thick, 5 ply	\$0.36	\$0.42
1½" thick, 7 Ply	.45	.54

CUPBOARD DOOR EXTRAS

Rabbeting in pairs, per pair \$0.36

Edges lipped (Minimum charge \$3.00 per order)
per door .30**DRAWERS—U-2910**

Made either Lip or Flush Front.

	W.P.P. or Yellow Pine	Unsel. Gum	Plain Red Oak
1-4 wide, 4" high, 1- 6 deep, or smaller	\$2.97	\$3.03	\$3.12
1-6 wide, 4" high, 1- 6 deep, or smaller	3.15	3.24	3.27
1-6 wide, 6" high, 1-10 deep, or smaller	3.24	3.48	3.63
2-0 wide, 6" high, 1-10 deep, or smaller	3.39	3.72	4.20
2-6 wide, 6" high, 1-10 deep, or smaller	3.87	4.26	4.65
3-0 wide, 6" high, 1-10 deep, or smaller	4.44	4.92	5.19

Intermediate sizes same price as next larger listed size.

Drawers higher than 6 inches, add for each additional 1 inch

\$0.15

Note: Drawers are made exactly the size shown on order.


TILTING BINS—U-2908

Made either Lip or Flush Front. No Hardware.


1-6 wide, 2-4 high, 1-6 deep, or smaller, W.P.P.
or Y.P., each \$6.36**BREAD BOARDS—U-2915**1-6x1-10, or smaller, ¾" thick, White Pine \$1.62
1½" thick, White Pine 2.76

August 1, 1941

ADJUSTABLE SHELF SUPPORTS



F.O.B. Kansas City



STANDARDS No. 233, $\frac{1}{8}$ " wide, 10-0 and 12-0 lengths, $\frac{1}{2}$ " adjustment, per 100 lineal feet	\$7.50
BRACKETS No. 239, per 100	2.70

SLIDING CUPBOARD DOOR HARDWARE

SHEAVES, for sliding doors, No. 402-A, Ball Bearing, per 100	\$18.00
TRACK, "T" type, No. 458 Copper Plated, per 100 lineal feet	12.00
PULLS, Flush type, No. 816-XB, Dull Brass finish, per 100	14.40
If cupboard doors are furnished with above sheaves installed in bottom rail, flush pull set in stile, Top rail tongued for guide and track loose, add to price of stock or odd door	1.80

STAMPED METALCANE

F.O.B. Kansas City

Not Painted or Plated

Used for ventilating panels in sink enclosure doors.

	Per Square Foot
Full Sheets, 36"x120"	\$0.46 $\frac{1}{2}$
Cut to specified width and length	.60

METALACE GRILLES

F.O.B. Kansas City

Pattern No. 10—Carried in stock in cold rolled steel, not painted or plated.

	Per Square Foot
24" wide, full rolls, 50 lineal feet	\$0.60
36" wide, full rolls, 25 lineal feet	.60
36" wide, cut to specified lengths	.75
Cut to specified width and length	.81

OBSCURE GLASS

F.O.B. Kansas City

	Per Square Foot
Florentine, Maze or Syenite, $\frac{1}{8}$ ", cut sizes	\$0.30
Ribbed, Factrolite or Hammered, $\frac{1}{8}$ ", cut sizes	.30
Glazed in, at our plant, add	.07 $\frac{1}{2}$
Full Crates, write for prices.	

CRYSTAL SHEET GLASS

 $\frac{3}{32}$ " Thick

F.O.B. Kansas City

Glass Size	Per Square Foot
Sheets 5 Square feet, or less	\$0.42
" 5.1 Sq. Ft., to 7 Sq. Ft.	.45
" 7.1 Sq. Ft., to 10 Sq. Ft.	.48
" 10.1 Sq. Ft., to 50 Sq. Ft.	.60
Boxing add \$0.22 $\frac{1}{2}$ per Sq. Ft., lid measure, minimum charge \$1.15. Add 6" to both width and height of largest light to obtain lid size.	

GLAZIER SUPPLIES

F.O.B. Kansas City

GLASS CUTTERS, per dozen	\$ 2.40
POINT DRIVER, uses No. 1 Machine Points, each	8.40
MACHINE POINTS, No. 1, Pure Zinc, box of 45,000	9.45
Package of 5,000	1.14
TRIANGLE POINTS, No. 1, No. 3, No. 4, Pure Zinc, per lb.	.42
PERFECTION GLASS BOARDS, 24x36", each	28.12
30x48", each	35.62
36x54", each	41.25
42x60", each	46.87
48x72", each	60.00

PUTTY

F.O.B. Kansas City

	Glaziers	Standard or Primeless
100-lb. cans, per 100 lbs.	\$5.79	\$7.02
50-lb. cans, per 100 lbs.	6.36	7.59
25-lb. cans, per 100 lbs.	6.93	8.16
12 $\frac{1}{2}$ -lb. cans, per 100 lbs.	7.44	8.76
5-lb. cans, per 100 lbs.	8.01	9.66
1-lb. cans, per 100 lbs.	10.74	12.39

August 1, 1941


IRONING BOARDS

See also Curtis designs priced on page 63.

Howard No. 171—Has height adjustment from 20" to 36" above floor. Equipped with 12"x53"x- $\frac{3}{4}$ " board and Sleeve board. Rough opening 14" wide, 3" deep, 71" high, starting 10" above finish floor. 1 Panel door. Carton Packed. Weight 35 Lbs. Each, W.P.P. \$9.60. Fir \$8.85.


Howard No. 181—Equipped with ventilated metal Iron Receptacle and Lipped Slab Door. Rough opening 14" wide, 3" deep, 81" high, starting from finish floor. Weight 38 Lbs. Otherwise same as No. 171. Each, W.P.P. \$12.60

Howard No. 581—"Swivel" type. The board may be set at either right or left angles as desired. It is very rigid, being constructed of 1 $\frac{1}{2}$ " stock. Size 11"x47". Sleeve board furnished. Rough opening required 14" wide, 3 $\frac{3}{4}$ " deep, 81" high. 1 Panel door. Weight 40 Lbs. Each, W.P.P. \$9.75



Howard No. 171

Howard No. 181



Howard No. 581

BREAKFAST NOOK U-2565


Space Required—5'0" to 5'4" wide, 4'6" deep.
Table—2'2" wide, 4'0" long, 2'6" high.
Seats—1'6 $\frac{1}{4}$ " wide, 4'6" long, 3'0" high.
Back—2 panels 3-ply fir.

Routing—Exposed seat ends and table legs engraved with an outline design. Seat ends and table legs at wall are plain.

Packing—One nook in carton (K.D.).

Weight—120 lbs.

Design U-2565, W.P.P. \$23.70




U-2565

"TUCKAWAY" FOLDING WALL SEATS

No. 1327

Very appropriate for Bathrooms, Telephone Booths, Breakfast Nooks, etc., where space is limited. Attach to wall. Requires 3 studs 6" on center, approximate 3'0" high from floor.

Weight 5 Lbs. W.P.P., each \$4.20



No. 1327
Folding Seat

MEDICINE CABINETS

H-2016—An all-wood Venetian type Medicine Cabinet which may be set in wall AFTER PLASTERING. Furnished with round corner Etched Crystal mirror, size 16"x20"—2 Glass shelves—all Hardware attached—Carton Packed—Rough opening required 14"x18"x3 $\frac{1}{2}$ ". Weight 20 Lbs. W.P.P., each \$8.25

Plain
Plate


U-3051—Rough Wall Opening 20x26"x4" deep. Glazed 14x14" Mirror, each \$6.30

U-3054—Rough Wall Opening 18x22"x4" deep. Glazed 12x16" Mirror, each 5.58

Rough Wall Opening 20x24"x4" deep. Glazed 14x18" Mirror, each 6.54


Rough Wall Opening, 22x26"x4" deep. Glazed 16x20" Mirror, each 7.89

Above U-3051 and U-3054 Medicine Cabinets are made of W.P.P. Doors are $\frac{3}{4}$ " thick. Complete with trim, adjustable wood shelves and metal shelf supports. No door hardware furnished.




U-3051

Open Shelf




U-3054

Backband Trim



H-2016


MEDICINE CABINETS



C-6927

16"x20" Pln. Pl. Mirror
Wall Opng. 18 3/8"x22 3/8"
Complete hardware attached
Three adjustable glass shelves
No casings required

Price, each ----- \$11.22
Weight 20 Lbs.



C-6929

12"x14" Pln. Pl. Mirror
Wall Opng. 14 3/8"x16 3/8"
Complete hardware attached
Two adjustable glass shelves
No casings required

Price, each ----- \$7.77
Weight 12 Lbs.


C-6931

16"x24" Venetian Plate Mirror
Wall Opng. 14 3/8"x19 1/4"
Complete hardware attached
Three adjustable glass shelves

Price, each ----- \$14.46

Weight 25 Lbs.


Special 10% Discount on orders for 6 or more Assorted Wood Medicine Cabinets.



L-415

15 1/2"x23" Crystal Mirror
Wall Opng. 13 3/8"x18 3/8"x3 1/2"
Two glass shelves
Inside box depth 4 1/4"


Price, Each ----- \$7.44
Weight 14 Lbs.



L-675

16"x24" Venetian Plate Mirror
Wall Opng. 13 3/8"x19 3/8"x3 1/2"
Two glass shelves
Inside box depth 4 1/4"

Price, Each ----- \$14.40
Weight 30 Lbs.



L-445

15 1/2"x22" Crystal Mirror
Wall Opng. 13 3/8"x18 3/8"x3 1/2"
Two glass shelves
Inside box depth 4 1/4"

Price, each ----- \$12.09
Weight 22 Lbs.

The three wood cabinets listed at the top of this page are manufactured by Curtis.

The three cabinets shown above are Lawson metal cabinets, complete with tooth brush holder and razor blade drop.

Special 10% Discount on orders for 6 or more Assorted Steel Medicine Cabinets.

For further description of the Curtis designs see Curtis Catalog No. 504, page 154. For further description of Lawco metal cabinets see the Lawson catalog.

All above cabinets are carried in stock in Kansas City for immediate shipment. Prices are Freight allowed. Other Lawco cabinets are shipped direct from factory at Cincinnati, Ohio, F. O. B. Cincinnati, freight allowed when ordered in quantities of 6 or more. Write us for prices and more complete information.

August 1, 1941

Memorandum

CABINET WORK**CURTIS MANTELS**

See Curtis Design Book No. 504, Pages 120-128 for Illustrations and Complete Description.

Design	Wood Opening		W.P.P.	Unsel Birch	P.R.Oak	Weight	
	Width	Height				W.P.P. -	Hardwood
C-6052	4'2"	3' 0"	\$39.52	-----	-----	75 Lbs.	
C-6054	4'6"	3' 2"	33.63	-----	-----	70 Lbs.	
C-6055	3'3 3/4"	2'11 1/2"	21.81	-----	-----	42 Lbs.	54 Lbs.
C-6055	4'3 3/4"	3' 3 3/8"	23.25	\$39.60	-----	55 Lbs.	70 Lbs.
C-6055*	5'3 3/4"	3' 3 3/8"	-----	40.50	-----	-----	85 Lbs.
C-6057	4'3"	3' 1 1/2"	30.30	-----	-----	60 Lbs.	
C-6058	{ Without } { Architrave } { With }	4'11 3/8"	3' 5 1/8"	24.21	39.00	45 Lbs.	47 Lbs.
	Varies	Varies	26.34	41.58	-----	55 Lbs.	62 Lbs.
C-6070*	4'4"	3' 2"	-----	-----	\$41.01	-----	74 Lbs.
C-6071	4'3"	3' 4 1/2" †	20.55	-----	-----	35 Lbs.	
C-6071*	5'0"	3' 4 1/2" †	21.45	-----	-----	40 Lbs.	
C-6072	4'3"	3' 6" †	25.32	-----	-----	50 Lbs.	
C-6072	5'0"	3' 6" †	27.42	-----	-----	60 Lbs.	
C-6073*	Varies	Varies	-----	-----	62.10	-----	75 Lbs.

Height of Mantels marked "†" may be reduced by cutting off pilasters.

CURTIS CHINA CLOSETS**No Hardware Included**

See Curtis Design Book No. 504, Pages 129-132 for Illustrations and Complete Description.

Design	Wall Space Required	W.P.P.	Unsel. Birch	P.R.Oak	Weight	
					W.P.P. -	Hardwood
C-6500*	2'7 3/4"	\$72.96	-----	-----	190 Lbs.	
C-6501*	2'7 3/4"	58.29	-----	-----	175 Lbs.	
C-6503	2'4 1/2"	49.29	\$66.21	\$66.21	150 Lbs.	192 Lbs.
C-6510	2'2 1/4"	34.83	-----	-----	125 Lbs.	
C-6511	2'2 1/4"	52.44	-----	-----	140 Lbs.	
C-6515*	2'7 3/8"	66.42	-----	-----	175 Lbs.	
C-6520	2'0 1/8"	46.95	-----	-----	80 Lbs.	
C-6521	2'0 1/8"	40.26	-----	-----	67 Lbs.	

CURTIS IRONING BOARDS

See Curtis Design Book No. 504, Pages 133-134 for Illustrations and Complete Description.

Design	Rough Opg. Required	W.P.P.	Weight
C-6770	1'7 1/4" x 5'2 1/2"	\$14.55	50 Lbs.
C-6771	1'2 3/8" x 6'9 1/8"	7.74	35 Lbs.
C-6773	(Surface Type)	9.57	27 Lbs.

CURTIS LINEN CABINETS

See Curtis Design Book No. 504, Page 152 for Illustrations and Complete Description.

Design	Size	W.P.P. (No Hdwe.)	For Curtis Hdwe.		Weight
			Add		
C-6815	2-0x6-8x2-0 1/2	\$40.95	\$ 2.85		150 Lbs.
C-6816	2-4x6-8x2-0 1/2	43.20	3.75		159 Lbs.

CURTIS PHONE CABINETS

See Curtis Design Book No. 504, Page 153, for Illustration and Complete Description

Design	Rough Opg. Required	W.P.P.	Weight
C-6914 (For hand or French phones)	1'2 3/8" x 2'3 1/2"	\$6.72	15 Lbs.
C-6915 (For upright or desk phones)	1'2 3/8" x 2'5 1/2"	6.87	17 Lbs.
C-6916 (For combination hand set phones)	1'2 3/8" x 1'6 1/8"	4.95	10 Lbs.

All above items are singly carton packed or crated.

Design numbers followed by asterisk "*" in stock in Clinton, Iowa, only.

August 1, 1941

CURTIS KITCHEN CABINETS, W.P.P, SET UP IN CARTONS**PRICED WITH CHROMIUM PLATED HARDWARE**

See Curtis Design Book No. 504, Pages 136-151, for Complete Description.

Read across for widths, read down for type of unit.

Type	Unit No	Prefix	12"	16"	18"	20"	24"	28"	30"	32"	36"	40"	44"
Over Wall	C-6700	O.	\$5.94	\$6.24	\$6.45	\$6.69	\$8.31	\$8.67	\$8.85	\$9.09	\$9.96	\$10.14	\$10.56
Over Refrigerator	C-6701	R.	---	---	---	---	---	---	11.79	12.24	13.23	---	---
Over Storage	C-6703	S.O.	---	---	12.90	13.35	---	---	---	---	---	---	---
Wall	C-6704	W.	8.76	9.54	9.93	10.71	12.99	13.83	14.37	15.03	16.32	17.16	17.94
Utility	C-6706	U.	---	---	---	---	---	---	---	---	16.89	---	17.19
Center	C-6707	C.	---	---	---	---	---	---	---	---	15.60	16.38	17.10
Base Tray	C-6709	T.	13.05	---	---	---	---	---	---	---	---	---	---
Base Pan	C-6710	P.	---	14.34	15.18	15.69	18.06	19.35	20.04	20.58	22.26	22.86	24.00
Bread Drawer	C-6712	B.	---	21.24	21.75	---	---	---	---	---	---	---	---
Base Drawer	C-6714	D.	---	18.60	---	20.16	21.90	24.48	25.02	25.83	27.24	28.11	---
Linen Storage	C-6718	L.	---	---	---	---	21.24	21.84	---	---	---	---	---
Broom Over	C-6720	B.O.	---	---	9.09	9.48	---	---	---	---	---	---	---
Broom Closet	C-6721	B.W.	---	---	18.33	19.50	---	---	---	---	---	---	---

CORNER UNITS

Over Corner	C-6723	OC-24 1/2	\$10.26
Wall Corner	C-6724	WC-24 1/2	19.35
Base Corner	C-6725	BC-26	18.84
Square Corner	C-6726	SC-40	24.48

Sink Fronts		With Grille Doors	With Louvre Doors
C-6728	F-24-30	\$10.77	\$10.26
	F-30-36	11.40	10.98
	F-36-42	12.84	12.24
	F-44-50	13.95	13.56

If above units are wanted without Hardware, deduct as follows:

Units C-6700, 6701, 6703, 6704, 6707, 6718 and 6720	Widths 20" and under	\$1.26
	Widths 24" to 32", Incl.	1.95
	Widths 36" to 44"	2.52
Units C-6709, 6710 and 6728	Widths 20" and under	1.47
	Widths 24" only	2.19
	Widths 28" to 32", Incl.	2.40
	Widths 36" and over	2.97

Units C-6706 and 6712, All sizes	\$0.66
Units C-6714	Widths 24" and under .90
	Widths 28" and over 1.80
Units C-6721 All sizes	1.56
Units C-6722 All sizes (for omission of hinges only)	.93
Units C-6723, 6724 and 6725	1.26
Unit C-6726	1.47

CABINET IRONING BOARDS

C-6722 1B-18	\$17.67
1B-20	18.51

If furnished for installation in C-6721 unit, deduct for omission of regular door \$4.29

ACCESSORIES

C-6716 Birch Moulding boards, each	\$2.40
FB-60 Metal Bins for C-6710 Units, each	5.25
If Moulding Boards or Flour Bins are furnished Installed, Add, each	.75
Metal Soap Trays, each	.90
Cutlery Drawer Inserts	2.10
QS-12 (Quarter circle end shelf), each	.69
Extra full depth shelves for C-6704 Units, each	.75
Spice shelves for C-6704 Units, per set	1.92
Extra full depth shelves for C-6721 Units, each	1.26
Sanitary Corner Blocks, each	.06
End Brackets for C-6704 Units, each	.24
Glass Doors for C-6704, 1 lt., ss., per sq. ft. of Cabinet Front	.27
For rect. div. lts., add per lt.	.30

Units C-6712 are packed with 2 metal drawers. For more or less metal drawers, add or deduct, per single compartment Drawer, \$1.26; Double Compartment 2.31

CABINET MOULDINGS

C-4082 Crown Mould, per 100 Lin. Ft.	\$6.00
C-4292 Scribing Mould, per 100 Lin. Ft.	1.08
C-4307 Batten Mould, per 100 Lin. Ft.	.66
1/4" W.P. Panels for Soffit Trim, per sq. ft.	.12

COUNTER TOPS (See also page 65)

CT-25 1/2 White Pine, per Lin. Ft.	\$1.05
CT-37 White Pine, each	4.80
CT-25 1/2 Birch, Maple or Ash, per lin. ft.	1.65
CT-37 Birch, Maple or Ash, each	7.20

HARDWARE—Curtis Standard. Steel, triple plated non-tarnishable polished chromium finish.


C-6792 Catches, each	\$0.63
C-6796 Drawer Pulls, each	.22 1/2
C-6798 Hinges, offset, per pair	.63
C-6799 Elbow Catches, each	.06

HARDWARE—American Cabinet "De Luxe." Solid Brass, polished chrome plated. Choice of Black, Red, Ivory, Yellow or Delphinium Blue trim.

C-8660 Catches, each	\$0.75
C-8259 Drawer Pulls, each	.45

May be substituted for Curtis Std. Hardware on cabinet shipments if desired. To price compute price differentials above and multiply by total number of Catches and Drawer Pulls required.

CURTIS LINOLEUM COUNTER TOPS



SPECIFICATIONS

Counter top and back splash: $\frac{1}{8}$ " standard grade inlaid linoleum cemented to $\frac{3}{4}$ ", 5 ply, fir plywood. Thickness $\frac{3}{8}$ ". Width 25" Lengths as listed below. Back splash not attached to counter. Standard stock color, Black. Other colors available (see price schedule below).

Edge Banding: For exposed edge of top and back splash. "Chromedge" aluminum alloy with non-tarnishing "Chromalite" finish is furnished LOOSE for all counter tops and back splashes. Price of top and back splashes includes this mould.

Corner counter top LT-39: Same construction as counter top outlined above. Price includes one "T" bar clamp for joining to main top.

Sink cutout: An exclusive Curtis design of "Chromedge" aluminum alloy is installed at the factory for any regulation type of cast iron sink. It's clamp-type construction makes an easy water-tite installation of sink. Radii at corners $2\frac{3}{4}$ ". Distance from front edge to cutout $2\frac{5}{8}$ " for sinks 20" deep; $4\frac{1}{8}$ " for sinks 18" deep; $3\frac{1}{8}$ " for 21" depth deck-type sinks. Carried in stock for 30x20 and 32x20 flat rim sinks. Other size cutouts slightly higher. Cutout is in CENTER of counter; if off-center then figure from longer length counter.

PRICES

Length	Black Linoleum counter top with center cutout for 30x20 or 32x20 sinks.	Black Linoleum counter top. No sink cutout.	Black linoleum back splash			
			4" high	8" high	12" high	16" high
2 foot	-----	-----	\$ 2.25	\$ 3.93	\$ 4.47	\$ 4.98
4 foot	-----	\$14.76	7.53	8.79	10.47	11.79
5 foot	-----	17.85	9.27	10.77	12.72	14.28
6 foot	-----	20.91	10.98	12.75	14.97	16.77
8 foot	\$33.00	27.09	14.46	16.68	19.44	21.75
9 foot	36.09	30.15	16.17	18.66	21.69	24.24
10 foot	39.15	33.24	17.91	20.61	23.91	26.73
12 foot	45.30	39.39	21.37	24.57	28.41	31.71
14 foot	55.08	-----	-----	-----	-----	-----

EXTRAS

Corner counter top LT-39 (specify right or left hand), Black linoleum. each	\$31.26
"T" Bars, 2'1" long, for joining "L" shaped, "U" shaped, or longer tops, each	\$1.65; 3'6" long 3.30
"EB" Chromedge banding, where extra quantity is required, per lineal foot	.63
"JM" Chromedge scribing mould, where extra quantity is required, per lineal foot	.30
For Sink cutouts other than for 30x20 or 32x20 sinks, on Black Linoleum tops only, add	10%

For other than Black linoleum color, add as follows:

	Counter top with cutout	Counter top no cutout	Back Splash	Corner Counter Tops LT-39
Vulcan or Rutland	12%	15%	28%	15%
Cherry Red	15%	18%	31%	18%
Red Marble or Purple Blue	40%	50%	60%	30%
Jade Green or Pearl Gray	45%	55%	65%	35%

Other standard $\frac{1}{8}$ " linoleum colors—write for prices.

Prefabricated counter tops (with or without back splashes), figure all necessary parts required, then add for prefabrication: Black linoleum, 20%; other colors 14%.

We do not sell Linoleum alone nor furnish or install sinks.

TRACY CUSTOM BUILT CABINET TOPS AND SINKS

Through special arrangement we are able to offer very attractive discounts on the complete line of Tracy built "Perma-Sheen", "Silvi-Sheen" and "Zephyr" counter tops with attached sinks.

We also can quote attractive prices on "Veribrite" one piece Porcelain Enameled Counter Top and Sinks in choice of eight standard colors.

Write for prices.

August 1, 1941

STAIR PARTS

See Curtis Design Book No. 504, Pages 156-170 for complete description.

See Universal Design Book No. 25 for illustrations of all "U" numbers priced on this sheet.

SQUARE NEWELS (Carton Packed)

Design	Y.P.	Uns. Birch	P.R. Oak
C-9010*	\$7.50	----	\$8.31
C-9011*	7.23	----	9.36
C-9020 (U-1764)	7.89	----	9.03
C-9022	7.56	----	----
C-9025 (U-1790)	5.76	----	7.26
C-9032*	----	----	6.06
C-9033*	----	----	7.71
C-9040*	5.40	\$6.90	----
C-9041*	7.05	8.79	----

TURNED NEWELS (Carton Packed)

Design	Unsel Birch	P.R. Oak
C-9050	\$4.80	----
C-9051	6.57	----
C-9053	7.11	----
C-9060	4.59	----
C-9061	6.42	----
C-9070	4.80	----
C-9071	6.84	----
C-9080*	5.28	----
C-9082	4.35	----
C-9082 (with C-982 collar)	4.89	----
C-9083*	7.50	----
C-9095*	5.28	\$5.28
C-9096*	7.50	7.50

SQUARE BALUSTERS

Design	Size	W.P.P.	Uns. Gum	Red Gum	P.R. Oak
C-9210	1 1/16x1 1/16—2-11	\$0.18	\$0.21	\$0.27	\$0.27
C-9210	1 5/16x1 5/16—2-11	.21	.24	.30	.30
C-9210	1 5/8 x1 5/8 —2-11	.33	.36	.45	.45

TURNED BALUSTERS

Design	Length	W.P.P.	Birch	Oak	Design	Length	W.P.P.	Unsl. Gum	Oak
C-9220	2- 7	\$0.36	\$0.48	----	C-9267	2- 6	\$0.33	----	----
	2-11 1/2	.39	.51	----		2- 9	.36	----	----
	3- 1	.39	.51	----		2-11	.39	----	----
	3- 5	.42	.57	----	U-1820, 1%	2- 8	.36	\$0.36	\$0.42
C-9230	2- 7	.36	.45	----		3- 0	.39	.39	.45
	2-11 1/2	.39	.48	----	U-1820, 1%	2- 8	.45	.45	.60
	3- 1	.39	.48	----		3- 0	.51	.51	.63
	3- 5	.42	.54	----					
C-9265*	2- 5	.63	1.08	\$1.02					
C-9266*	2- 6	.42	----	.57					
	2- 9	.45	----	.60					
	2-11	.48	----	.63					

STAIR CROOKS

Design	Unsel. Birch Each	Plain Oak Each
C-9550 Overhand Easing for Rails, C-9530, C-9540, no cap	\$3.90	----
C-9555 Easing for rails C-9530, C-9540, no cap	3.90	\$4.32
C-9555 Easing for rails C-9530, C-9540, with cap	6.30	6.99
C-9556* Turnout Easing, Left Hand, for rails C-9530, C-9540, with cap	8.40	9.12
C-9558* Turnout Easing, Left Hand, for rails C-9530, C-9540, with cap	8.10	8.91
C-9560* 90° Easing, 6" Radius, for rail, C-9540, no cap	5.10	----
C-9560* 90° Easing, 6" Radius, for rail, C-9540, with cap	7.35	----
C-9564 Volute, Left hand, for rails C-9530, C-9540	12.00	13.32
C-9570 Level Quarter Turn for rail C-9530, C-9540, no cap	3.60	4.32
C-9575 Newel Cap for rail C-9530, C-9540, not fitted	1.80	----
C-9576 Newel Cap for rail C-9540	2.40	----
C-9577 Newel Cap for rail C-9540	3.60	----
C-9578 Newel Cap for rail C-9540	3.90	----
C-9580 Gooseneck for rail C-9530, C-9540, no cap	7.35	----
C-9580 Gooseneck for rail C-9530, C-9540, with cap	9.00	----
C-9582* Gooseneck with Level quarter turn to left, for rails C-9530, C-9540	9.75	10.74
C-9584* Gooseneck with Left angle cap to left, for rails C-9530, C-9540	10.05	11.01
C-9586* Gooseneck with solid return (1 riser drop), for rails C-9530, C-9540	6.75	7.50
C-9588* Gooseneck with cap (1 riser drop), for rails C-9530, C-9540	9.75	10.80
C-9590* Gooseneck with "U" return, L. H. (1 riser drop), for rails C-9530, C-9540	14.85	16.35
C-9592* Gooseneck with up easing to left (2 riser drop), for rails C-9530, C-9540	14.25	15.60
C-9594* Gooseneck with quarter turn up easing to left (2 riser drop), for same rails	14.10	15.45
For attaching stair crooks to straight rail, add per joint	-----	\$2.25

Stair crooks in stock for rail Design C-9540 only. Oak crooks in stock at Clinton, Iowa, for Rail design C-9540 only.

Note: Only Left hand crooks are priced above. Similar Right hand crooks are available at same price.

When ordering stair crooks be sure to specify correct number—whether left or right hand. This is determined by facing stair, looking up.

Stair Crooks except C-9580 Goosenecks are shipped completely assembled and are designed for 7 1/2" rise and 9" run. If used for any other rise and run, there will be a slight difference in the height of the level, or second run rail.

Design numbers followed by asterisk "*", in stock at Clinton, Iowa, only.

August 1, 1941

STAIR PARTS

See Curtis Design Book No. 504, Pages 156-170 for Complete Description of Designs.
See Universal Design Book No. 25 for illustration of all "U" numbers priced on this sheet.

STAIR RAIL

Curtis Designs	Y.P.	W.P.P.	Uns. Birch	P.R. Oak	Univ. Designs	Y.P.	Uns. Gum	Uns. Birch	P.R. Oak
C-9516*, per ft.	----	\$0.51	\$0.75	\$0.69	U-1850, per ft.	\$0.30	\$0.36	\$0.42	\$0.42
C-9520 " "	\$0.24	----	.33	.33	U-1854, " "	.45	.54	.60	.60
C-9522*, " "	----	----	.33	----	U-1856 " "	.72	.78	.87	.87
C-9530*, " "	----	----	.57	----	U-1860, " "	.45	.54	.60	.60
C-9540. " "	----	----	.45	.45	U-1862, " "	.45	.54	.60	.60
					U-1864, " "	.42	.51	.60	.57
					U-1867, " "	.18	.24	.27	.27
					U-1870, " "	.39	.78	.87	.87

EXTRAS

If rail C-9540 is furnished plowed for 1 1/16" Balusters, fillet included, add per ft.	\$0.12
If rail U-1864 is furnished plowed for other than 1 1/2" Balusters, add for plow reducer, per ft.	.09
Acorn ends. for C-9520 or U-1867 rail, any wood specified, add each	.48
Metal wall rail Brackets, U-1826, Brass or Bronze finish, for C-9520 or U-1867 rail, each	.36

STARTING STEPS

Design	Type	Wood	Price Complete
C-9601 (U-1948)	Half Circle	See Note	\$15.60
C-9603	Scroll End	" "	14.70
C-9605	Quarter Circle	" "	11.85

Above steps for stairs not over 4-0 from plaster to plaster.

Prices include tread, riser, scotia and shoe.

Specify wood desired on each member.

BODY OF STAIR

Stringers, C-9610	W.P.P.	Uns. Gum	Red Gum	P.R. Oak	Uns. Birch
3/4 x 11 1/4, Moulded. Not housed or sawn. Per ft.	\$0.30	\$0.39	\$0.51	\$0.48	\$0.54
5/8 or 3/4 x 10 1/4, Loose mould, not housed or sawn. Per ft.	.30	.39	.51	.48	.54
For housing or sawing for treads and risers, add for each riser, per string	.81	.81	.81	.81	.81

Treads, C-9620	Y.P.	Uns. Gum	Red Gum	P.R. Oak	Uns. Birch
1 1/16 x 10 1/4 x 3'0", each	\$1.65	----	----	\$1.77	\$2.16
3'5", " "	1.83	----	----	2.07	2.31
3'11", " "	2.01	----	----	2.28	2.52
1 1/16 x 11 1/4 x 3'0", each	1.74	----	----	1.86	2.31
3'5", " "	1.92	----	----	2.16	2.46
3'11", " "	2.13	----	----	2.43	2.76
4'6", " "	2.43	----	----	2.73	3.15
Tongued and grooved, add per tread	.15	----	----	.15	.15
Return nosing fitted, add each	.45	----	----	.45	.45
Return nosing C-9622 loose, per 100 lin. ft.	5.73	----	----	7.44	8.19
Scotia mould C-9623, per 100 ft.	1.44	2.40	3.30	2.85	3.81
Landing Tread (1 1/2 x 4 1/4, per 100 lin. ft.	15.45	----	----	21.36	22.11

Risers, C-9630	W.P.P.	Uns. Gum	Red Gum	P.R. Oak	Uns. Birch
3/4 x 7 1/2 x 3-0, S4S	\$0.60	\$0.72	\$0.93	\$0.90	\$1.02
3-6, " "	.66	.87	1.05	1.02	1.14
4-0, " "	.75	1.02	1.17	1.14	1.26
3/4 x 8 x 3-0, S4S	.66	.87	.99	.96	1.08
3-6, " "	.75	.99	1.11	1.08	1.20
4-0, " "	.87	1.20	1.26	1.29	1.32
4-6, " "	.93	1.26	1.56	1.44	1.68
Tongued and grooved, add per riser	.15	.15	.15	.15	.15
End mitered, add per riser	.15	.15	.15	.15	.15

Miscellaneous

xShoe Rail C-9640, U-1828, per 100 lin. ft.	\$5.67	\$6.90	\$9.90	\$9.69	\$11.31
xShoe Rail, C-9641, per 100 lin. ft.	16.20	----	----	24.30	29.16
xFillet, C-9660, U-1829, per 100 lin. ft.	2.67	3.00	5.16	4.95	5.91
Fillet, C-9661, per 100 lin. ft.	4.71	----	----	7.95	9.51
Rosette, C-9650, U-1830, each	.45	.45	.45	.45	.45

xSpecify width of plow and size fillet wanted.

Note: In ordering machined stairways, please submit sketch showing plan of stair. Give rise and run measured on the rough carriage. Also give total rise and total run, if possible. If an "open" stair is wanted, please indicate whether it is right hand or left hand. This is determined by facing stair, looking up.

Design numbers followed by asterisk "", in stock at Clinton, Iowa, only.

August 1, 1941

CURTIS ENTRANCE FRAMES

W.P.P. Toxic Treated, Oak Sills

See Curtis Design Book No. 504 for Illustrations and Complete Description.

Note: Doors, Side Lights, Transoms and Trim are not priced in this schedule.

Catalogue Page No.	Design Number	Name	See Note Below	2x4 Stud and Siding (Assembled in Sections)	2x4 Stud and Brick Veneer (Assembled in Sections with Sub-Jambs)	13" Masonry Wall (Assembled in Sections with Sub-Jambs)	For Setting up add		Weight
							Crated	Uncrated	
6	C-1695*	Dereham	—	\$72.39	\$76.65	\$76.65	\$15.81	\$6.63	245
7	C-1696	Wakefield	—	41.13	42.42	42.42	8.52	5.10	208
8	C-1697*	Ramsgate	—	94.08	—	—	15.81	6.63	274
9	C-1710	Pawtucket	A	59.43	64.53	67.32	13.05	4.80	162
10	C-1711	Stamford	A	42.84	47.94	50.73	11.01	4.68	141
11	C-1715	Rockport	A	33.60	38.70	41.49	11.01	4.68	125
12	C-1716	Milford	A	75.39	80.49	83.28	13.17	4.83	168
13	C-1718	Concord	A	54.27	59.37	62.16	10.74	5.13	195
14	C-1720	Standish	—	63.39	70.20	70.20	Included in Price		205
16	C-1722	Westport	A	72.54	77.64	80.43	10.44	4.83	161
17	C-1723	Wilton	A	62.70	67.80	70.59	10.44	4.83	156
18	C-1725	Eastham	A	69.42	74.52	77.31	11.82	5.91	132
20	C-1728	Argus	A	39.69	44.94	47.73	12.00	4.68	140
21	C-1729	Athens	A	42.24	47.49	50.28	12.00	4.68	129
22	C-1732	Newark	A	44.46	49.56	52.35	11.22	4.95	160
23	C-1736	Morris	—	60.99	69.18	70.59	Included in Price		310
28	C-1773	(varies)	—	19.89	27.27	39.15	5.25	2.25	165
25	C-1780	Blackstone	B	20.88	26.25	34.23	6.00	1.38	95
25	C-1781	Valencia	B	20.13	25.47	33.51	6.00	1.38	98
26	C-1785*	Falmouth	B	21.15	21.15	31.36	6.30	1.59	47
27	C-1787*	Falstaff	B	27.60	37.86	41.13	6.30	1.59	50

EXTRAS

See Pages No. 19 and No. 20 to 25 of this Price Guide for prices of doors, side lights and transoms. Weight
For Threshold Type Oak Sill add for all types per frame.-----\$3.00

For omission of Oak Sill deduct:

For Frames designated by prefix "A" per frame, deduct -----\$2.52 16

For Frames designated by prefix "B" per frame, deduct -----2.16 15

Note: All frames followed by prefix "A" are convertible for all door sizes from 2-8x6-6 to 3-4x7-0. Other designs available for 3-0x6-8 and 3-0x7-0 doors only.

Specify door size wanted. Specify net wall thickness on all brick veneer and masonry types.

ENTRANCE FRAME PARTS PRICES

CAPS AND PILASTERS

	C-1710	C-1711	C-1715	C-1716	C-1718	C-1722	C-1723	C-1725	C-1728	C-1729	C-1732
Cap with Head Archi- trave and Mold -----	E-7	E-8	E-2	E-9	E-4	E-10	E-11	E-12	E-13	E-14	E-6
Set Up, Cartoned, 3-4 and under -----	\$34.26	\$17.67	\$9.12	\$50.22	\$23.04	\$46.68	\$36.84	\$43.50	\$14.28	\$16.83	\$13.23
Pilasters, Mold and Side Architrave, -----	E-24	E-24	E-18	E-24	E-19	E-25	E-25	E-26	E-27	E-27	E-19
Cartoned, 7-0 and under -----	\$18.03	\$18.03	\$17.34	\$18.03	\$24.09	\$18.72	\$18.72	\$18.78	\$18.27	\$18.27	\$24.09

JAMBS AND SILLS

E-30 Side jambs and ground strip for plain sill, bundled, 7-0 and under, per set -----	\$3.87
E-40 Head jamb and ground strip, bundled, 2-8, 3-0 or 3-4, per set -----	.75
E-51 Plain Oak sill and apron, bundled, 2-8, 3-0 or 3-4, per set -----	2.52

SUB-JAMBS AND SUB-JAMB CASING

	Width	C-1728, C-1729	Other Designs
Side sub-jambs and sub-jamb casing	5 $\frac{1}{8}$ "	E-61-63, per set \$4.11	E-61-62, per set \$3.63
Head sub-jamb and sub-jamb casing	5 $\frac{1}{8}$ "	E-66-68, " 1.14	E-66-67, " 1.47
Side sub-jambs and sub-jamb casing	9 $\frac{1}{8}$ "	E-71-63, " 6.48	E-71-62, " 6.00
Head sub-jamb and sub-jamb casing	9 $\frac{1}{8}$ "	E-76-68, " 1.56	E-76-67, " 1.89

INTERIOR TRIM FOR ENTRANCES

Entrance	Design or trim	No Back Band W.P.P. Oak or Birch	With Back Band W.P.P. Oak or Birch
C-1695, C-1697	Special trim C-5895 required (Beaded Cgs. Rosettes and Plinths)	\$14.04	\$27.42
C-1696	Special trim C-5896 required (Beaded Cgs. Rosettes and Plinths)	9.33	18.18
C-1720	Any stock design -----	13.65	16.50
C-1736	Any stock design -----	8.01	10.59
C-1780, C-1781	Any stock design -----	6.81	7.98
C-1785, C-1787	Any stock design -----	7.62	9.39

Design numbers followed by asterisk "*", in stock at Clinton, Iowa, only.

August 1, 1941


DOOR FRAMES, K.D.

To Match Silentite Window Frames, W.P.P. Toxic Treated.
See Curtis Design Book No. 504, Pages 186-187, for Sectional Details

Design	Layout	Type of Wall	3-0x7-0 or under	4-0x7-0	5-0x7-0	6-0x7-0
C-1680	1½x5¼ Jbs., loose stop; 1½x2½ Csg; W-55 Drip; Pine Sill; D-140 ground strip	2x4 stud; Boxing; Lath & Plaster	\$7.38	\$8.25	\$8.97	\$9.84
C-1681	1½x5¼ Rabt. Jbs., 1½x2½ Csg; W-55 Drip; Pine Sill; D-140 Ground strip	2x4 stud; Boxing; Lath & Plaster	6.87	7.89	8.64	9.45
C-1682	1½x5¼ Rabt. Jbs.; 1½x2½ Csg; W-55 Drip; Oak threshold sill; D-140 ground	2x4 stud; Boxing; Lath & Plaster	8.91	10.14	11.70	12.30
C-1683	1½x5¼ Rabt. Jbs.; 1½x2½ Csg; W-57 Drip; W-76 Band; Pine Sill; D-140 Ground	2x4 stud; Boxing; Stucco, Lath & Plaster	7.35	8.40	9.15	9.36
C-1684	1½x5¼ Rabt. Jbs.; 1½x2½ Csg; W-77 Band; Pine Sill; D-140 Ground strip	2x4 stud; Boxing; Brk. Veneer; Lath & Plaster	7.41	8.40	9.09	9.96
C-1685	1½x5¼ Rabt. Jbs.; 1½x2½ Csg; W-77 Band; No Sill; D-140 Ground strip	9" or 10" Masonry Walls or 2x4 Stud & Brk Veneer	5.61	5.91	6.15	6.45
C-1686	1½x7¼ Rabt. Jbs.; 1½x2½ Csg; W-77 Band; No Sill; No D-140 Ground	10" Masonry Walls	9.57	10.02	10.65	11.04
C-1687	1½x9¼ Rabt. Jbs.; 1½x2½ Csg; W-77 Band; No Sill; No D-140 Ground	12" or 13" Masonry Walls	11.94	12.57	13.26	13.74

Extras

For setting up, add per single frame	.75	.75	.75	.75
For Jambs 1½" thick on frames C-1680 to C-1685, inclusive, add per single frame	1.59	1.65	1.77	1.95
For odd width 1½" jambs under 5½", add per single frame	.75	.75	.75	.75
For odd width 1½" jambs over 5½" to 7¼", add per single frame	2.37	2.43	2.55	2.70
For Oak sill in place of Pine sill on frames C-1680, 1681, 1683 and 1684, add per single frame	1.47	1.92	2.25	2.52
For omission of D-140 ground strip on frames C-1680 to C-1685, inclusive, deduct per single frame	.33	.33	.33	.33
For omission of W-77 Band Mold on frames C-1684 to C-1687, inclusive, deduct per single frame	.72	.75	.78	.81
Garage Door frames 8-0x7-6 or less, Jambs 1½"x5½", no stop, Csg., 1½"x2½", no sill, KD., each				\$9.60
For Door and Sidelight frames, figure 3 times the corresponding single frame price.				



CURTIS DOOR WEATHERSTRIPS

Made of MetaLane alloy. Packed one set to carton with complete side, head and lock strips, also includes MetaLane interlocking threshold sill. Complete instructions furnished with each set. It is not necessary to nail side and head strips as all Curtis door frames priced above have a special kerf that receives and holds weatherstrips in place. No other type of weatherstrip is as easy to install. Prices:

For Single Doors	2-6x7-0, per complete set	\$3.60
"	2-8x7-0, per complete set	3.75
"	3-0x7-0, per complete set	3.90
For Pair Doors	4-0x7-0, per complete set	5.25
"	5-0x7-0, per complete set	6.00

This door weatherstrip may be used only on Curtis door frames and Curtis entrance frames.

PILASTERS FOR DOOR FRAMES

See also Curtis designs priced on page 68

Fluted Pilasters, 1½"x7¼"x7'10", reversible. Incl. Cap and Base, K.D., per pair	\$11.25
If Cap and Base omitted, deduct	3.30
Fluted Pilasters, ¾"x5¼"x7'10", reversible, Incl. Cap and Base, K.D., per pair	9.12
If Cap and Base omitted, deduct	3.00

August 1, 1941

SILENTITE PRE-FIT WINDOW FRAMES**W.P.P.—FOR 1½ WINDOWS—TOXIC TREATED**

Packed in cartons (sides 1 bundle; cross members 1 bundle)

See Curtis design book No. 504, pages 172-185, for complete description.

See page 72 of this Price Guide for prices on Silentite windows.

(Note: Only Silentite windows may be used with this frame)

Following table covers only design C-1515 and is suitable for only 1½x3½ stud wall, boxing, wood lath and plaster.

See "Extras" below for prices on frames for other types of wall construction.

C-1515—For prices, read across for width; read down for height.

Glass Size	Opening Size	16"	18"	20"	24"	27"	30"	32"	36"	40"
		1-8	1-10	2-0	2-4	2-7	2-10	3-0	3-4	3-8
12"	2-6	\$4.95	\$5.07	\$5.10	\$5.34	\$5.55	\$5.79			
15"	3-0	5.46	5.58	5.61	5.82	6.09	6.30	\$6.45	\$7.14	\$7.47
18"	3-6	5.82	5.97	6.00	6.21	6.45	6.69	6.84	7.50	7.83
20"	3-10	6.27	6.39	6.42	6.66	6.90	7.14	7.29	7.95	8.28
22"	4-2	6.72	6.84	6.87	7.11	7.35	7.56	7.71	8.40	8.73
24"	4-6	6.90	7.02	7.05	7.29	7.53	7.77	7.92	8.58	8.91
25"	4-8				8.46			9.09		
26"	4-10	7.17	7.32	7.35	7.56	7.80	8.04	8.19	8.85	9.18
28"	5-2	7.44	7.56	7.59	7.80	8.04	8.28	8.43	9.12	9.42
30"	5-6	7.77	7.89	7.92	8.16	8.40	8.64	8.79	9.45	9.78
32"	5-10	8.25	8.37	8.40	8.64	8.88	9.09	9.27	9.93	10.23
35"	6-4		9.87	9.90	10.14	10.38	10.59	10.77	11.43	11.73
36"	6-6		9.06	9.09	9.33	9.57	9.78	9.96	10.62	10.92

Average Weight 29 Lbs.

To avoid delay, use stock windows. Note that stock windows are NOT available for all frames priced above.

Extras

For Mullion frames, figure	210%	of corresponding single frame price
For Triple frames, figure	330%	of corresponding single frame price
For Quadruple frames, figure	455%	of corresponding single frame price
For Quintuple frames, figure	575%	of corresponding single frame price
For triple frames with center opening wider than side openings, figure largest size for each opening, plus triple extra above, then add		\$1.50
For odd sizes, use next larger stock size and add: For odd width		.60
For odd height		.90
Frames furnished with long sill horn and exterior casing not exceeding 7¼" wide, one or two ends, add per end		1.50
Three sided bay openings. Figure each opening from table above and add, per complete bay, K.D.		9.00
If set-up as one unit, stock 30° or 45° angle, add per complete unit \$15.00; if other than stock layout, then add \$24.00.		
Horizontal spreaders (used to brace side jambs during construction), each		.06
Nailing up, including spreaders, add per single opening		.75

For wall types other than C-1515 use above table for each single frame and add:

C-1516 (1½x3½ stud, Boxing, ½" Insulating Lath and ¾" Plaster)	\$0.15
C-1517 (1½x3½ stud, Boxing, ½" Insulating Lath, no plaster)	No Extra
C-1517-A (1½x3½ stud, ½" insulation outside, wood lath and plaster)	No Extra
C-1517-B (1½x3½ stud, ½" insulation outside, insulating lath and plaster)	No Extra
C-1518 (1½x3½ stud, Boxing, ½" Insulating Lath and ½" Plaster)	\$0.15
C-1519 (1½x3½ stud, Boxing, Stucco, Wood Lath and Plaster)	.36
C-1520 (1½x3½ stud, Boxing, Stucco, Wood Lath and Plaster)	.78
C-1521 (1½x3½ stud, ½" Insulation outside Stucco, Wood Lath and Plaster)	.45
C-1521-A (1½x3½ stud, ½" insulation and stucco outside, insulating lath and plaster)	.45
C-1522 (1½x3¾ stud, Boxing, ½" insulating Lath and Plaster)	.21
C-1522-A (1½x4 stud, Boxing, insulating Lath and Plaster)	.30
C-1522-R (1½x5½ stud, Boxing, Wood Lath and Plaster)	1.20
C-1523 (1½x3½ stud, Brick Veneer, Wood Lath Plaster)	.42
C-1523-A (1½x3½ stud, Brick Veneer, ½" Insulating Lath and Plaster)	.57
C-1523-B (1½x3½ stud, Brick Veneer, ½" Insulation Outside, Wood Lath and Plaster)	.42
C-1524 (1½x3½ stud and special Brick Veneer layout)	.72

C-1526 For solid Masonry wall construction, no liners. .18

C-1527 For solid Masonry wall construction, with W-64 liners .57

C-1528 For solid Masonry wall construction, with W-62 liners .60

Note: Prices on C-1523 to C-1528, inclusive, include W-77 brick mould. If brick mould not wanted, deduct per single frame. .42

See page 71 for prices on Silentite Window frame parts and Lineal Stock

August 1, 1941

SILENTITE DOUBLE HUNG WINDOW FRAME PARTS LIST

CARTONED MEMBERS



Opening Height	Sides and Mullion centers		Opening Width	W-80 Heads and Sills		
	W-90 (Sides)	W-95 (Mull Ctrs.)		Single	Twin	Triple
2-6	\$2.55	\$5.04	1-8	\$2.13	4.26	\$7.26
3-0	3.06	5.76	1-10	2.25	4.74	7.71
3-6	3.42	6.24	2-0	2.28	5.01	8.19
3-10	3.84	6.84	2-4	2.46	5.49	10.05
4-2	4.29	7.50	2-7	2.70	6.60	11.10
4-6	4.47	7.77	2-10	2.91	7.14	11.91
4-10	4.74	8.04	3-0	3.06	7.53	12.60
5-2	4.98	8.46	3-4	3.72	8.13	16.47
5-6	5.28	9.24	3-8	4.02	----	----
5-10	5.73	9.90				
6-4	7.20	12.09				
6-6	6.33	10.83				

W-95 is packed and priced 2 pcs. to carton.

LINEAL STOCK

All items except Jamb Liners are Toxic Treated

Design	Name	Size	Weight		Design	Name	Size	Weight	
			Lbs.	Per C Ft.				Lbs.	Per C Ft.
W-32	Sill	1 3/4 x 7 3/8	195	\$43.47	W-19	Jamb Liner Extension	1 1/8 x 1	16	\$4.83
W-33	Sill Liner	1/2 x 1 1/8	12	3.69	W-20	Jamb Liner	5/8 x 1 1/8	10	2.91
W-34	Sill Liner	5/8 x 1 1/8	17	3.69	W-21	Jamb Liner	1 1/8 x 1 1/8	11	2.91
W-40	Head Jamb	1 1/8 x 4 3/8	98	16.32	W-22	Jamb Liner	1 1/4 x 1 1/8	19	6.24
W-44	Blind Stop	1 1/8 x 2 1/4	25	4.62	W-23	Jamb Liner	1 3/8 x 1 1/8	23	6.24
W-48	Parting Stop	1/2 x 3 1/2	8	2.01	W-25	Jamb Liner	1 3/4 x 1 1/8	33	7.05
W-51	Head Casing	1 3/8 x 2 3/8	58	10.68	W-60	Jamb Liner	1 x 1 1/8	8	2.10
W-55	Drip Cap	1 1/8 x 1 5/8	20	7.38	W-61	Jamb Liner	3/4 x 1 1/8	12	2.91
W-56	Drip Cap	1 1/8 x 2 1/8	34	11.19	W-62	Jamb Liner	1 1/8 x 1 1/8	14	4.83
W-57	Drip Cap	1 1/8 x 2 3/8	31	9.27	W-63	Jamb Liner	5/8 x 1 1/8	13	4.83
W-75	Band Mold	1 1/8 x 1 1/2	12	4.77	W-64	Jamb Liner	1 1/4 x 1	12	4.17
W-76	Band Mold	5/8 x 1 1/2	10	2.52	W-65	Jamb Liner	1 1/2 x 1 1/8	25	6.24
W-77	Band Mold	7/8 x 1 1/2	17	5.88	W-66	Jamb Liner	1 1/2 x 1 1/8	15	4.83
W-78	Rabt. B'nd M'ld	1 1/4 x 1 1/2	20	8.40	W-67	Jamb Liner	1 x 1 1/8	14	4.83
No. 2	Head Jamb W/S, Zinc	—	—	8.04	W-69	Mull J'mb Liner	3/4 x 2	22	3.75
					W-70	Mull J'mb Liner	1/2 x 2	16	3.75
					W-70-A	Mull J'mb Liner	3/8 x 2	12	3.75
					W-71	Mull J'mb Liner	5/8 x 2	22	3.75
					W-72	Mull Jamb Ext.	1 1/8 x 2	29	6.69
					W-73	Mull J'mb Liner	7/8 x 2	25	6.69
					W-73-A	Mull J'mb Liner	1 x 2	31	6.69

Prices on "Cut to Length" Drip Caps, Liners, etc.
Quoted upon Request.

Silentite Frames are suitable for many other wall thicknesses and layouts than illustrated on pages No. 178 to 182, inclusive of Curtis design book No. 504 and priced on page No. 70 of this guide. Simply figure the differentials necessary from above lineal schedule multiplied by total lineal moulds required.

August 1, 1941

SILENTITE PRE-FIT GLAZED WINDOWS

Toxic Treated

1 3/8" W.P.P. Glazed SS

Carton Packed

Priced with complete operating hardware—Finish Hardware Not Included

See Curtis Design Book No. 504, pages 189-195, for complete description.

See page No. 70 of this Price Guide for prices on Silentite frames.

(Note: Only Silentite frames may be used with windows priced on this sheet)

2 Light Glass Size	Opening Size	C-2652 2 lt.	C-2654-4 Lt. C-2660-6 Lt.	C-2668 8 lt.	C-2669 9 lt.	C-2672 12 lt.	C2670-10 Lt. C-2675-15 Lt. C-2680-20 Lt.	C-2676 16 lt.	C-2686 6/1 lt.	C-2664 or C-2694
16x15	1-8x3-0	\$ 4.41		\$ 4.95						\$ 4.86*
20	3-10	4.56		5.52					\$ 4.89	5.67*
24	4-6	5.70		5.97					5.34	6.18*
18x12	1-10x2-6	3.96*	\$ 4.23 (4-Lt.)						3.99	
15	3-0	4.59								
20	3-10	5.40							5.46	
24	4-6	6.06		6.18					6.54*	6.84*
24/36	5-6						\$7.50 (10-Lt.)			8.49*
20x12	2-0x2-6	4.20	4.89 (4-Lt.)							
15	3-0	4.20				\$5.70			4.71	5.52*
18	3-6	4.71				6.00			5.22	6.06*
20	3-10	5.13		6.03		6.39			5.61	6.54*
22	4-2					6.63			6.51*	6.84*
24	4-6	5.67		6.39		6.99			6.15	7.14*
26	4-10	6.66*		7.29		7.41			6.51	7.53*
28	5-2	6.96*		7.83*		7.68			6.78	7.83*
24/36	5-6						7.71 (10-Lt.)			8.88*
24x12	2-4x2-6	4.59	4.59 (6-Lt.)							
15	3-0	4.50			\$6.03	5.76			5.01	5.85*
18	3-6	5.10			5.88	6.30			5.58	6.54*
20	3-10	5.43				6.39			5.91	6.90*
22	4-2	6.57*				6.96			6.21	7.23*
24	4-6	6.18				7.08			6.60	7.71*
26	4-10	6.42				7.35			6.87	7.98*
28	5-2	6.84				7.62			7.29	8.46*
20/30	4-8						8.13 (15-Lt.)			
24/36	5-6						8.94 (15-Lt.)			10.20*
27x12	2-7x2-6	5.43*	4.83 (6-Lt.)							
15	3-0	5.10				5.94			5.58	6.54*
18	3-6	5.49			6.09	6.30			5.97	6.99*
20	3-10	5.76				6.84			6.24	7.29*
22	4-2	6.96				7.08			6.63	7.71*
24	4-6	6.60				7.17			7.02	8.22*
26	4-10	6.93				7.50			7.35	8.58*
28	5-2	7.29				7.86			7.71	8.97*
24/36	5-6						9.24 (15-Lt.)			11.01*
30x12	2-10x2-6	4.56	5.01 (6-Lt.)							
15	3-0	5.16	6.12 (6-Lt.)			6.36			5.61	6.60*
18	3-6	6.45			6.30	6.57			6.39	
20	3-10	5.97				6.75			6.42	7.53*
22	4-2	7.35				7.20			7.20	8.13*
24	4-6	6.84				7.50			7.26	8.49*
26	4-10	7.41				7.83			7.80	9.15*
28	5-2	7.71				8.34			8.10	9.48*
24/36	5-6						9.60 (15-Lt.)			11.46*
32x20	3-0x3-10	7.26						\$7.83	7.89*	8.37*
24	4-6	7.44				8.07		8.55	8.04	9.51*
26	4-10	8.43*						8.85	8.16	9.66*
28	5-2	9.66*						10.44*	9.21	10.86*
24/36	5-6						10.95 (20-Lt.)			12.30*
36x15	3-4x3-0	6.78						9.72	8.70	
20	3-10	7.81						9.24*		8.88*
24	4-6	8.46						8.94	8.49	10.08*
26	4-10	9.45*						10.35	9.21	10.68*
24/36	5-6						11.88 (20-Lt.)			13.35*
40x20	3-8x3-10							9.60*		10.43*
24	4-6	9.78						9.45	9.30	10.80*
26	4-10	10.56						9.81		11.58*
24/36	5-6						12.48 (20 Lt.)			13.68*

Odd or intermediate sizes:

Use list of next larger size of equal or greater number of lights and add, per window \$2.40

For windows glazed bottom sash obscure, add per window 1.20

For windows glazed other than SS, write for prices.

See Page No. 76 of this Price Guide for prices on check locks and lifts.

Special 10% discount on orders for full bundles of 1 size and kind.

Design numbers or sizes followed by asterisk "", in stock in Clinton, Iowa, only.

August 1, 1941

PRE-FITTED WINDOW SCREENS


1 1/8" Thick—W.P.P.—TOXIC TREATED
FOR SILENTITE AND CURTIS "ALL-PURPOSE" FRAMES ONLY.
See Curtis Design Book No. 504, Page 196, for complete description.

Glass Size	Wd. Opening Size	C-1498-2 Lt.		Glass Size	Wd. Opening Size	C-1498-2 Lt.	
		16 Mesh Galv.	16 Mesh Bronze			16 Mesh Galv.	16 Mesh Bronze
16x15	1- 8x3- 0	\$2.10	\$2.55	27x22	2- 7x4- 2	\$2.76	3.72
20	3-10	1.98	2.58	24	4- 6	2.52	3.54
24	4- 6	2.28	2.88	26	4-10	2.70	3.84
18x12	1-10x2- 6	1.74	2.13	28	5- 2	3.15	4.32
15	3- 0	2.25	2.79	24/36	5- 6	3.30	4.53
20	3-10	2.46	3.15	28x20	2- 8x3-10	2.49	4.05
24	4- 6	2.40	3.06	24	4- 6	2.73	4.53
24/36	5- 6	2.73	3.54	30x12	2-10x2- 6	2.19	2.85
20x12	2- 0x2- 6	1.83	2.22	15	3- 0	2.19	2.85
15	3- 0	1.83	2.25	16	3- 2	2.28	3.72
18	3- 6	2.04	2.55	18	3- 6	2.43	3.27
20	3-10	2.07	2.64	12/24	3- 6	2.61	3.48
22	4- 2	2.40	3.06	20	3-10	2.49	3.33
24	4- 6	2.25	2.94	22	4- 2	2.88	3.93
26	4-10	2.43	3.21	24	4- 6	2.64	3.60
28	5- 2	2.73	3.57	26	4-10	2.94	4.35
24/36	5- 6	2.85	3.75	28	5- 2	3.09	5.22
28/42	6- 4	3.24	4.26	24/36	5- 6	3.45	4.83
24x12	2- 4x2- 6	1.98	2.49	32x20	3- 0x3-10	2.85	3.90
15	3- 0	1.89	2.49	24	4- 6	2.70	3.93
16	3- 2	2.07	3.27	26	4-10	3.27	4.62
18	3- 6	2.04	2.85	28	5- 2	3.45	4.83
20	3-10	2.13	2.94	24/36	5- 6	3.57	5.10
22	4- 2	2.61	3.45	36x15	3- 4x3- 0	2.73	3.72
24	4- 6	2.37	3.15	20	3-10	3.03	4.26
20/30	4- 8	3.24	4.32	24	4- 6	2.91	4.29
26	4-10	2.67	3.81	26	4-10	3.51	5.04
28	5- 2	2.97	4.05	28	5- 2	3.69	5.31
24/36	5- 6	3.09	4.23	24/36	5- 6	3.84	5.55
26x20	2- 6x3-10	2.40	3.84	40x20	3- 8x3-10	3.24	4.59
24	4- 6	2.61	4.32	24	4- 6	3.24	4.80
27x12	2- 7x2- 6	2.10	2.67	26	4-10	3.75	5.46
15	3- 0	2.07	2.70	28	5- 2	3.96	5.73
18	3- 6	2.34	3.06	24/36	5- 6	4.11	6.00
20	3-10	2.34	3.15				

EXTRAS:

Screen Hardware C-2889-90, Per Set \$0.33
For odd sizes, use price of next larger listed size and add 33 1/3 %
For other species of Screen Wire, write for prices.

Special 10% Discount on orders for 12 or more screens, 1 size and kind.




R-2700, 2701, 2702

SILENTITE "STUDIO"
COMPLETE WINDOW UNITS

W.P.P.—K.D.—Windows and Sash 1 1/8" Thick

Units R-2700, R-2701 and R-2702 glazed SSB.
Units R-2703, R-2704, R-2705 Wds., gla., SSB; Plain
Plate glass for center opg., boxed separately.



R-2703, 2704, 2705

Unit Number	Side Window Opening	Center Sash or Plate Opening	2x4 Stud Wall to match C-1515 (5 1/8" jambs)	Brick Veneer Wall to match C-1523 (5 1/8" jambs)	13" Masonry Wall to match C-1527 (5 1/8" jambs)	If Plain Plate Glass for center opg., not furnished deduct
R-2700	1-10x5-6	3-4x5-6	\$56.55	\$57.81	\$58.26	-----
R-2701	2- 0x5-6	3-8x5-6	58.26	59.52	59.97	-----
R-2702	2- 0x6-4	3-8x6-4	69.90	71.46	71.70	-----
R-2703	1-10x5-6	3-4x5-6	74.46	75.72	76.17	\$24.96
R-2704	2- 0x5-6	3-8x5-6	78.72	79.98	80.43	27.72
R-2705	2- 0x6-4	3-8x6-4	94.11	95.67	95.91	32.07

EXTRAS

For other frame designs or layouts, add extra shown on page 70 or page 14.

If windows and sash are furnished Horizontal Bars only (Wds., gla., SSB; center sh., gla., DSB) add, units

R-2700, R-2701 or R-2702 \$1.35; add units R-2703, R-2704 or R-2705 \$2.34

If frames only furnished Set-Up (windows or sash not installed), add, per complete unit 2.25

	Openings		
Rough Stud Opening	R-2700, R-2703	R-2701, R-2704	R-2702, R-2705
Masonry Opening	7- 7 3/4 x5-10	8- 3 3/4 x5-10	8- 3 3/4 x6- 8
	7-10 3/8 x6-0 1/8	8- 6 3/8 x6- 0 1/8	8- 6 3/8 x6-10 1/8

August 1, 1941

MITERTITE WINDOW TRIM SETS

W.P.P.


Factory prefitted for Silentite and All-Purpose frames.

See Curtis design book No. 504, page 220-227 for illustrations and complete description.


Prices shown apply to C-1515 or C-1570 frames with W-61 liners (5 $\frac{1}{8}$ " net wall thickness).

For other wall thicknesses see extras below.


For prices. Read Across for Width; Read Down for Height.



YORK DESIGN WINDOW TRIM											
Glass Size	16"	18"	20"	24"	26"	27"	28"	30"	32"	36"	40"
15" or under	\$1.38	\$1.41	\$1.44	\$1.47	\$1.95	\$1.50	\$1.98	\$1.53	\$1.56	\$1.68	\$1.83
16" and 18"	1.53	1.56	1.59	1.62	2.10	1.65	2.13	1.68	1.71	1.83	1.98
20"	1.65	1.68	1.71	1.74	2.22	1.77	2.25	1.80	1.83	1.95	2.10
24"	1.74	1.77	1.80	1.83	2.31	1.86	2.34	1.89	1.92	2.04	2.19
26"	1.83	1.86	1.89	1.92	2.40	1.95	2.43	1.98	2.01	2.13	2.28
28"	1.89	1.92	1.95	1.98	2.46	2.01	2.49	2.04	2.07	2.19	2.34
30"	1.92	1.98	2.01	2.04	2.52	2.07	2.55	2.10	2.13	2.25	2.40



REGENCY DESIGN WINDOW TRIM											
Glass Size	16"	18"	20"	24"	26"	27"	28"	30"	32"	36"	40"
15" or under	\$1.38	\$1.41	\$1.44	\$1.50	\$1.98	\$1.53	\$2.01	\$1.56	\$1.59	\$1.68	\$1.83
16" and 18"	1.53	1.56	1.59	1.65	2.13	1.68	2.16	1.71	1.74	1.83	1.98
20"	1.68	1.71	1.74	1.80	2.28	1.83	2.31	1.86	1.89	1.98	2.13
24"	1.77	1.80	1.83	1.89	2.37	1.92	2.40	1.95	1.98	2.07	2.22
26"	1.83	1.86	1.89	1.95	2.43	1.98	2.46	2.01	2.04	2.13	2.28
28"	1.89	1.92	1.95	2.01	2.49	2.04	2.52	2.07	2.10	2.19	2.34
30"	1.92	1.95	1.98	2.04	2.52	2.07	2.55	2.10	2.13	2.22	2.37



PENN DESIGN WINDOW TRIM											
Glass Size	16"	18"	20"	24"	26"	27"	28"	30"	32"	36"	40"
15" or under	\$1.50	\$1.56	\$1.59	\$1.62	\$2.10	\$1.65	\$2.13	\$1.68	\$1.71	\$1.86	\$2.01
16" and 18"	1.68	1.71	1.74	1.77	2.25	1.80	2.31	1.86	1.89	2.01	2.19
20"	1.80	1.83	1.86	1.89	2.40	1.95	2.43	1.98	2.01	2.16	2.31
24"	1.92	1.95	1.98	2.01	2.49	2.04	2.52	2.07	2.10	2.25	2.40
26"	2.01	2.04	2.07	2.10	2.61	2.16	2.64	2.19	2.22	2.34	2.49
28"	2.07	2.10	2.13	2.19	2.67	2.22	2.70	2.25	2.28	2.40	2.58
30"	2.10	2.19	2.22	2.25	2.73	2.28	2.76	2.31	2.34	2.46	2.64

MADISON DESIGN WINDOW TRIM

Use prices for York design above and add, per side-----\$0.60

EXTRAS

For Silentite Twin, Triple or Quadruple window trim use above prices for each single window opening, no extra.

For Multiple standard window frames with 5 $\frac{1}{2}$ " mullions, use above trim prices for each single window opening and add: For each twin opening \$0.69; For each Triple opening \$0.93; for each Quadruple opg. \$1.50.

For odd widths, or where casing is set with revealed jamb (Curtis type No. 2, etc.), add per single window opening-----\$0.60

For sash trim use nearest window opening and add per single side, inswinging or stationary \$0.45; out-swinging-----\$0.99

For Hardwood prices, see extras on next sheet.

THICK WALLS

	Glass Width								
	20"	24"	26"	27"	28"	30"	32"	36"	40"
For walls 4 $\frac{7}{8}$ " to 5 $\frac{1}{8}$ " thick-no extra									
For walls 5 $\frac{1}{8}$ " thick, add-----	\$0.15	\$0.15	\$0.15	\$0.15	\$0.18	\$0.18	\$0.18	\$0.18	\$0.21
For walls 5 $\frac{1}{8}$ " to 6 $\frac{1}{8}$ " thick, add----	.96	.96	.72	1.02	.72	1.02	1.05	1.05	1.11
For walls 6 $\frac{1}{8}$ " to 6 $\frac{3}{8}$ " thick, add-----	1.26	1.26	1.05	1.35	1.05	1.35	1.38	1.38	1.47
For walls 7 $\frac{3}{8}$ " thick, add-----	1.44	1.44	1.26	1.56	1.26	1.56	1.65	1.65	1.71

Window trim for 13" Masonry walls, use price of corresponding size for C-1515 or C-1570 and add per single Window side as follows: York W.P.P. 145%; Regency W.P.P. 140%; Penn W.P.P. 135%; Madison W.P.P. 145% (plus extra for Madison design). Hardwoods, use extras on following page.

August 1, 1941

MITERTITE DOOR TRIM SETS

W.P.P.

Factory prefitted for Curtis Doors

See Curtis design book No. 504, pages 220-227 for illustrations and complete description.
For Prices. Read Across for Width; Read Down for Height.

YORK DESIGN DOOR TRIM

Door size	1-6	1-8	2-0	2-4	2-6	2-8	3-0	4-0	5-0	5-4	6-0
6-0, 6-6 or 6-8	\$1.29	\$1.29	\$1.32	\$1.35	\$1.35	\$1.38	\$1.38	\$1.47	\$1.50	\$1.83	\$1.92
7-0	1.32	1.32	1.35	1.38	1.38	1.41	1.41	1.50	1.53	1.86	1.95
For Plinths add, per side											\$0.12

REGENCY DESIGN DOOR TRIM

Door size	1-6	1-8	2-0	2-4	2-6	2-8	3-0	4-0	5-0	5-4	6-0
6-0, 6-6 or 6-8	\$1.50	\$1.50	\$1.50	\$1.53	\$1.53	\$1.56	\$1.56	\$1.65	\$1.71	\$2.04	\$2.13
7-0	1.53	1.53	1.53	1.56	1.56	1.59	1.59	1.68	1.74	2.07	2.16
Regency trim prices include plinths.											

PENN DESIGN DOOR TRIM

Door size	1-6	1-8	2-0	2-4	2-6	2-8	3-0	4-0	5-0	5-4	6-0
6-0, 6-6 or 6-8	\$1.53	\$1.53	\$1.56	\$1.59	\$1.59	\$1.62	\$1.62	\$1.74	\$1.77	\$2.10	\$2.19
7-0	1.56	1.56	1.59	1.62	1.62	1.65	1.65	1.77	1.80	2.13	2.22
Penn trim prices include plinths, if omitted deduct, per side											\$0.09

MADISON DESIGN DOOR TRIM

Use prices for York design above, and add extra for plinths and design, per side ----- \$0.72

EXTRAS

For odd door widths, add per side, any design ----- .30

Door and Transom Trim—Use price of corresponding Door size of required design and add ----- \$1.20

Door Stops are priced with Door Jambs.

HARDWOOD MITERTITE WINDOW AND DOOR TRIM

Add to W.P.P. price of corresponding window or door size:

	RED GUM		P. R. OAK		UNSEL. BIRCH	
	Other than 13" Masonry wall	13" Masonry wall	Other than 13" Masonry wall	13" Masonry wall	Other than 13" Masonry wall	13" Masonry wall
York design, add	75%	220%	95%	270%	115%	305%
Regency design, add	75%	210%	95%	260%	115%	295%
Penn design, add	75%	205%	95%	255%	115%	300%
Madison design (use York price plus extra for Madison design applied after adding Percentage extra for wood)	75%	220%	95%	270%	115%	305%

For walls thicker than 5 $\frac{3}{8}$ " apply extras shown on preceding sheet, plus percentages shown above, plus for "set-ups" for odd stool and stops, per order ----- \$4.50

Note: York and Regency Designs in stock in Red Gum only. Other designs or woods available for shipment from Clinton, Iowa.

RADIUS HEAD WINDOW AND DOOR TRIM

(To Match Mitertite)

Design	Circle Head		Tudor Gothic or Elliptic Head		Segment Head	
	Widths up to 3-0	Widths up 6-0	Widths up 3-0	Widths up 6-0	Widths up 3-0	Widths up 6-0
York design, add to size and wood required, per sgle. wd.	\$7.80		\$9.60		\$6.90	
per door side	5.25	\$9.30	6.90	\$9.45	4.50	\$8.10
Regency design, add to size and wood required, per sgle. wd.	8.10		9.90		7.20	
per door side	5.55	9.90	7.20	9.75	4.80	8.40
Penn or Madison design, add to size and wood required, per sgl. wd.	8.10		9.90		7.20	
per door side	5.55	9.90	7.20	9.75	4.80	8.40
For 13" Masonry walls add additional for radius head extension jamb, per sgle. wd.	4.95		5.40		4.50	

Window trim for window opening 3-4 wide, add to above 3-0 price 10%; windows 3-8 opening width, add 15%. Radius head trim for rabbeted sash frames, use window side price of same opening size and design required, plus above door side extra for radius casing.

Door Jambs are priced on page 55.

August 1, 1941

PRE-FITTED STORM SASH

1 1/8" W.P.P. GLAZED

FOR SILENTITE AND ALL-PURPOSE FRAMES ONLY. TOXIC TREATED.

See Curtis Design Book No. 504, Pages 196-197, for complete description.

C-2868				C-2879			
Glass Size	2 Lt. SS	2 Lt. DS	2 Lt. Sash with Protectorvent Glazed SS.	Glass Size	2 Lt. SS	2 Lt. DS	2 Lt. Sash with Protectorvent Glazed SS.
16x15	\$3.09	\$3.36	\$4.08	27x20	\$3.30	\$4.14	\$4.44
20	3.24	3.66	4.38	22	3.54	4.50	5.49
24	2.82	3.36	4.61	24	3.42	4.35	4.47
18x12	3.00	3.21	---	26	3.93	4.95	4.83
15	3.21	3.51	4.20	28	4.47	5.73	6.30
20	3.36	3.84	4.53	24/36	5.07	6.30	7.08
24	3.00	3.66	4.89	28x20	4.02	4.86	5.34
24/36	4.56	5.37	5.70	24	4.26	5.37	5.76
20x12	2.91	3.24	---	26	4.50	5.55	6.06
15	2.43	2.85	3.57	28	4.74	5.88	6.30
16	3.15	3.57	4.38	30x12	2.91	3.54	---
18	2.64	3.12	3.69	14	3.54	4.17	4.95
20	2.79	3.42	3.84	15	3.09	3.84	4.23
22	3.75	4.50	4.95	16	3.72	4.41	5.13
24	2.97	3.66	4.14	18	3.42	4.29	4.47
26	3.87	4.68	5.19	12/24	4.50	5.34	---
28	4.02	4.86	5.34	20	3.42	4.35	4.47
24/36	4.80	5.70	5.97	22	4.53	5.55	5.76
28/42	7.05	7.68	8.31	24	3.57	4.59	4.67
24x12	3.09	3.48	---	26	4.32	5.55	5.28
14	3.18	3.57	4.50	28	4.35	5.58	5.43
15	2.49	3.06	3.69	24/36	4.98	6.27	7.20
16	3.30	3.87	4.65	32x20	3.87	4.89	5.82
18	2.79	3.42	3.87	24	4.08	5.22	5.25
20	2.97	3.66	4.02	26	4.41	5.64	6.42
22	3.87	4.68	5.19	28	5.55	6.93	7.05
24	3.15	4.02	4.23	24/36	---	7.14	9.30-d
20/30	4.32	5.07	---	36x15	4.59	5.37	5.58
26	3.54	4.50	4.47	20	4.17	5.28	6.18
28	3.93	4.98	4.80	24	4.41	5.67	5.64
24/36	4.53	5.61	6.51	26	5.04	6.45	7.08
26x18	3.78	4.50	5.10	28	5.94	7.53	7.50
20	3.78	4.56	5.19	24/36	---	7.47	9.96-d
24	4.02	4.92	5.49	40x20	5.82	6.93	6.81
26	4.26	5.22	5.76	24	4.98	6.36	6.33
28	4.50	5.55	6.06	26	---	7.20	9.15-d
27x12	3.69	4.17	---	28	---	8.61	9.87-d
15	2.97	3.69	4.08	24/36	---	8.67	10.95-d
18	3.18	3.96	5.19				

Special 10% Discount on orders for 6 or more, 1 size and kind.

Note: Sizes marked "d" are priced glazed Double Strength Glass. For prices on other sizes C-2879 Protectorvent storm sash glazed DS, add to SS prices above the difference between prices of C-2868 sash of same size, glazed SS and DS.

For prices on sizes not shown above, figure at odd sash discount off 2 light check rail window list (10% off Std. List No. 40) and add \$1.02 for sash C-2868, or \$2.01 for Protectorvent sash C-2879.

Divided light storm sash designs C-2870 to C-2878, inclusive, are not carried in stock. For prices use odd sash discount off check rail window list of same glass size and number of lights, and add \$1.02 for prefitted sash, or \$2.01 for Protectorvent sash.

Protectorvent storm sash cannot be furnished for windows when top sash is 12" glass height, or less.

WINDOW, SCREEN AND STORM SASH HARDWARE

See Curtis Design Book No. 504, page 198 for illustrations and complete description.

WINDOW FINISH HARDWARE

	Steel		Brass	
	Brushed Brass or Statuary Bronze Finish	Bright Chromium Finish	Brushed Brass or Statuary Bronze Finish	Polished Chromium Finish
No. 7020 Check-Tite Sash Locks, Each	\$0.30	\$0.48	\$0.51	\$0.69
No. 225 Sash Lifts (4" overall), Each	.18	.36	---	---

SCREEN AND STORM SASH HARDWARE

Hangers and Bottom Fasteners C-2889 and C-2890, Per Complete Set.	\$0.33
Hangers C-2889 only, Per Pair	.27
Bottom Fasteners C-2890 only, Per Pair	.06
Silent-Nite Storm Sash Adjusters No. 40, Per Set	.54

Items Designated by Asterisk "*" available for Shipment From Factory.

August 1, 1941




THE "INSULATED" CASEMENT

See Curtis Design Book No. 504, pages No. 200-217 for illustrations and complete description.

SASH OPENING (BETWEEN JAMBS)	1'-7"	3'-2 $\frac{1}{2}$ "	4'-10 $\frac{1}{4}$ "	6'-5 $\frac{7}{8}$ "	8'-1 $\frac{1}{2}$ "	SASH OPENING (BETWEEN HEAD & SILL)
STUD WALL OPG.	1'-10 $\frac{1}{2}$ "	3'-6 $\frac{1}{2}$ "	5'-1 $\frac{3}{4}$ "	6'-9 $\frac{3}{8}$ "	8'-5"	STUD WALL OPG.
BRICK WALL OPG.	2'-2"	3'-9 $\frac{1}{8}$ "	5'-5 $\frac{1}{4}$ "	7'-0 $\frac{7}{8}$ "	8'-8 $\frac{1}{2}$ "	BRICK WALL OPG.
	140	240	340	440	540	2'-5"
	160	260	360	460	560	2'-6 $\frac{1}{4}$ "
SEE NOTE Below	180	280	380	480	580	2'-9 $\frac{1}{8}$ "
	162	262	362	462	562	3'-3 $\frac{1}{4}$ "
	182	282	382	482	582	3'-6 $\frac{1}{2}$ "
	164	264	364	464	564	3'-9 $\frac{3}{8}$ "
	184	284	384	484	584	4'-3 $\frac{1}{2}$ "
						4'-6 $\frac{3}{4}$ "
						4'-9 $\frac{5}{8}$ "
						4'-7 $\frac{1}{8}$ "
						4'-10 $\frac{1}{8}$ "
						5'-1 $\frac{1}{8}$ "
						5'-7 $\frac{1}{8}$ "
						5'-11 $\frac{3}{8}$ "
						6'-2 $\frac{1}{8}$ "
						5'-7 $\frac{1}{8}$ "
						5'-11 $\frac{3}{8}$ "
						6'-2 $\frac{1}{8}$ "
						6'-8 $\frac{3}{8}$ "
						6'-11 $\frac{3}{8}$ "
						7'-2 $\frac{1}{8}$ "

There are two heights of 6-light sash, 3-3 $\frac{1}{4}$ " and 2-9 $\frac{1}{4}$ "; the latter designed especially for use over kitchen sinks. Therefore in ordering frames or sash the sash opening height should be specified.



AN X-RAY VIEW OF SILENTITE CASEMENT

Here is a four-light Silentite Casement with part of trim cut away to give you a sort of X-Ray view of how it operates. Note there are no hinges. It is really a "floating sash"—as easily opened and closed as turning on and off your radio. Sash may be opened to 45°, which permits entrance for air equal to entire opening area—just as though the sash were removed. Sash adjuster provides 15 times greater opening pressure than ordinary lever type. It is always locked in position in which it is placed—so it can't rattle, swing, or vibrate.

As sash is always rigidly supported at five points, it is absolutely free of warping forces in every position. And there is not a single piece of protruding hardware—outside or inside. When window is closed, all you see is the metal plate which covers the hardware. The trim completely conceals all the rest of the hardware.

SILENTITE PRE-FIT CASEMENT UNITS

W.P.P. — TOXIC TREATED

See Curtis Design Book No. 504, Pages 200-217 for illustrations and complete description.

Specifications:

- Frame:** Carton packed. Heads and Sills 1 bundle; Sides 1 bundle. K.D.
Sash: Glazed SSB. All lights 8x12. Wood division bars $\frac{1}{8}$ " between glass.
Transoms: Glazed SSB. All lights 8x12. Wood division bars $\frac{1}{8}$ " between glass.
 All are stationary. Screens are not furnished for Transoms.
Screens: Wood frame. Wired with 16 mesh Antique Bronze wire.
 Furnished complete with hardware.
Weatherstrips: Non-corrosive Spring Metal weatherstrips are furnished for each sash and each transom. No nailing required.
Hardware: Packed one set to carton. Supporting arms are steel, Cadmium finish.
 Adjuster box is steel, Statuary Bronze finish.
Cranks: Are steel, Statuary Bronze finish, 3% " shaft (longer shafts extra).
Only 1 crank is furnished for each complete unit.
 (Example: Unit No. 180 has one crank; likewise Unit No. 564 has but one crank.)

PRICES

Following prices cover complete frame, K.D., with necessary Sash, Transoms, Weatherstrips, Screens and Hardware for each sash (1 crank per unit). Insulating glass is only furnished when specified and then at extra shown on following page.

Following table covers design C-1600 with W-61 liners and is suitable for 1% x 3% stud wall, boxing, wood lath and plaster. (5 $\frac{1}{8}$ " net wall thickness.)

Unit Number	Price	Approximate Weight	Unit Number	Price	Approximate Weight
140	\$15.27	34 Lbs.	162	\$21.90	63 Lbs.
240	27.37	60 Lbs.	262	39.39	105 Lbs.
340	40.98	85 Lbs.	362	56.97	147 Lbs.
440	54.45	110 Lbs.	462	74.03	192 Lbs.
540	67.83	138 Lbs.	562	93.90	235 Lbs.
			182	24.66	71 Lbs.
160	16.98	46 Lbs.	282	44.04	119 Lbs.
260	31.32	74 Lbs.	382	63.51	171 Lbs.
360	45.57	104 Lbs.	482	83.46	222 Lbs.
460	60.48	135 Lbs.	582	104.22	273 Lbs.
560	75.30	165 Lbs.	164	23.61	72 Lbs.
			264	42.36	118 Lbs.
180	19.71	54 Lbs.	364	61.20	164 Lbs.
280	35.94	88 Lbs.	464	80.52	215 Lbs.
380	52.08	128 Lbs.	564	100.65	263 Lbs.
480	68.88	165 Lbs.	184	26.40	80 Lbs.
580	85.59	203 Lbs.	284	47.04	132 Lbs.
			384	67.77	188 Lbs.
			484	88.98	245 Lbs.
			584	111.00	300 Lbs.

6 Light sash also available with 8x10 glass, opening height 2-9- $\frac{1}{4}$ ", at same price as standard sash with 8x12 glass

EXTRAS

- For wall types other than C-1600 (with W-61 liners) use above prices for each unit and add per unit as follows:
 C-1612 (1% x 3% stud, boxing, stucco, wood lath and plaster)—W-61 liners—5 $\frac{1}{8}$ " net wall thickness—\$0.96
 C-1624 (1% x 3% stud, boxing, stucco, wood lath and plaster)—W-61 liners—5 $\frac{1}{8}$ " net wall thickness— .57
 C-1636 (1% x 3% stud, boxing, brick veneer, wood lath and plaster)—W-61 liners—5 $\frac{1}{8}$ " net wall thickness— .45
 C-1648 (1% x 3% stud, boxing, brick veneer, wood lath and plaster)—W-65 liners—5 $\frac{1}{8}$ " net wall thickness, sub-blind stop not furnished— 1.20
 C-1660 (12" or thicker masonry walls)—No liners—Extension jambs not furnished— No Extra

For other wall thicknesses use prices above for required exterior wall construction, then see table on page No. 81 and add additional for proper liners, per unit, as follows:

W-20, W-21 or W-60	No Extra	W-19-20; W-19-61	\$0.72
W-63, W-66 or W-67	\$0.36	W-19-63; W-19-67	.87
W-23 or W-65	.48	W-19-23; W-19-66; W-19-25	1.20

C-2899 Cranks with 3% " shaft are furnished one per complete unit.

For more or less cranks, add, or deduct, each	\$0.63
For Cranks with 12" shaft, add, per crank	.24
For cranks with 18" shaft, add, per crank	.27

For stationary sash, deduct for omission of hardware and screens as follows:

Each 4 light sash	\$6.87
Each 6 light sash	7.26
Each 8 light sash	7.71

For units containing more than 5 sash in width, use price of 5 sash unit and add extra for each additional sash, the price of a single unit of same height.

Units furnished for 3 sided bay openings. Use table above and add for wide casing and long sill horns, per complete bay, K.D. \$9.00. If set up as one unit, stock 30° or 45° angle, add for each swing or stationary sash as below, plus \$15.00. If other than stock layout then add \$24.00

Units furnished with long sill horn and exterior casing not exceeding 7 $\frac{1}{4}$ " wide, one or two ends, add per end \$1.50

For setting up including mounting of sash and hardware,

add for each sash opening (not crated)	\$1.80;	(Crated)	\$3.30
add for each transom opening (not crated)	.75;	(Crated)	1.95

SILENTITE PRE-FIT CASEMENT UNITS (Continued)**EXTRAS: (Continued)**

Sash furnished Glazed SSB with Zinc Bars.

Use Price Schedule on Page 78 and add as follows:

	*Zinc Bars (Stock Design) Diamond Lts.	*Zinc Bars (Stock Design) Rectangular Lts.
Each 2 lt. Trans.	\$2.91	\$2.22
Each 4 lt. Trans. or Sash	4.71	2.97
Each 6 lt. Sash	5.94	4.08
Each 8 lt. Sash	8.07	6.21

Sash furnished with horizontal bars only. Use Price Schedule on page 78, and add as follows:

	*SSB	*DSB	* $\frac{1}{8}$ " Plate
Each 2 light transom changed to 1 light	\$0.57	\$0.78	\$1.59
Each 4 light sash or transom changed to 2 light66	1.05	2.73
Each 6 light sash changed to 3 light	1.11	1.56	4.17
Each 8 light sash changed to 4 light	1.56	2.13	5.64

For Insulating glass, glazed SS, add as follows:

Each 2 light transom	\$3.69
Each 4 light sash or transom	4.59
Each 6 light sash (Specify Sh. opg. Height) ..	5.76
Each 8 light sash	6.84


Screens are included for sash in units priced on page 78.

If not wanted, deduct as follows:


Each 4 light sash	\$1.53
Each 6 light sash	1.92
Each 8 light sash	2.37

SILENTITE "STUDIO" CASEMENTS**C-1600 Layout with W-61 Liners ($5\frac{1}{8}$ " Net Wall Thickness)—SET UP**


End Sash complete with Hardware and screens. Center Sash Stationary.




480-SS




580-SS




480-PG




580-PG




482-SS



582-SS



482-PG



582-PG

Unit Number	Price Rectangular Lts., Gla. SSB	Price Horizontal Lts., End Sh., SSB Center Sh. DSB	Price—Side Sash Rect., Lts. Gla. SSB, Plain Plate glass furnished for center opg. (not installed)	If Plate glass for center opening not furnished, deduct
480-SS	\$48.81	\$49.86	-----	-----
580-SS	55.50	55.71	-----	-----
480-PG	-----	-----	\$62.28	\$22.62
580-PG	-----	-----	75.39	33.69
482-SS	56.19	57.57	-----	-----
582-SS	63.60	64.56	-----	-----
482-PG	-----	-----	74.91	30.42
582-PG	-----	-----	93.00	46.50

EXTRAS

For other wall thicknesses use prices shown on preceding page.

If end or swing sash of units with center Plate Glass opening are furnished with Horizontal Bars only, add per unit

\$ 3.12

If end sash are stationary, deduct for omission of hardware and screens, per unit

15.42

If crated for shipment, add per complete unit, \$7.50. Charge for separate crtg., of Plate glass is included in unit price.

GLASS SIZES

Unit Number	End Sash	Center Sash	Center Plate Glass Opening
	Rect., Lts.	Horizontal Lts.	Rect., Lts.
480-SS and 480-PG	8x12"	16 $\frac{1}{4}$ x12"	8 $\frac{3}{4}$ x12"
580-SS and 580-PG	8x12"	16 $\frac{1}{4}$ x12"	36 $\frac{3}{8}$ x12"
482-SS and 482-PG	8x12"	16 $\frac{1}{4}$ x12"	56 x12"
582-SS and 582-PG	8x12"	16 $\frac{1}{4}$ x12"	8 $\frac{1}{8}$ x13 $\frac{1}{8}$ "
			36 $\frac{3}{8}$ x13 $\frac{1}{8}$ "
			*11x13 $\frac{1}{8}$ "
			56 x13 $\frac{1}{8}$ "

*Center sash in unit No. 580 may be divided 24 lts. 6x4 ($9\frac{1}{8}$ x12" glass); also unit No. 582-SS may have center sash divided 30 lts., 6x5 ($9\frac{1}{8}$ x13 $\frac{1}{8}$ " glass), at no extra charge. Glass height where shown as 13 $\frac{1}{8}$ " will vary slightly as bars will be set to line with end sash.

	480-SS, 480-PG	580-SS, 580-PG	482-SS, 482-PG	582-SS, 582-PG
Rough Stud Opening	6-9 $\frac{3}{8}$ x4- 6 $\frac{3}{4}$	8- 5 x4- 6 $\frac{3}{4}$	6- 9 $\frac{3}{8}$ x5-11 $\frac{1}{8}$	8- 5x5-11 $\frac{1}{8}$
Masonry Opening	7-0 $\frac{7}{8}$ x4- 9 $\frac{3}{4}$	8- 8 $\frac{1}{2}$ x4- 9 $\frac{3}{4}$	7- 0 $\frac{7}{8}$ x6- 2 $\frac{1}{8}$	8- 8 $\frac{1}{2}$ x6- 2 $\frac{1}{8}$

Design numbers followed by Asterisk "*" in stock at Clinton, Ia., only.

August 1, 1941

SILENTITE CASEMENT PARTS LIST

CROSS MEMBERS—TOXIC TREATED

		Single	Twin	Triple	Quad.	Quint.
S-80	1 Set Per Carton	\$1.71	\$3.18	\$4.56	\$6.54	\$8.49
S-96	Transom Bar (2 per carton)	2.40	3.12	4.20	4.92	7.44
S-60	Head Stops (5 per carton)	1.20	---	---	---	---
S-61	Transom Hd. Stops $\frac{3}{4} \times 2\frac{1}{2}$ S4S (6 per carton)	1.05	---	---	---	---

VERTICAL MEMBERS—TOXIC TREATED

		4 Light	6 Light 8x10	6 Light 8x12	8 Light	2 Light Trans.	4 Light Trans.
S-90	Sash Sides (1 set per carton)	\$1.77	\$2.19	\$2.19	\$3.21	---	---
S-91	Transom Sides (1 set per carton)	---	---	---	---	\$1.23	\$1.77
S-95	Sash Mull. (5 per carton)	2.40	3.30	3.30	4.35	---	---
S-95	Transom Mull. (5 per carton)	---	---	---	---	1.65	2.40
		4 Light	6 Light 8x10	6 Light 8x12	8 Light	2 Light Trans.	4 Light Trans.
S-70	Sash Stops (3 pair per carton)	\$1.80	\$2.07	\$2.07	\$2.88	---	---
S-71	Transom Stops (3 pair per carton)	---	---	---	---	\$0.72	\$1.35

Sash Opg. Height	SASH—SSB							Insulating Glass		Screens		
	Rect. Lts. No.		Horiz. Lts No.		Dia. Ld. Lts. No.		Rec. Ld. Lts. No.		No.		No.	
1-2 ¾	C-2622	\$1.68	C-2617	\$2.25	C-2612	\$4.59	C-2632	\$3.90	C-2642	\$3.69	-----	-----
2-3	C-2623	2.58	C-2619	3.24	C-2613	7.29	C-2633	5.55	C-2644	4.59	-----	-----
2-3	C-2624	2.58	C-2620	3.24	C-2614	7.29	C-2634	5.55	C-2644	4.59	C-2604	\$1.53
2-9 ¼	C-2625	3.09	C-2630	3.90	C-2615	8.58	C-2635	6.75	C-2645	4.98	C-2605	1.92
3-3 ¼	C-2626	3.36	C-2639	4.47	C-2616	9.30	C-2636	7.44	C-2646	5.76	C-2606	1.92
4-3 ½	C-2628	4.32	C-2640	5.88	C-2618	12.39	C-2638	10.53	C-2648	6.84	C-2608	2.37

HARDWARE

C-2898	Operating Hardware without crank, (4 $\frac{1}{2}$ lbs.) per set	\$5.58
C-2899	Cranks, 6 per carton, each	.63
C-2899-L	Long Shank Cranks, (12" or 18"), each	.90
C-2896	Double Screws and Sleeves, per set	.30
C-2897	Clips for attaching Stationary Sash, per sash	.24
C-2897-F	Copper Flashing for top ends of Sash Stiles, per sash	.15

LINEAL STOCK W.P.P.

All items except jamb liners are toxic treated

Design	Name	Size	Wt. Lbs.	Per C Ft.	Design	Name	Size	Wt. Lbs.	Per C Ft.
S-12	Trans. Head Stop	$\frac{3}{4} \times 3\frac{1}{8}$	50	\$6.90	W-19	Jamb Liner Ext.	$1\frac{1}{8} \times 1$	16	\$4.83
S-15	Screen Stop	$\frac{1}{4} \times \frac{3}{4}$	2	1.86	W-20	Jamb Liner	$\frac{5}{8} \times 1\frac{1}{8}$	11	2.91
S-44	Blind Stop	$\frac{3}{4} \times 1\frac{1}{8}$	14	2.76	W-21	Jamb Liner	$1\frac{1}{8} \times 1\frac{1}{8}$	11	2.91
S-51	Head Casing	$1\frac{3}{8} \times 2\frac{1}{2}$	44	10.68	W-22	Jamb Liner	$1\frac{1}{4} \times 1\frac{1}{8}$	17	6.24
W-55	Drip Cap	$1\frac{1}{8} \times 1\frac{1}{2}$	20	7.38	W-23	Jamb Liner	$1\frac{1}{8} \times 1\frac{1}{8}$	21	6.24
W-56	Drip Cap	$1\frac{1}{8} \times 2\frac{1}{8}$	34	11.19	W-25	Jamb Liner	$1\frac{3}{4} \times 1\frac{3}{8}$	26	7.05
W-57	Drip Cap	$1\frac{1}{8} \times 2\frac{3}{8}$	31	9.27	W-60	Jamb Liner	$\frac{1}{8} \times 1$	8	2.10
W-75	Rabtd. Band Mold	$1\frac{1}{8} \times 1\frac{1}{2}$	12	4.77	W-61	Jamb Liner	$\frac{3}{4} \times 1\frac{1}{8}$	12	2.91
W-76	Band Mold	$\frac{5}{8} \times 1\frac{1}{2}$	9	2.52	W-63	Jamb Liner	$\frac{7}{8} \times 1\frac{1}{8}$	13	4.83
W-77	Band Mold	$\frac{7}{8} \times 1\frac{1}{2}$	17	5.88	W-65	Jamb Liner	$1\frac{1}{2} \times 1\frac{1}{8}$	25	6.24
W-78	Rabtd. Band Mold	$1\frac{1}{4} \times 1\frac{1}{2}$	20	8.40	W-66	Jamb Liner	$1\frac{1}{8} \times 1\frac{1}{8}$	15	4.83
					W-67	Jamb Liner	$1 \times 1\frac{1}{8}$	14	4.83

Silentite Casements are suitable for many other wall thicknesses and layouts than illustrated on pages No. 209 to 211, inclusive of Curtis design book No. 504 and priced on page No. 78 of this guide. Simply figure the differentials necessary from above lineal schedule multiplied by total lineal moulds required.

MITERTITE CASEMENT TRIM

Factory Prefitted for Curtis Silentite Casements

See Curtis Design Book No. 504, pages 220-221 for illustrations.

Following trim prices cover 5 $\frac{1}{8}$ ", or less, wall thickness and may be used for frames C-1600, C-1612, C-1624 and C-1636 with liners W-20, W-21, W-60 or W-61. Prices include C-5565 Mullion and Transom Bar Casing; complete Side and Head Casing, Apron and Stool.

See extras below for wider stools required on thicker walls.

W. P. PINE

	No.	No.	No.	No.	No.
4 Light Sash	140	240	340	440	540
York	\$1.47	\$2.07	\$3.06	\$4.41	\$5.46
Regency	1.50	2.13	3.12	4.47	5.52
Penn	1.62	2.25	3.27	4.71	5.85
Madison	1.83	2.48	3.57	4.98	6.12

	No.	No.	No.	No.	No.
6 Light Sash	160	260	360	460	560
York	\$1.62	\$2.25	\$3.27	\$4.65	\$5.73
Regency	1.77	2.31	3.33	4.74	5.79
Penn	1.80	2.49	3.60	5.07	6.24
Madison	2.07	2.73	3.84	5.31	6.45

	No.	No.	No.	No.	No.
8 Light Sash	180	280	380	480	580
York	\$1.71	\$2.37	\$3.42	\$4.83	\$5.94
Regency	1.77	2.43	3.48	4.92	6.03
Penn	1.89	2.61	3.75	5.25	6.45
Madison	2.22	2.94	4.08	5.55	6.75

	No.	No.	No.	No.	No.
6 Light Sash + 2 Light Transom	162	262	362	462	562
York	\$1.83	\$2.55	\$3.66	\$5.16	\$6.36
Regency	1.86	2.61	3.72	5.22	6.42
Penn	2.01	2.79	3.99	5.58	6.87
Madison	2.34	3.09	4.29	5.88	7.14

	No.	No.	No.	No.	No.
6 Light Sash + 4 Light Transom	164	264	364	464	564
8 Light Sash + 2 Light Transom	182	282	382	482	582
York	\$2.22	\$2.97	\$4.11	\$5.64	\$6.87
Regency	2.28	3.03	4.17	5.73	6.96
Penn	2.40	3.21	4.44	6.06	7.38
Madison	2.97	3.75	4.98	6.60	7.89

	No.	No.	No.	No.	No.
8 Light Sash + 4 Light Transom	184	284	384	484	584
York	\$2.22	\$3.00	\$4.17	\$5.73	\$6.99
Regency	2.28	3.06	4.23	5.82	7.08
Penn	2.43	3.27	4.53	6.18	7.53
Madison	2.97	3.78	5.04	6.69	8.01

EXTRAS

Add for Stools suitable
for liners W-22, W-63
W-66 or W-67, Each

Add for Stools suitable
for liners W-23, W-19-
20, W-19-61 or W-65,
Each

Add for Stools suitable
for liners W-19-63, W-
19-67, W-19-66, W-19-
23 or W-19-25, Each

Casement trim for 13" masonry wall, use above
table for W-61 liners and add

York and Regency trim are available for immediate delivery in W.P.P. and Red Gum.

HARDWOODS

For Mitertite Hardwood Casing, Stool, Apron, Mullion
and Transom Bar Casing use table at left and add:

Red Gum	110%
Unselected Birch	150%
Plain Red Oak	130%

For S-60, S-61, S-70 and S-71 Head and Side Stops in
either Red Gum, Unselected Birch or Plain Red Oak,
add as follows:

Each 2 Light Transom	\$0.36
Each 4 Light Sash or Transom	.42
Each 6 Light Sash	.60
Each 8 Light Sash	.66

For Jamb Liners as well as Head and Side Stops in
either Red Gum, Unselected Birch or Plain Red Oak,
add as follows:

		Frame With Liners			
Sash Size		W-20 W-21	W-22 W-63 W-66 or W-61	W-23 W-19-20 W-19-61 or W-65 or W-19-23	W-19-63 W-19-67 W-19-66 W-19-23
		W-61	W-67	W-65	W-19-23
Each 4 Light Sash		\$0.60	\$0.87	\$1.14	\$1.62
Each 6 Light Sash			1.23	1.56	2.16
Each 8 Light Sash or Each 6 Light Sash + 2 Light Transom		1.44	1.89	2.34	3.14
Ea. 6 Lt. Sash + 4 Lt. Transom or Ea. 8 Lt. Sash + 2 Lt. Transom		1.62	2.22	2.82	3.72
Each 8 Light Sash + 4 Light Transom		1.71	2.40	3.06	4.11

For other trim designs or woods, use moulding sched-
ule on pages 48 and 49 for casing and apron, and
odd moulding schedule on page 49 for stools. Add
mullion and transom bar casing as required.

**Following Table Shows Proper Jamb Liner and
Stool Required for Various Wall Thicknesses**

Wall Thick- ness	Jamb Liner Required	Jamb Liner Size	Stool Required	Stool Size
4 $\frac{7}{8}$ "	W-60	$\frac{7}{8}$ "x1"	C-5507	1"x4 $\frac{3}{4}$ "
5 $\frac{1}{8}$ "	W-20	$\frac{5}{8}$ "x1 $\frac{1}{8}$ "	C-5508-A	1"x5"
5 $\frac{1}{8}$ "	W-21	$\frac{11}{16}$ "x1 $\frac{1}{8}$ "	C-5508-B	1"x5"
5 $\frac{3}{8}$ "	W-61	$\frac{3}{4}$ "x1 $\frac{1}{8}$ "	C-5508	1"x5"
5 $\frac{3}{8}$ "	W-63	$\frac{7}{8}$ "x1 $\frac{1}{8}$ "	C-5508-D	1"x5"
5 $\frac{3}{8}$ "	W-67	1"x1 $\frac{1}{8}$ "	C-5509	1"x5 $\frac{1}{4}$ "
5 $\frac{3}{8}$ "	W-66	1 $\frac{1}{8}$ "x1 $\frac{1}{8}$ "	C-5509-A	1"x5 $\frac{1}{4}$ "
5 $\frac{1}{2}$ "	W-22	1 $\frac{1}{4}$ "x1 $\frac{1}{8}$ "	C-5510	1"x5 $\frac{1}{2}$ "
5 $\frac{1}{2}$ "	W-23	1 $\frac{3}{8}$ "x1 $\frac{1}{8}$ "	C-5510-A	1"x5 $\frac{1}{2}$ "
5 $\frac{1}{2}$ "	W-65	1 $\frac{1}{2}$ "x1 $\frac{1}{8}$ "	C-5511	1"x5 $\frac{3}{4}$ "
6 $\frac{1}{8}$ "	W-19-20	1 $\frac{3}{4}$ "x1 $\frac{1}{8}$ "	C-5511-A	1"x5 $\frac{3}{4}$ "
6 $\frac{1}{8}$ "	W-19-61	1 $\frac{3}{4}$ "x1 $\frac{1}{8}$ "	C-5558	1"x6"
6 $\frac{1}{8}$ "	W-19-63	1 $\frac{3}{4}$ "x1 $\frac{1}{8}$ "	C-5558-A	1"x6"
6 $\frac{1}{8}$ "	W-19-67	2"x1 $\frac{1}{8}$ "	C-5559	1"x6 $\frac{1}{4}$ "
6 $\frac{1}{8}$ "	W-19-66	2 $\frac{1}{8}$ "x1 $\frac{1}{8}$ "	C-5559-A	1"x6 $\frac{1}{4}$ "
6 $\frac{1}{8}$ "	W-19-23	2 $\frac{3}{8}$ "x1 $\frac{1}{8}$ "	C-5560	1"x6 $\frac{1}{2}$ "
7 $\frac{1}{8}$ "	W-19-25	2 $\frac{3}{4}$ "x1 $\frac{1}{8}$ "	Special	1"x6 $\frac{3}{4}$ "

FREIGHT CLASSIFICATION

Commodity	Rate
Balusters, in crates or boxes	3rd
Blinds, slated or solid	3rd
Brackets	2nd
Blocks	3rd
Built up wood in packages (includes panels)	4th
Cabinet Work (includes following):	
Bookcases	Native wood not further finished than primed. To become a part of the house.
Buffets	
China Closets	
Cupboards	
Ironing Boards	
Mantels	
Medicine Cases	
Kitchen Units	
Linen Cabinets	
Pedestals	
Above items	
Set up and glazed	1st
Set up and not glazed	2nd
Knocked Down, Flat	3rd
Columns, solid or staved	3rd
Column Caps and Bases	3rd
Doors not glazed	4th
Doors glazed, common window glass	3rd
Doors glazed plate	1st
Flooring (lumber)	4th
Frames set up	2nd
Frames K. D.	3rd
Glass (Window)	3rd
Glass (Plate and Mirrors)	1st
Mouldings (Other Than S4S)	3rd
Paper (Building and Roofing) in bundles or rolls	4th
Roofing (Prepared)	4th
Sash (not glazed)	2nd
Sash (glazed)	3rd
Sash (glazed plate)	1st
Screen Doors	2nd
Screen Windows	2nd
Stairs (K. D. Flat)	3rd
Stairs (Set Up Sections)	1st
Sash Weights in bdls. weighing 15 lbs. or over	4th
Sash Cord in boxes	3rd
Wallboards	3rd
The rates to	are:

